



Los Angeles County  
Department of Regional Planning


*Planning for the Challenges Ahead*



Jon Sanabria, AICP  
Acting Director of Planning

November 3, 2009

TO: Librarian  
Live Oak Public Library  
4153 E. Live Oak  
Arcadia, CA 91006

FROM: Ms. Mi Kim   
Principal Regional Planning Assistant  
Department of Regional Planning  
c/o Land Division Section  
320 West Temple Street, Room 1382  
Los Angeles, CA 90012

**SUBJECT: PROJECT NO. PM070454-(5)  
TENTATIVE PARCEL MAP NO. 070454  
2587 S 10<sup>TH</sup> AVE, ARCADIA**

The subject project is scheduled for a public hearing before a Hearing Officer of Los Angeles County on December 15, 2009.

Please have the materials listed below available to the public though December 29, 2009.

If you have any questions regarding this matter, please contact Ms. Mi Kim of the Current Planning Division of the Department of Regional Planning at (213) 974-6443.

Thank you.

Attachments:

Notice of Public Hearing  
Draft Factual  
Draft Conditions  
Environmental Documentation  
Parcel Map No. 070454 dated May 20, 2009  
Land Use Map

**NOTICE OF PUBLIC HEARING  
PROPOSED LAND DIVISION**

**PROJECT NO. PM070454-(5)  
TENTATIVE PARCEL MAP NO. 070454  
ENVIRONMENTAL ASSESSMENT NO. 200800130**

Notice is hereby given that a Hearing Officer of Los Angeles County will conduct a public hearing concerning this proposed land development on Tuesday, **December 15, 2009 at 9:00 a.m. in Room 150**, Hall of Records, 320 West Temple Street, Los Angeles, CA 90012. The hearing room will open to the public at 8:50 a.m. Interested persons will be given an opportunity to testify.

This project is determined to be categorically exempt pursuant to Section 15301 (Existing Facilities), Section 15303 (New Construction or Conversion of Small Structures), and Section 15315 (Minor Land Divisions) of California Environmental Quality Act Guidelines.

**Project Description:** To create two single-family lots on 0.35 gross acre (15,180 square feet). The subdivision will result in one rectangular lot and one flag lot accessed via 10<sup>th</sup> Ave.

**Project Location:** The property is located at 2587 S 10<sup>th</sup> Ave, Arcadia, within the unincorporated community of South Monrovia Islands in South Arcadia Zoned District in 5<sup>th</sup> Supervisorial District.

Case materials are available for review during regular working hours at the Department of Regional Planning, Hall of Records, 320 West Temple Street, Los Angeles, California 90012. These materials will also be available for review beginning November 14, 2009 at the Live Oak Public Library, 4135 E. Live Oak, Arcadia, CA 91006, (626) 446-8803. Selected materials are also available on the Department of Regional Planning website at <http://planning.lacounty.gov>.

This project does not affect the zoning of the surrounding properties. If you are unable to attend the public hearing but wish to send written comments, please write to the Department of Regional Planning at the address given below, attention: Ms. Mi Kim. You may also obtain additional information concerning this case by phoning Ms. Kim at (213) 974-6443. Callers from North County areas may dial (661) 272-0964 (Antelope Valley) or (661) 253-0111 (Santa Clarita) and ask to be connected to (213) 974-6443. Public service hours are 7:30 a.m. to 5:30 p.m., Monday through Thursday. Our offices are closed on Fridays.


If you challenge a County action in Court, you may be limited to raising only those issues you or someone else raised at the public hearing described in this notice or in written correspondence delivered to the Hearing Officer at, or prior to, the public hearing.

Jon Sanabria  
Acting Planning Director

**“ADA ACCOMMODATIONS:** If you require reasonable accommodations or auxiliary aids and services such as material in alternate format or a sign language interpreter, please contact the ADA (Americans with Disabilities Act) Coordinator at (213) 974-6488 (Voice) or (213) 617-2292 TDD), with at least three business days notice.”

**“Este es un aviso de una audiencia public de parte del Condado de Los Angeles para considerar un mapa de parcela que se propone para crear dos lotes de una sola familia en 15,180 pies cuadrados. La subdivisión se traducirá en un lote rectangular y un lote “flag lot” con acceso desde la avenida 10. La audiencia publica para considerar el proyecto se llevara acabo el 15 de diciembre de 2009 en el cuarto 150 del edificio Hall of Records en el 320 W. Temple Street, Los Angeles California, a las 9:00 a.m. Si necesita mas informacion, o si gusta este aviso en Espanol, por favor llame al Departamento de Planificacion al (213) 974-6466.”**

© 2008 Rand McNally & Company



Subject Property



MAYFLOWER VILLAGE

91706

91732

917010

BALDWIN PARK

Map taken from:  
 "The Thomas Guide, 2008 Edition"  
 Copyright 2008 Rand McNally & Co.  
 Project No. P1 070454  
 Case No. Tentative Parcel Map 070454



Los Angeles County Department of Regional Planning  
 320 West Temple Street, Los Angeles, California  
 90012  
 Telephone (213) 974-6443

**PROJECT NO. PM070454-(5)**  
**TENTATIVE PARCEL MAP NO. 070454**

HO MEETING DATE	CONTINUE TO
AGENDA ITEM #	
PUBLIC HEARING DATE December 15, 2009	

<b>APPLICANT</b> Johnny Yu	<b>OWNER</b> Johnny Yu	<b>REPRESENTATIVE</b> Hank Jong
-------------------------------	---------------------------	------------------------------------

<b>REQUEST</b> Parcel Map to create two (2) single family lots on 0.35 gross acre (15,180 square feet).
--

<b>LOCATION/ADDRESS</b> 2587 S 10 <sup>th</sup> Ave, Arcadia, CA 91006	<b>ZONED DISTRICT</b> South Arcadia
<b>ACCESS</b> S 10 <sup>th</sup> Ave	<b>COMMUNITY</b> South Monrovia Islands
	<b>EXISTING ZONING</b> R-A (Residential Agricultural – 5,000 Square Feet Minimum Required Lot Area)

<b>SIZE</b> 0.35 gross acre (15,180 square feet)	<b>EXISTING LAND USE</b> Single Family Residence	<b>SHAPE</b> Rectangle	<b>TOPOGRAPHY</b> Relatively flat
---	---	---------------------------	--------------------------------------

**SURROUNDING LAND USES & ZONING**

<b>North:</b> Single-family residences / R-A (Residential Agricultural – 5,000 Sq. Ft. Minimum Required Lot Area)	<b>East:</b> Single-family residences / R-A-10,000 (Residential Agricultural – 10,000 Sq. Ft. Minimum Required Lot Area)
<b>South:</b> Single-family residences / R-A	<b>West:</b> Single-family residences / City of Arcadia

GENERAL PLAN	DESIGNATION	MAXIMUM DENSITY	CONSISTENCY
Los Angeles Countywide General Plan	Low Density Residential (One to Six Dwelling Units Per Acre)	Two	Yes

<b>ENVIRONMENTAL STATUS</b> This project is determined to be Categorically Exempt pursuant to Section 15301 (Existing Facilities), Section 15303 (New Construction or Conversion of Small Structures), and Section 15315 (Minor Land Divisions) of California Environmental Quality Act guidelines.
--

<b>DESCRIPTION OF SITE PLAN</b> Parcel Map dated May 20, 2009 depicts the subdivision of a 15,180 gross square-foot lot into two single family residential lots. The subdivision will result in one 6,630 square-foot rectangular lot (Parcel 1) and one 5,100 square-foot flag lot (Parcel 2). An existing single-family residence and a detached garage are to be removed. Parcel 1 will take direct access from 10 <sup>th</sup> Ave. Parcel 2 is accessible from 10 <sup>th</sup> Ave via a 15-foot wide access strip. A 6-inch landscaping strip is depicted along the access strip to accommodate vertical landscaping.
--

<b>KEY ISSUES</b>
<ul style="list-style-type: none"> <li>The site is developed with one single family residence and a detached garage to be demolished.</li> <li>The proposed subdivision is subject to additional findings by the decision maker as to the suitability of the proposed flag lot design at the subject location.</li> </ul> <p align="right"><i>(If more space is required, use opposite side)</i></p>

**TO BE COMPLETED ONLY ON CASES TO BE HEARD BY THE BOARD OF SUPERVISORS**

<b>STAFF CONTACT PERSON</b>		
RPC HEARING DATE (S)	RPC ACTION DATE	RPC RECOMMENDATION
MEMBERS VOTING AYE	MEMBERS VOTING NO	MEMBERS ABSTAINING
<b>STAFF RECOMMENDATION (PRIOR TO HEARING)</b>		
SPEAKERS*	PETITIONS	LETTERS
(O) (F)	(O) (F)	(O) (F)

\*(O) = Opponents (F) = In Favor

COMMITTEE RECOMMENDATION (Subject to revision based on public hearing)

- APPROVAL  DENIAL
- No improvements \_\_\_ 20 Acre Lots \_\_\_ 10 Acre Lots \_\_\_ 2½ Acre Lots \_\_\_ Sect 191.2
- Street improvements \_\_\_ Paving \_\_\_ Curbs and Gutters x \_\_\_ Street Lights
- \_\_\_ Street Trees \_\_\_ Inverted Shoulder \_\_\_ Sidewalks \_\_\_ Off Site Paving \_\_\_ ft.
- Water Mains and Hydrants
- Drainage Facilities
- Sewer  Septic Tanks  Other \_\_\_\_\_
- Park Dedication "In-Lieu Fee"

SPECIAL INDIVIDUAL DEPARTMENT CONCERNS

Engineer

Road

Flood

Forester & Fire Warden

Parks & Rec.

Health

Planning

ISSUES AND ANALYSIS

- The flag lot design requires additional findings by the decision maker as to the suitability of the site topographically, size and shape, and compatibility with existing neighborhood pattern.

Prepared by: Mi Kim

**CONDITIONS:**

1. Conform to the applicable requirements of Title 21 and 22 of the Los Angeles County Code ("County Code"), including requirements of the R-A (Residential Agricultural – 5,000 Square Feet Minimum Required Lot Area) Zone.
2. All future development, including construction, shall be subject to the Los Angeles County's Low Impact Development, Green Building, and Drought-Tolerant Landscaping Ordinance requirements.
3. The six-inch landscaping strip along the flag lot access way shall be planted with a drought tolerant plant suitable for vertical landscaping. Landscaping shall be maintained in good condition free of debris and dead plant material not part of the natural plant life cycle.
4. A Final Map is required; a Parcel Map Waiver is not allowed.
5. Prior to final map approval, provide proof that all existing structures have been removed.
6. On the final map, label any driveway required to be a fire lane by the Fire Department as a "Private Driveway and Fire Lane". Once the fire lane is constructed, post a "No Parking – Fire Lane" sign.
7. Per Section 21.32.195 of the County Code, the subdivider or current owner shall plant at least one tree of a non-invasive species within the front yard of each residential lot. The location and the species of said trees shall be incorporated into a site plan or landscape plan. Prior to final map approval, the site/landscaping plan shall be approved by the Director of Regional Planning ("Regional Planning") and the Los Angeles County Forester and Fire Warden. A bond shall be posted with the Department of Public Works or other verification shall be submitted to the satisfaction of the Department of Regional Planning to ensure the planting of the required trees prior to final map approval.
8. For the posting of any performance bonds for conditions herein, inspections related to the verification of improvement(s) installation and/or construction shall be conducted by Regional Planning. Upon request for a bond release, the subdivider shall pay the amount charged for bond release inspections, which shall be the amount equal to the recovery cost at the time of payment (currently \$150.00 per inspection).

9. Pursuant to Chapter 22.72 of the County Code, a Library Facilities Mitigation Fee in the amount of \$4,800 (\$800 per dwelling unit) or the amount required by Chapter 22.72 at the time of payment, if different, shall be paid to the County of Los Angeles Public Library. The fee must be paid prior to the issuance of the building permit and proof of payment shall be provided to the Department of Regional Planning. Contact the County Librarian at (562) 940-8430 regarding payment of fees.
10. The subdivider shall defend, indemnify and hold harmless the County, its agents, officers, and employees from any claim, action, or proceeding against the County or its agents, officers, or employees to attack, set aside, void or annul this tentative map approval, or related discretionary project approvals, whether legislative or quasi-judicial, which action is brought within the applicable time period of Government Code Section 65499.37 or any applicable limitation period. The County shall promptly notify the subdivider of any claim, action, or proceeding and the County shall fully cooperate in the defense.
11. In the event that any claim, action, or proceeding as described above is filed against the County, the subdivider shall within 10 days of the filing pay Regional Planning an initial deposit of \$5,000.00, from which actual costs shall be billed and deducted for the purpose of defraying the expense involved in the department's cooperation in the defense, including but not limited to, depositions, testimony, and other assistance to the subdivider or the subdivider's counsel. The subdivider shall also pay the following supplemental deposits, from which actual costs shall be billed and deducted:
  - a. If during the litigation process, actual costs incurred reach 80 percent of the amount on deposit, the subdivider shall deposit additional funds to bring the balance up to the amount of the initial deposit. There is no limit to the number of supplemental deposits that may be required prior to completion of the litigation;
  - b. At the sole discretion of the subdivider, the amount of an initial or supplemental deposit may exceed the minimum amounts defined herein.

The cost for collection and duplication of records and other related documents will be paid by the subdivider according to the County Code Section 2.170.010.

Except as expressly modified hereinabove, this approval is subject to all those conditions set forth in the attached reports recommended by the Los Angeles County Subdivision Committee, consisting of the Departments of Public Works, Fire, Parks and Recreation, Public Health, and Regional Planning.

Date 06/22/09

TO: Susie Tae  
Department of Regional Planning

Attention Alejandrina Baldwin/Carolina Blengini/Ramon Cordova/Gunnar Hand/  
Josh Huntington/Mi Kim/Donald Kress/Jeff Lemieux/Jodie Sackett/  
Kim Szalay

FROM: Henry Wong/John Chin  
Department of Public Works

PARCEL MAP NO. 70454

- Public Works' report for NO SCM map dated \_\_\_\_\_.
- Revised Public Works' report for map dated 05/20/09.
- Revised pages of Public Works' report for map dated \_\_\_\_\_ as follows.

Revised Public Works' report clearing previous water WSL denial(s).

Public Works still has \_\_\_\_\_ denial(s).

Public Works' clearance for Public Hearing.

Please forward the attached Engineer's and City's copy.

A waiver for the final map may be filed.

Other:

cc: EGL (Hank Jong)

The following reports consisting of 10 pages are the recommendations of Public Works.

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. Details and notes shown on the tentative map are not necessarily approved. Any details or notes which may be inconsistent with requirements of ordinances, general conditions of approval, or Department policies must be specifically approved in other conditions, or ordinance requirements are modified to those shown on the tentative map upon approval by the Advisory agency.
2. Easements are tentatively required, subject to review by the Director of Public Works to determine the final locations and requirements.
3. Easements shall not be granted or recorded within areas proposed to be granted, dedicated, or offered for dedication for public streets, highways, access rights, building restriction rights, or other easements until after the final map is filed with the Registrar-Recorder/County Clerk's Office. If easements are granted after the date of tentative approval, a subordination must be executed by the easement holder prior to the filing of the final map.
4. In lieu of establishing the final specific locations of structures on each lot/parcel at this time, the owner, at the time of issuance of a grading or building permit, agrees to develop the property in conformance with the County Code and other appropriate ordinances such as the Building Code, Plumbing Code, Grading Ordinance, Highway Permit Ordinance, Mechanical Code, Zoning Ordinance, Undergrounding of Utilities Ordinance, Water Ordinance, Sanitary Sewer and Industrial Waste Ordinance, Electrical Code, and Fire Code. Improvements and other requirements may be imposed pursuant to such codes and ordinances.
5. All easements existing at the time of final map approval must be accounted for on the approved tentative map. This includes the location, owner, purpose, and recording reference for all existing easements. If an easement is blanket or indeterminate in nature, a statement to that effect must be shown on the tentative map in lieu of its location. If all easements have not been accounted for, submit a corrected tentative map to the Department of Regional Planning for approval.
6. Adjust, relocate, and/or eliminate lot lines, lots, streets, easements, grading, geotechnical protective devices, and/or physical improvements to comply with ordinances, policies, and standards in effect at the date the County determined the application to be complete all to the satisfaction of Public Works.

+16

7. Quitclaim or relocate easements running through proposed structures.
8. Remove existing buildings prior to final map approval. Demolition permits are required from the Building and Safety office.
9. A final parcel map must be processed through the Director of Public Works prior to being filed with the Registrar-Recorder/County Clerk's Office.
10. Prior to submitting the parcel map to the Director of Public Works for examination pursuant to Section 66450 of the Government Code, obtain clearances from all affected Departments and Divisions, including a clearance from the Subdivision Mapping Section of the Land Development Division of Public Works for the following mapping items; mathematical accuracy; survey analysis; and correctness of certificates, signatures, etc.
11. If signatures of record title interests appear on the final map, a preliminary guarantee is needed. A final guarantee will be required at the time of filing of the final map with the Registrar-Recorder/County Clerk's Office. If said signatures do not appear on the final map, a title report/guarantee is needed showing all fee owners and interest holders and this account must remain open until the final parcel map is filed with the Registrar-Recorder/County Clerk's Office.
12. Within 30 days of the approval date of this land use entitlement or at the time of first plan check submittal, the applicant shall deposit the sum of \$2,000 (Minor Land Divisions) or \$5,000 (Major Land Divisions) with Public Works to defray the cost of verifying conditions of approval for the purpose of issuing final map clearances. This deposit will cover the actual cost of reviewing conditions of approval for Conditional Use Permits, Tentative Tract and Parcel Maps, Vesting Tentative Tract and Parcel Maps, Oak Tree Permits, Specific Plans, General Plan Amendments, Zone Changes, CEQA Mitigation Monitoring Programs and Regulatory Permits from State and Federal Agencies (Fish and Game, USF&W, Army Corps, RWQCB, etc.) as they relate to the various plan check activities and improvement plan designs. In addition, this deposit will be used to conduct site field reviews and attend meetings requested by the applicant and/or his agents for the purpose of resolving technical issues on condition compliance as they relate to improvement plan design, engineering studies, highway alignment studies and tract/parcel map boundary, title and easement issues. When 80% of the deposit is expended, the applicant will be required to provide additional funds to restore the initial deposit. Remaining balances in the deposit account will be refunded upon final map recordation.

HWC





**COUNTY OF LOS ANGELES  
DEPARTMENT OF PUBLIC WORKS**

900 SOUTH FREMONT AVENUE  
ALHAMBRA, CALIFORNIA 91803-1331  
WWW.DPW.LACOUNTY.GOV

PARCEL MAP NO.: 70454

TENTATIVE MAP DATE: 5/20/09

STORM DRAIN AND HYDROLOGY SECTION CONDITIONS OF APPROVAL, PHONE: (626) 458-4921

**Prior to Improvement Plans Approval:**

- Comply with the requirements of the Drainage Concept/Hydrology Study/Standard Urban Stormwater Mitigation Plan (SUSMP), which was approved on 3/25/09 to the satisfaction of the Department of Public Works.

**Prior to recordation of a Final Map or Parcel map Waiver:**

- A covenant or agreement shall be recorded in the office of the Los Angeles County Registrar-Recorder/County Clerk indicating that the owner of the subject development is aware and agrees to the requirements of County Code Section 12.84.460 Subsection B.

AI Name Lizbeth Cordova Date 6/15/09 Phone (626) 458-4921  
LIZBETH CORDOVA

County of Los Angeles Department of Public Works  
GEOTECHNICAL AND MATERIALS ENGINEERING DIVISION  
GEOLOGIC REVIEW SHEET  
900 So. Fremont Ave., Alhambra, CA 91803  
TEL. (626) 458-4925

DISTRIBUTION  
Geologist  
1 Soils Engineer  
1 GMED File  
1 Subdivision

TENTATIVE PARCEL MAP 70454  
SUBDIVIDER Johnny Yu  
ENGINEER EGL Associates, Inc.  
GEOLOGIST ---  
SOILS ENGINEER Environmental Geotechnology Labs., Inc.

TENTATIVE MAP DATED 5/20/09 (Revision)  
LOCATION Arcadia  
GRADING BY SUBDIVIDER [Y] (Y or N)  
REPORT DATE ---  
REPORT DATE 4/23/08

TENTATIVE MAP FEASIBILITY IS RECOMMENDED FOR APPROVAL FROM A GEOLOGIC STANDPOINT

THE FOLLOWING INFORMATION IS APPLICABLE TO THIS DIVISION OF LAND:

- The Final Map does *not* need to be reviewed by GMED.
- The subdivider is advised that approval of this division of land is contingent upon the installation and use of a sewer system.
- The Soils Engineering review dated 6/2/09 is attached.

Reviewed by  Date 6/4/09  
Geir Mathisen

COUNTY OF LOS ANGELES  
DEPARTMENT OF PUBLIC WORKS  
GEOTECHNICAL AND MATERIALS ENGINEERING DIVISION

SOILS ENGINEERING REVIEW SHEET

Address: 900 S. Fremont Ave., Alhambra, CA 91803  
Telephone: (626) 458-4925  
Fax: (626) 458-4913

District Office ---  
PCA LX001129  
Sheet 1 of 1

Tentative Parcel Map 70454  
Location 10<sup>th</sup> Avenue, Arcadia  
Developer/Owner Johnny Yu  
Engineer/Architect EGL Associates, Inc.  
Soils Engineer Environmental Geotechnology Laboratory, Inc. (08-AA-012GE)  
Geologist ---

DISTRIBUTION:

Drainage  
 Grading  
 Geo/Soils Central File  
 District Engineer  
 Geologist  
 Soils Engineer  
 Engineer/Architect

Review of:

Tentative Parcel Map Dated by Regional Planning 5/20/09 (rev.)  
Soils Engineering Report Dated 4/23/08  
Previous Review Sheet Dated 1/8/09

ACTION:

Tentative Map feasibility is recommended for approval, subject to condition below:

REMARKS:

At the grading plan stage, submit two sets of grading plans to the Soils Section for verification of compliance with County codes and policies.



Prepared by \_\_\_\_\_

Date 6/2/09

Please complete a Customer Service Survey at <http://dpw.lacounty.gov/go/gmedsurvey>.

**NOTICE:** Public safety, relative to geotechnical subsurface exploration, shall be provided in accordance with current codes for excavations, inclusive of the Los Angeles County Code, Chapter 11.48, and the State of California, Title 8, Construction Safety Orders.


**The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:**

**REQUIREMENTS PRIOR TO GRADING PLAN APPROVAL:**

1. Provide approval of:
  - a. The latest drainage concept/hydrology/Standard Urban Stormwater Mitigation Plan (SUSMP)/Low Impact Development (LID) plan, if applicable, by the Storm Drain and Hydrology Section of Land Development Division.
  - b. The grading plan by the Geotechnical & Materials Engineering Division (GMED).

**REQUIREMENTS PRIOR TO FINAL MAP RECORDATION:**

2. Submit a grading plan for approval. The grading plan must show and call out the following items, including but not limited to: construction of all drainage devices and details, paved driveways, elevation and drainage of all pads, SUSMP devices (if applicable), and any required landscaping and irrigation not within a common area or maintenance easement. Acknowledgement and/or approval from all easement holders may be required.
3. A maintenance agreement or CC&Rs may be required for all privately maintained drainage devices, slopes, and other facilities.



Name Tony Hui Date 06/16/09 Phone (626) 458-4921

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. Construct new driveway and reconstruct existing driveway to meet current Americans with Disabilities Act (ADA) requirements along the property frontage on Tenth Avenue to the satisfaction of Public Works.
2. Prior to final map approval, enter into an agreement with the County franchised cable TV operator (if an area is served) to permit the installation of cable in a common utility trench to the satisfaction of Public Works; or provide documentation that steps to provide cable TV to the proposed subdivision have been initiated to the satisfaction of Public Works.
3. Comply with the following street lighting requirements:
  - a. Provide street lights on concrete poles with underground wiring within the tract boundaries and along the property frontage on S. 10<sup>th</sup> Avenue / non-gated private and future streets / gated private and future streets with fixtures acceptable to Southern California Edison to the satisfaction of Public Works.  
Submit street lighting plans as soon as possible for review and approval to the Street Lighting Section of the Traffic and Lighting Division. For additional information, please contact the Street Lighting Section at (626) 300-4726.
  - b. The operation and maintenance of the street lights on the private and future street shall remain the responsibility of the Developer / Property Owner / Home Owners Association until such time as the street(s) are accepted for maintenance by the County. Assessments will be imposed on portions of the development served by gated private and future streets (if any) as a result of benefits derived from existing or future street lights on adjacent public roadways.
  - c. The proposed development is within an existing Lighting District. For acceptance of street light transfer of billing, all street lights in the development, or the current phase of the development, must be constructed according to Public Works approved plans. The contractor shall submit one complete set of "as-built" plans. Provided the above conditions are met, the Lighting District can assume responsibility for the operation and maintenance of the street lights by July 1 of any given year, provided all street lights in the development, or the current phase of the development, have been

COUNTY OF LOS ANGELES  
DEPARTMENT OF PUBLIC WORKS  
LAND DEVELOPMENT DIVISION - ROAD  
PARCEL MAP NO. 070454 (Rev.)

Page 2/2

TENTATIVE MAP DATED 05-20-2009  
~~EXHIBIT MAP DATED 05-20-2009~~

energized, and the developer has requested a transfer of billing at least by January 1 of the previous year. The transfer of billing could be delayed one or more years if the above conditions are not met. The Lighting District cannot pay for the operation and maintenance of street lights on gated private and future street(s).

PC *PC*

Prepared by Patricia Constanza  
pm70454r-rev1.doc

Phone (626) 458-4921

Date 06-18-2009

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. The subdivider shall install separate house laterals to serve each parcel in the land division.
2. A sewer area study for the proposed subdivision (PC12100AS, dated 04-06-2009) was reviewed and approved. No additional mitigation measures are required. The approved sewer area study shall remain valid for two years after initial approval of the tentative map. After this period of time, an update of the area study shall be submitted by the applicant if determined to be warranted by Public Works.

Prepared by  Tony Khalkhali  
pm70454s-rev1.doc

Phone (626) 458-4921

Date 06-11-2009

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. A water system maintained by the water purveyor, with appurtenant facilities to serve all parcels in the land division, must be provided. The system shall include fire hydrants of the type and location (both on-site and off-site) as determined by the Fire Department. The water mains shall be sized to accommodate the total domestic and fire flows.
2. There shall be filed with Public Works a statement from the water purveyor indicating that the water system will be operated by the purveyor, and that under normal conditions, the system will meet the requirements for the land division, and that water service will be provided to each parcel.
3. If needed, easements shall be granted to the County, appropriate agency or entity for the purpose of ingress, egress, construction and maintenance of all infrastructures constructed for this land division to the satisfaction of Public Works.

  
Prepared by Lana Radle  
pm70454w-rev1.doc

Phone (626) 458-4921

Date 06-12-2009



COUNTY OF LOS ANGELES
FIRE DEPARTMENT

RP- M.

5823 Rickenbacker Road
Commerce, California 90040

CONDITIONS OF APPROVAL FOR SUBDIVISION - UNINCORPORATED

Subdivision No: PM 70454 Map Date: May 20, 2009

C.U.P. Vicinity: 0166C

- FIRE DEPARTMENT HOLD on the tentative map shall remain until verification from the Los Angeles County Fire Dept. Planning Section is received, stating adequacy of service. Contact (323) 881-2404.
Access shall comply with Title 21 (County of Los Angeles Subdivision Code) and Section 503 of the Fire Code, which requires all weather access. All weather access may require paving.
Fire Department access shall be extended to within 150 feet distance of any exterior portion of all structures.
Where driveways extend further than 150 feet and are of single access design, turnarounds suitable for fire protection equipment use shall be provided and shown on the final map. Turnarounds shall be designed, constructed and maintained to insure their integrity for Fire Department use. Where topography dictates, turnarounds shall be provided for driveways that extend over 150 feet in length.
The private driveways shall be indicated on the final map as "Private Driveway and Firelane" with the widths clearly depicted. Driveways shall be maintained in accordance with the Fire Code.
Vehicular access must be provided and maintained serviceable throughout construction to all required fire hydrants. All required fire hydrants shall be installed, tested and accepted prior to construction.
This property is located within the area described by the Fire Department as "Very High Fire Hazard Severity Zone" (formerly Fire Zone 4). A "Fuel Modification Plan" shall be submitted and approved prior to final map clearance. (Contact: Fuel Modification Unit, Fire Station #32, 605 North Angeleno Avenue, Azusa, CA 91702-2904, Phone (626) 969-5205 for details).
Provide Fire Department or City approved street signs and building access numbers prior to occupancy.
Additional fire protection systems shall be installed in lieu of suitable access and/or fire protection water.
The final concept map, which has been submitted to this department for review, has fulfilled the conditions of approval recommended by this department for access only.
These conditions must be secured by a C.U.P. and/or Covenant and Agreement approved by the County of Los Angeles Fire Department prior to final map clearance.
The Fire Department has no additional requirements for this division of land.

Comments: THIS PROJECT AS SUBMITTED IS CLEARED FOR PUBLIC HEARING.

By Inspector: Juan C. Padilla Date June 16, 2009

Land Development Unit - Fire Prevention Division - (323) 890-4243, Fax (323) 890-9783



**COUNTY OF LOS ANGELES**  
**FIRE DEPARTMENT**

5823 Rickenbacker Road  
Commerce, California 90040

**WATER SYSTEM REQUIREMENTS - UNINCORPORATED**

Subdivision No: PM 70454 Map Date: May 20, 2009

Revised Report \_\_\_\_\_

- The County Forester and Fire Warden is prohibited from setting requirements for water mains, fire hydrants and fire flows as a condition of approval for this division of land as presently zoned and/or submitted. However, water requirements may be necessary at the time of building permit issuance.
- The required fire flow for public fire hydrants at this location is \_\_\_\_\_ gallons per minute at 20 psi for a duration of \_\_\_\_\_ hours, over and above maximum daily domestic demand. \_\_\_\_\_ Hydrant(s) flowing simultaneously may be used to achieve the required fire flow.
- The required fire flow for private on-site hydrants is \_\_\_\_\_ gallons per minute at 20 psi. Each private on-site hydrant must be capable of flowing \_\_\_\_\_ gallons per minute at 20 psi with two hydrants flowing simultaneously, one of which must be the furthest from the public water source.
- Fire hydrant requirements are as follows:  
Install \_\_\_\_\_ public fire hydrant(s). Verify / Upgrade existing \_\_\_\_\_ public fire hydrant(s).  
Install \_\_\_\_\_ private on-site fire hydrant(s).
- All hydrants shall measure 6"x 4"x 2-1/2" brass or bronze, conforming to current AWWA standard C503 or approved equal. All on-site hydrants shall be installed a minimum of 25' feet from a structure or protected by a two (2) hour rated firewall.  
 Location: As per map on file with the office.  
 Other location: \_\_\_\_\_
- All required fire hydrants shall be installed, tested and accepted or bonded for prior to Final Map approval. Vehicular access shall be provided and maintained serviceable throughout construction.
- The County of Los Angeles Fire Department is not setting requirements for water mains, fire hydrants and fire flows as a condition of approval for this division of land as presently zoned and/or submitted.
- Additional water system requirements will be required when this land is further subdivided and/or during the building permit process.
- Hydrants and fire flows are adequate to meet current Fire Department requirements.
- Fire hydrant upgrade is not necessary, if existing hydrant(s) meet(s) fire flow requirements. Submit original water availability form to our office.

Comments: **Per Golden State Water Company, hydrants and flows meet the current Fire Department requirements.**  
**WATER REQUIREMENTS CLEARED FOR PUBLIC HEARING.**

All hydrants shall be installed in conformance with Title 20, County of Los Angeles Government Code and County of Los Angeles Fire Code, or appropriate city regulations. This shall include minimum six-inch diameter mains. Arrangements to meet these requirements must be made with the water purveyor serving the area.

By Inspector Juan C. Padilla Date June 16, 2009

Land Development Unit – Fire Prevention Division – (323) 890-4243, Fax (323) 890-9783



**LOS ANGELES COUNTY  
DEPARTMENT OF PARKS AND RECREATION**



**PARK OBLIGATION REPORT**

Tentative Map #	<b>70454</b>	DRP Map Date: <b>05/20/2009</b>	SCM Date: <b>06/18/2009</b>	Report Date: <b>06/10/2009</b>
Park Planning Area #	<b>5</b>	<b>ARCADIA ISLANDS</b>	Map Type: <b>REV. (REV RECD)</b>	

Total Units  = Proposed Units  + Exempt Units

Sections 21.24.340, 21.24.350, 21.28.120, 21.28.130, and 21.28.140, the County of Los Angeles Code, Title 21, Subdivision Ordinance provide that the County will determine whether the development's park obligation is to be met by:

- 1) the dedication of land for public or private park purpose or,
- 2) the payment of in-lieu fees or,
- 3) the provision of amenities or any combination of the above.

The specific determination of how the park obligation will be satisfied will be based on the conditions of approval by the advisory agency as recommended by the Department of Parks and Recreation.

**Park land obligation in acres or in-lieu fees:**

ACRES:	<b>0.01</b>
IN-LIEU FEES:	<b>\$3,079</b>

**Conditions of the map approval:**

**The park obligation for this development will be met by:**

The payment of \$3,079 in-lieu fees.

**Trails:**

No trails.

**Comments:**

**Propose to build 2 new single-family homes with an existing single-family residence to be removed; net increase of one unit.**

**\*\*\*Advisory:**

The Representative Land Values (RLVs) in Los Angeles County Code (LACC) Section 21.28.140 are used to calculate park fees and are adjusted annually, based on changes in the Consumer Price Index. The new RLVs become effective July 1<sup>st</sup> of each year and may apply to this subdivision map if first advertised for hearing before either a hearing officer or the Regional Planning Commission on or after July 1<sup>st</sup> pursuant to LACC Section 21.28.140, subsection 3. Accordingly, the park fee in this report is subject to change depending upon when the subdivision is first advertised for public hearing.

Please contact Clement Lau at (213) 351-5120 or Sheela Mathai at (213) 351-5121, Department of Parks and Recreation, 510 South Vermont Avenue, Los Angeles, CA 90020 for further information or to schedule an appointment to make an in-lieu fee payment.

For information on Hiking and Equestrian Trail requirements, please contact the Trails Coordinator at (213) 351-5135.

By: James Barber  
James Barber, Developer Obligations/Land Acquisitions

Supv D 5th  
June 10, 2009 08:11:08  
QMB02F.FRX



**LOS ANGELES COUNTY  
DEPARTMENT OF PARKS AND RECREATION**



**PARK OBLIGATION WORKSHEET**

Tentative Map #	<b>70454</b>	DRP Map Date: <b>05/20/2009</b>	SMC Date: <b>06/18/2009</b>	Report Date: <b>06/10/2009</b>
Park Planning Area #	<b>5</b>	<b>ARCADIA ISLANDS</b>		Map Type: <b>REV. (REV RECD)</b>

The formula for calculating the acreage obligation and or In-lieu fee is as follows:

**(P)people x (0.003) Goal x (U)nits = (X) acres obligation**

**(X) acres obligation x RLV/Acre = In-Lieu Base Fee**

- Where:
- P = Estimate of number of People per dwelling unit according to the type of dwelling unit as determined by the 2000 U.S. Census\*. Assume \* people for detached single-family residences; Assume \* people for attached single-family (townhouse) residences, two-family residences, and apartment houses containing fewer than five dwelling units; Assume \* people for apartment houses containing five or more dwelling units; Assume \* people for mobile homes.
  - Goal = The subdivision ordinance allows for the goal of 3.0 acres of park land for each 1,000 people generated by the development. This goal is calculated as "0.0030" in the formula.
  - U = Total approved number of Dwelling Units.
  - X = Local park space obligation expressed in terms of acres.
  - RLV/Acre = Representative Land Value per Acre by Park Planning Area.

Total Units  = Proposed Units  + Exempt Units


	People*	Goal 3.0 Acres / 1000 People	Number of Units	Acre Obligation
Detached S.F. Units	3.37	0.0030	1	0.01
M.F. < 5 Units	4.72	0.0030	0	0.00
M.F. >= 5 Units	2.34	0.0030	0	0.00
Mobile Units	1.82	0.0030	0	0.00
Exempt Units			1	
<b>Total Acre Obligation =</b>				<b>0.01</b>

Park Planning Area = **5 ARCADIA ISLANDS**

Goal	Acre Obligation	RLV / Acre	In-Lieu Base Fee
@(0.0030)	0.01	\$307,911	<b>\$3,079</b>

Lot #	Provided Space	Provided Acres	Credit (%)	Acre Credit	Land
None					
<b>Total Provided Acre Credit:</b>				<b>0.00</b>	

Acre Obligation	Public Land Crdt.	Priv. Land Crdt.	Net Obligation	RLV / Acre	In-Lieu Fee Due
0.01	0.00	0.00	0.01	\$307,911	<b>\$3,079</b>



JONATHAN E. FIELDING, M.D., M.P.H.  
Director and Health Officer

JONATHAN E. FREEDMAN  
Chief Deputy Director

ANGELO J. BELLOMO, REHS  
Director of Environmental Health

ALFONSO MEDINA, REHS  
Director of Environmental Protection Bureau

KEN HABARADAS, MS, REHS  
Acting Environmental Health Staff Specialist  
5050 Commerce Drive  
Baldwin Park, California 91706  
TEL (626) 430-5280 • FAX (626) 980-2740



BOARD OF SUPERVISORS

Gloria Molina  
First District

Mark Ridley-Thomas  
Second District

Zev Yaroslavsky  
Third District

Don Knabe  
Fourth District

Michael D. Antonovich  
Fifth District

July 13, 2009

RFS No. 09-0018153

Parcel Map No. 070454

Vicinity: Arcadia

- Public Health recommends approval of this project.
- Public Health does **NOT** recommend approval of this project.

The County of Los Angeles Department of Public Health has no objection to this subdivision and **Tentative Parcel Map 070454** is cleared for public hearing. The following conditions still apply and are in force:

1. Potable water will be supplied by the **Golden State Water Company**, a public water system.
2. Sewage disposal will be provided through the public sewer and wastewater treatment facilities of the **Los Angeles County Sanitation District** as proposed.

If you have any questions or need additional information, please contact me at (626) 430-5262.

  
 Ken Habaradas, REHS  
 Bureau of Environmental Protection



Los Angeles County  
Department of Regional Planning

Planning for the Challenges Ahead



## Flag Lot Supplemental Information

Pursuant to Subdivisions Code Section 21.24.320, the Hearing Officer or Regional Planning Commission may disapprove the platting of flag lots where this design is not justified by topographic conditions, the size and shape of the division of land, or where the proposed flag lot design is in conflict with the pattern of neighborhood development. Please address these issues in the space provided:

*(Do not provide one word or Yes/No responses. Each answer needs to address the specific circumstances of the project in question. Feel free to attach additional pages if necessary.)*

<p>A. Is the proposed flag lot design justified by topographic conditions? If yes, please provide an explanation below.</p> <p>This property is generally a flat lot. The topographic conditions will have no effects on the flag lot design.</p>
<p>B. Is the proposed flag lot design justified by the size and shape of the division of land? If yes, please provide an explanation.</p> <p>The project will be designed following the Los Angeles County design (CSD) for the yard, walls, fences, parking and other facilities. Setback requirements of the CSD will also be followed. Based on the proposed lot width and depth, adequate residential buildings can be designed on the proposed lot area.</p>
<p>C. Is the proposed flag lot design in conflict with the pattern of neighborhood development? If not, please justify your answer below.</p> <p>There are 6 flag lots within 500-foot radius boundary of the project site. The neighboring properties to the south are flag lots. The existing flag lots appear to be properly designed.</p>
<p>D. How many flag lots are in a 500-foot radius? Please answer this question below, and then also attach a copy of your radius map with each the surrounding flag lots clearly highlighted.</p> <p>There are 6 flag lots within 500-foot radius. Please see attachments for the existing flag lots locations and their addresses.</p>

Neighboring flag lots addresses:

The 4<sup>th</sup> northerly flag lot from project site:

1. 2563 S. 10<sup>th</sup> Avenue, Arcadia, CA
2. 2561 S. 10<sup>th</sup> Avenue, Arcadia, CA

The southerly adjoining flag lot from the project site:

3. 2593 S. 10<sup>th</sup> Avenue, Arcadia, CA
4. 2591 S. 10<sup>th</sup> Avenue, Arcadia, CA

The 2<sup>nd</sup> southerly flag lot from the project site:

5. 2601 S. 10<sup>th</sup> Avenue, Arcadia, CA
6. 2597 S. 10<sup>th</sup> Avenue, Arcadia, CA

The southeasterly neighboring flag lots of the project site:

7. 2612 S. 10<sup>th</sup> Avenue, Arcadia, CA
8. 2610 S. 10<sup>th</sup> Avenue, Arcadia, CA
9. 2608 S. 10<sup>th</sup> Avenue, Arcadia, CA
10. 2606 S. 10<sup>th</sup> Avenue, Arcadia, CA
  
11. 2630 S. 10<sup>th</sup> Avenue, Arcadia, CA
12. 2632 S. 10<sup>th</sup> Avenue, Arcadia, CA
13. 2634 S. 10<sup>th</sup> Avenue, Arcadia, CA
  
14. 2640 S. 10<sup>th</sup> Avenue, Arcadia, CA
15. 2638 S. 10<sup>th</sup> Avenue, Arcadia, CA
16. 2636 S. 10<sup>th</sup> Avenue, Arcadia, CA