



Los Angeles County
Department of Regional Planning

Planning for the Challenges Ahead



Jon Sanabria
Acting Director of Planning

October 14, 2009

TO: Librarian
Los Angeles County La Crescenta Library
4521 La Crescenta Ave.
La Crescenta, CA 91214-2999

FROM: Donald Kress
Regional Planning Assistant II
Department of Regional Planning
Land Divisions Section
320 West Temple Street, Room 1382
Los Angeles, California 90012

SUBJECT: **PROJECT NO: PM070971-(5)**
TENTATIVE PARCEL MAP NO. 070971
OAK TREE PERMIT CASE NO. 200900003
2748 Frances Avenue, La Crescenta

The subject project is scheduled for a Public Hearing before the Hearing Officer of Los Angeles County on November 17, 2009.

Please have the materials listed below available to the public through November 30, 2009.

If you have any questions regarding this matter, please call Mr. Donald Kress in Land Divisions Section of the Department of Regional Planning at (213) 974-6433.

Thank you.

Attachments: 1. Draft factual
2. Notice of public hearing
3. Draft staff report
4. Draft reports
5. Environmental Documentation
6. Copy of Tentative Parcel Map No. 070971, dated April 13, 2009
7. Land use map

**NOTICE OF PUBLIC HEARING FOR
PROPOSED LAND DIVISION
OAK TREE PERMIT
NOTICE OF INTENT TO ADOPT A NEGATIVE DECLARATION**

**PROJECT NO. PM070971
TENTATIVE PARCEL MAP NO. 070971
OAK TREE PERMIT CASE NO. 200900003
ENVIRONMENTAL ASSESSMENT CASE NO. 200900002**

Notice is hereby given that a Hearing Officer of Los Angeles County will conduct a public hearing concerning this proposed land development on November 17, 2009, at 9:00 a.m., in the Los Angeles County Hall of Records, 320 West Temple Street, Room 150. This room will open to the public at 8:50 am. Interested persons will be given an opportunity to testify.

This project received a Negative Declaration pursuant to State and County Environmental Reporting Guidelines.

General description of proposal: The parcel map proposes to create two (2) single-family lots on 0.38 gross acres. The oak tree permit is a request to authorize the removal of two (2) oak trees and the encroachment into the protected zone of nine (9) oak trees.

General location of property: 2748 Frances Avenue, La Crescenta

These cases do not affect the zoning of surrounding properties. If you are unable to attend the public hearing but wish to send written comments, please write to the Department of Regional Planning at the address given below, Attention: Donald Kress. You may also obtain additional information concerning this case by phoning Donald Kress at (213) 974-6433. Callers from North County areas may dial (661) 272-0964 (Antelope Valley) or (661) 253-0111 (Santa Clarita) and then ask to be connected to (213) 974-6433. Public service hours: 7:30 a.m. to 5:30 p.m., Monday through Thursday. Our office is closed on Fridays.



If you challenge a County action in Court, you may be limited to raising only those issues your or someone else raised at the public hearing described in this notice or in written correspondence delivered to the Hearing Officer at, or prior to, the public hearing.

Case materials are available for inspection during regular working hours at the Department of Regional Planning, Hall of Records, 320 West Temple Street, Los Angeles, California 90012. These materials will also be available for review beginning October 18, 2009, at the Los Angeles County Library, La Crescenta Library, 4521 La Crescenta Avenue, La Crescenta, CA 91214-2999. Selected materials will also be available on the Department of Regional Planning website at "<http://planning.lacounty.gov/case.htm>."

JON SANABRIA
Acting Director of Planning

"ADA ACCOMMODATIONS: If you require reasonable accommodations or auxiliary aids and services such as material in alternate format or a sign language interpreter, please contact the ADA (Americans with Disabilities Act) Coordinator at (213) 974-6488 (Voice) or (213) 617-2292 (TDD), with at least three business days notice".

"Este es un aviso de una audiencia publica de acuerdo al Decreto de la Proteccion del Medio Ambiente de California. El proyecto que se considera por el Condado de Los Angeles es una propuesta para crear 2 lotes residenciales, y un permiso de roble. La audiencia publica se llevara acabo el 17 de noviembre de 2009. Si necesita mas informacion, o si quiere este aviso en Espanol, por favor llame al Departamento de Planificacion al (213) 974-6466."



NORTH
No Scale



Los Angeles County Department of Regional Planning
 320 West Temple Street, Los Angeles, California 90012
 Telephone (213) 974-6433

PROJECT NO. PM070971-(5)
TENTATIVE PARCEL MAP NO. 070971
OAK TREE PERMIT CASE NO. 200900003

HO MEETING DATE	CONTINUE TO
AGENDA ITEM No.	
PUBLIC HEARING DATE November 17, 2009	

APPLICANT Mark Anderson		OWNER Hales-Anderson Investment Properties		REPRESENTATIVE Mark Anderson	
REQUEST TENTATIVE PARCEL MAP: To create two single-family lots on 0.38 gross acres. OAK TREE PERMIT: For the removal of two (2) oak trees (no heritage oak trees) and the encroachment into the protected zone of nine (9) oak trees (no heritage oak trees).					
LOCATION/ADDRESS 2748 Frances Avenue, La Crescenta			ZONED DISTRICT La Crescenta		
ACCESS Frances Avenue			COMMUNITY La Crescenta-Montrose		
			EXISTING ZONING R-1-7,500(Single Family Residential—7,500 Square Foot Minimum Required Lot Area)		
SIZE 0.38 gross acres/0.38 net acres		EXISTING LAND USE Vacant		SHAPE Rectangular	
				TOPOGRAPHY Slightly sloping to the south	

SURROUNDING LAND USES & ZONING

North: Single-family residential/R-1-7,500		East: Single-family residential/R-1-7,500 and R-1-10,000 (Single Family Residential—10,000 Square Foot Minimum Required Lot Area)	
South: Single-family residential/R-1-7,500		West: Single-family residential/R-1-7,500	

GENERAL PLAN	DESIGNATION	MAXIMUM DENSITY	CONSISTENCY
Los Angeles Countywide General Plan	Low Density (1 to 6 du/ac)	2 DU	Yes

ENVIRONMENTAL STATUS:

Negative Declaration.

DESCRIPTION OF SITE PLAN

The tentative parcel map dated April 13, 2009, depicts two single-family parcels. Parcels are accessed by individual driveways from Frances Avenue. Parcel No. 1 will have 8,277 net square feet and Parcel No. 2 will have 8,277 net square feet net. The applicant has requested an oak tree permit for the removal of two (2) oak trees and the encroachment into the protected zone of nine (9) oak trees. No grading is proposed.

KEY ISSUES

- The applicant has requested an oak tree permit for the removal of two (2) oak trees and the encroachment into the protected zone of nine (9) oak trees. A previous permit on this property allowed the removal of three oak trees, of which two were removed. The mitigation trees required for the previous permit are included in the mitigation tree requirements for the current permit.
- The subject property is in the La Crescenta-Montrose Community Standards District ("CSD"); however, this CSD has no requirements for development in the R-1 zone.

TO BE COMPLETED ONLY ON CASES TO BE HEARD BY THE BOARD OF SUPERVISORS

STAFF CONTACT PERSON		
RPC HEARING DATE (S)	RPC ACTION DATE	RPC RECOMMENDATION
MEMBERS VOTING AYE	MEMBERS VOTING NO	MEMBERS ABSTAINING
STAFF RECOMMENDATION (PRIOR TO HEARING)		
SPEAKERS* (O) (F)	PETITIONS (O) (F)	LETTERS (O) (F)

*(O) = Opponents (F) = In Favor

COMMITTEE RECOMMENDATION (Subject to revision based on public hearing)

APPROVAL

DENIAL

No improvements ___ 20 Acre Lots ___ 10 Acre Lots ___ 2½ Acre Lots ___ Sect 191.2

Street improvements ___ Paving ___ Curbs and Gutters ___ Street Lights

Street Trees ___ Inverted Shoulder ___ Sidewalks ___ Off Site Paving ___ ft.

Water Mains and Hydrants

Drainage Facilities

Sewer

Septic Tanks

Other _____

Park Dedication "In-Lieu Fee"

SPECIAL INDIVIDUAL DEPARTMENT CONCERNS

Engineer

Road

Flood

Forester & Fire Warden

Parks & Rec.

Health

Planning

ISSUES AND ANALYSIS

Prepared by: Donald Kress

**PROJECT NO. PM 070971
TENTATIVE PARCEL MAP NO. 070971
OAK TREE PERMIT CASE NO. 200900003
DRAFT STAFF ANALYSIS
FOR NOVEMBER 17, 2009 HEARING OFFICER PUBLIC HEARING**

PROJECT OVERVIEW

The applicant, Mark Anderson, proposes a residential subdivision to create two single-family lots on approximately 0.38 gross acres (0.33 net acres), with the removal of two oak trees (no heritage oaks), and encroachment into the protected zone of nine oak trees (no heritage oaks).

REQUIRED APPROVALS

Tentative Parcel Map: The applicant requests approval of Tentative Parcel Map ("PM 070971") to create two single-family lots on approximately 0.38 gross acres.

Oak Tree Permit: The applicant requests approval of Oak Tree Permit No. 200900003 for the removal of two oak trees and encroachment into the protected zones of nine oak trees. No heritage oak trees will be removed or have their protected zones encroached on.

Environmental Determination: A Negative Declaration has been recommended for this project pursuant to the California Environmental Quality Act ("CEQA") and the Los Angeles County Environmental Guidelines.

EXISTING CONDITIONS OF SUBJECT PROPERTY

Physical Features: The subject property is located at 2748 Frances Avenue, La Crescenta, in the La Crescenta Zoned District, within the La Crescenta-Montrose Community Standards District ("CSD"). The subject property consists of one lot which is approximately 0.38 gross acres (0.33 net acres) in size. The property is rectangular in shape with terrain sloping to the south.

Access: Access for both parcels is from Frances Avenue, a 60 foot wide public street. No grading is proposed

Services: Domestic water service will be provided by San Gabriel Valley Water Company. Domestic sewer service will be provided by the Los Angeles County Sanitation District No.15. The project is within the boundaries of the Montebello Unified School District and Unified High School District

Previous Land Use and Zoning Approvals:

- Lot Line Adjustment ("LLA") Case No. 200600042: To relocate the easterly lot line of APN 5855-025-016 further to the west. Recorded on October 22, 2006.

- Certificate of Compliance (“C of C”) Case No. 200500025: To complete lot line adjustment approved in LLA Case No 2006 00042. Recorded on October 17, 2006.
- Plot Plan No. RPP 200601905: To build a new single family residence. Approved on November 7, 2007. This residence was not built.
- Oak Tree Permit (“OTP”) Case No. 200600068: An administrative oak tree permit for the removal on one oak tree to allow construction of a single family residence. Approved by Regional Planning staff on August 14, 2007
- Environmental Assessment Case No. 200600196. Recommended a categorical exemption for OTP Case No. 2006 00068 the pursuant to the California Environmental Quality Act (“CEQA”) and the Los Angeles County Environmental Guidelines.
- Oak Tree Permit Case No. 200700020: A discretionary oak tree permit to authorize the removal of three oak trees and the encroachment into the protected zone of eight oak trees in order to construct a new single-family residence in the R-1-7500 Zone. Approved by the Los Angeles County Regional Planning Commission on December 21, 2007.
- Environmental Assessment Case No. 200700064. This case accompanied OTP Case No. 2006 00068. An environmental determination was not made for this project.
- Plot Plan No. 200900487. To build a new single-family residence. Applied for on April 23, 2009.

Land Use: The subject property consists of one lot which is vacant.

Zoning: The subject property is included within the La Crescenta-Montrose CSD, which became effective March 1, 2007.

The subject property is zoned R-1-7,500 (Single Family Residential—7,500 Square Foot Minimum Required Lot Area). The zone was adopted by Ordinance No. 5616 on October 17, 1950.

DESCRIPTION OF THE SURROUNDING AREA

Zoning: Properties to the north, east, and west of the subject property are zoned R-1-7,500. Properties to the south of the subject property are zoned R-1-7,500 and R-1-10,000 (Single Family Residential—10,000 Square Foot Minimum Required Lot Area).

Land Uses: The land use of properties to the north, east, west, and south of the subject property is all single-family residence.

PROJECT DESCRIPTION

Tentative Parcel Map No. 070971, dated April 13, 2009, depicts a residential development of two single-family parcels on approximately 0.38 gross acres (0.38 net acres). The project site is vacant. The proposed parcel will take access from Frances Avenue a 60-foot wide dedicated public street.

The tentative parcel map dated April 13, 2009, depicts two single-family parcels. Parcels are accessed by individual driveways from Frances Avenue. Parcel No. 1 will have 8,277 net square feet and Parcel No. 2 will have 8,277 net square feet net. The applicant has requested an oak tree permit for the removal of two (2) oak trees and the encroachment into the protected zone of nine (9) oak trees. No grading is proposed.

GENERAL PLAN CONSISTENCY

The subject property is depicted within Category 1 (Low Density Residential—One to Six Dwelling Units per Gross Acre), on the Land Use Policy Map of the Los Angeles Countywide General Plan (“General Plan”). The applicant’s proposal to create two dwelling units is consistent with the maximum of two dwelling units permitted for the subject property.

The subject property and immediate area are in the Low Density Residential Land Use Category.

Applicable General Plan policies include:

- Promote the efficient use of land through a more concentrated pattern of urban development, including the focusing of new urban growth into areas of suitable land (Policy 17, Land Use and Urban Development Pattern).
- Promote a balanced mix of dwelling unit types to meet present and future needs, with emphasis on family owned and moderate density dwelling units (twinhomes, townhouses and garden condominiums at garden apartment densities)(Policy 43, Housing and Community Development).
- Promote the provision of an adequate supply of housing by location, type and price (Policy 47, Housing and Community Development).

LA CRESCENTA—MONTROSE CSD

The subject property is in the La Crescenta-Montrose CSD, County Code Section 22.44.139. However, this CSD has no requirements for development in the R-1 zone

CORRESPONDENCE RECEIVED BEFORE PUBLIC HEARING

No correspondence has been received at the time of writing this report.

COUNTY DEPARTMENTS AND AGENCY COMMENTS AND RECOMMENDATIONS

The Los Angeles County Subdivision Committee ("Subdivision Committee") consists of the Departments of Regional Planning, Public Works, Fire, Parks and Recreation, and Public Health. The Subdivision Committee has reviewed the tentative parcel map dated April 13, 2008 and recommends the attached conditions.

LEGAL NOTIFICATION REQUIREMENTS AND COMMUNITY OUTREACH

On October 13, 2009, approximately 335 notices of public hearing were mailed to property owners within a 1,000-foot radius of the subject property. The public hearing notice was scheduled to be published in the San Gabriel Valley Tribune on October 14, 2009 and La Opinion on October 14, 2009. Project materials, including tentative tract map, land use map and recommended conditions were sent to the Los Angeles County La Crescenta Library, 4521 La Crescenta Avenue, La Crescenta, CA 91214-2999 on October 14, 2009. A public hearing notice was required to be posted on the subject property fronting Frances Avenue by October 17, 2009. Public hearing materials were also posted on the Department of Regional Planning's website.

STAFF EVALUATION

The proposed development is consistent with provisions of the General Plan. The two dwelling units proposed is consistent with the maximum two dwelling units permitted on the subject property. The proposed lots sizes of the project are also consistent with the existing lot sizes and meet the 7,500 square foot minimum net lot area requirement of the R-1-7,500 zone and character of the surrounding area.

The two proposed oak tree removals on Parcel No. 1 will allow the construction of a single-family residence on that parcel. The nine proposed oak tree encroachments include two on Parcel No. 2 and seven on Parcel No. 1. These encroachments will provide for the protection of these oak trees during future development. Mitigation trees shall be provided at the ratio of 2:1, for a total of four mitigation trees.

The mitigation trees required by previous OTP Case No. 200700020 are included in the current oak tree permit, OTP 200900003. The applicant removed two (2) of the three (3) oak trees approved to be removed under OTP Case No. 200700020 and the mitigation requirement was at a ratio of two to one (2:1) for each tree removed for a total of four (4) trees.

The grand total for both permits will be eight (8) mitigation trees.

STAFF RECOMMENDATION

The following recommendation is subject to change based on oral testimony or documentary evidence submitted during the public hearing process.

Staff recommends that the Hearing Officer close the public hearing, adopt the Mitigated Negative Declaration, and approve Tentative Parcel Map No. 070971 and Oak Tree Permit No. 200900003 subject to the attached recommended conditions of the Subdivision Committee.

Attachments:

Draft conditions
Tentative Parcel Map No. 070971 dated April 13, 2009
Land Use Map
GIS-NET Map

SMT:DCK:dck
10/14/09

DRAFT CONDITIONS

1. The subdivider shall conform to the applicable requirements of Titles 21 and 22 of the Los Angeles County Code ("County Code") including the area requirements of the R-1-7,500 zone and of Oak Tree Permit Case No. 200900003.
2. This grant shall not be effective for any purpose until the required fees have been paid pursuant to Condition No. 5. Notwithstanding the foregoing, this condition (No. 2), and Condition Nos. 8 and 9 shall be effective immediately upon final approval of this grant by the County.
3. The subdivider or successor in interest shall plant at least one tree of a non-invasive species in the front yard of each parcel. The location and the species of said trees shall be incorporated into a site plan or landscape plan. Prior to final map approval, the site/landscaping plan shall be approved by the Los Angeles County Department of Regional Planning ("Regional Planning"), and a bond shall be posted with the Los Angeles County Department of Public Works ("Public Works") or other verification shall be submitted to the satisfaction of Regional Planning to ensure the planting of the required trees.
4. A final parcel map is required for this subdivision. A parcel map waiver is not allowed.
5. Within three (3) days after approval, the subdivider shall remit processing fees (currently \$2,068.00) payable to the County of Los Angeles in connection with the filing and posting of a Notice of Determination in compliance with Section 21152 of the California Public Resources Code and Section 711 of the Fish and Game Code to defray the costs of fish and wildlife protection and management incurred by the California Department of Fish and Game. No project subject to this requirement is final, vested or operative until the fee is paid.
6. Pursuant to Chapter 22.72 of the County Code, the subdivider or his successor in interest shall pay a fee to the Los Angeles County Librarian prior to issuance of any building permit, as this project's contribution to mitigating impacts on the library system in the West San Gabriel Valley Planning Area, in the amount required by Chapter 22.72 at the time of payment (currently \$800.00 per dwelling unit) and provide proof of payment to the Department of Regional Planning. The fee is subject to adjustment as provided for in applicable local and State law. The subdivider may contact the County Librarian at (562) 940-8450 regarding payment of fees.
7. For the posting of any performance bonds for conditions herein, inspections related to the verification of improvement(s) installation and/or construction shall

be conducted by Regional Planning. Upon request for a bond release, the subdivider shall pay the amount charged for bond release inspections, which shall be the amount equal to the recovery cost at the time of payment (currently \$150.00 per inspection).

8. The subdivider shall defend, indemnify, and hold harmless the County, its agents, officers, and employees from any claim, action, or proceeding against the County or its agents, officers, or employees to attack, set aside, void, or annul this approval, which is brought within the applicable time period of Government Code Section 64499.37 or any other applicable limitation period. The County shall promptly notify the subdivider of any claim, action, or proceeding and the County shall cooperate reasonably in the defense.
9. In the event that any claim, action, or proceeding as described in the condition above is filed against the County, the subdivider shall within ten days of the filing pay Regional Planning an initial deposit of \$5,000, from which actual costs shall be billed and deducted for the purpose of defraying the expenses involved in Regional Planning's cooperation in the defense, including but not limited to depositions, testimony, and other assistance to the subdivider or subdivider's counsel. The subdivider shall pay the following supplemental deposits, from which the actual costs shall be billed and deducted:
 - a. If during the litigation process, actual costs incurred reach 80 percent of the amount on deposit, the subdivider shall deposit additional funds sufficient to bring the balance up to the amount of the initial deposit. There is no limit to the number of supplemental deposits that may be required prior to the completion of the litigation.
 - b. At the sole discretion of the subdivider, the amount of an initial or supplemental deposit may exceed the minimum amounts defined herein.

The cost of the collection and duplication of records and other related documents will be paid by the subdivider according to County Code Section 2.170.010.

Except as expressly modified herein above, this approval is subject to all those conditions set forth in Oak Tree Permit Case No. 200900003, and the attached reports recommended to the Los Angeles County Subdivision Committee, which consists of Public Works, Los Angeles County Fire Department, Los Angeles County Department of Parks and Recreation, and the Los Angeles County Department of Public Health, in addition to Regional Planning.

**DEPARTMENT OF REGIONAL PLANNING
OAK TREE PERMIT CASE NO. 200900003**

DRAFT CONDITIONS:

(Questions relating to these conditions should be addressed to the Forestry Division, Prevention Bureau of the Los Angeles County Forester and Fire Warden ("Forester") at either 818-890-5719 or 323-881-2481).

1. This grant allows the removal of two (2) trees of the Oak genus (*Quercus agrifolia*) identified as Tree Numbers 9 and 10 on the applicant's site plan map and Oak Tree Report. This grant allows the encroachment into the protected zone of nine trees of the Oak genus (*Quercus agrifolia*) identified as Tree Numbers 1, 2, 3, 4, 5, 6, 8, and 11 on the applicant's site plan and in the Oak Tree Report prepared by Randy Smith, consulting arborist, dated April 6, 2009.
2. Unless otherwise apparent from the context, the term "permittee" shall include the applicant and any other person, corporation, or other entity making use of this grant.
3. This grant shall not be effective until the permittee and the owner of the property if other than the permittee, have filed at the office of the Los Angeles County Department of Regional Planning ("Regional Planning") an affidavit stating that they are aware of, and agree to accept, all of the conditions of this grant and that the conditions have been recorded as required by Condition No. 4 and until all required monies have been paid pursuant to Condition No. 8. Notwithstanding the foregoing, this condition (No. 3) and Condition Nos. 33 and 34 shall be effective immediately upon final approval of this grant by the County.
4. Prior to the use of this grant, the terms and conditions of the grant shall be recorded in the office of the Los Angeles County Recorder. In addition, upon any transfer or lease of the subject property during the term of this grant, the permittee shall promptly provide a copy of the grant and its terms and conditions to the transferee or lessee, as applicable, of the subject property.
5. If any provision of this grant is held or declared to be invalid, the permit shall be void and the privileges granted hereunder shall lapse.
6. The subject property shall be developed, maintained and operated in full compliance with the conditions of this grant and any law, statute, ordinance, or other regulation applicable to any development or activity on the subject property. Failure of the permittee to cease any development or activity not in such full compliance shall be a violation of these conditions.

7. All requirements of the Zoning Ordinance and of the specific zoning of the subject property must be complied with unless specifically modified by this grant, as set forth in these conditions or shown on the approved plans.
8. No oak tree shall be removed until the permittee has obtained all permits and approvals required for the work which necessitates such removal.
9. Within three (3) days after approval, the subdivider shall remit processing fees (currently \$2,068.00) payable to the County of Los Angeles in connection with the filing and posting of a Notice of Determination in compliance with Section 21152 of the California Public Resources Code and Section 711 of the Fish and Game Code to defray the costs of fish and wildlife protection and management incurred by the California Department of Fish and Game. No project subject to this requirement is final, vested or operative until the fee is paid.
10. The term "Oak Tree Report" refers to the document on file at Regional Planning by Randy Smith, the consulting arborist, dated April 6, 2009.
11. The permittee shall, prior to commencement of the use authorized by this grant, deposit with the County of Los Angeles Fire Department the sum of \$500. Such fees shall be used to compensate the County Forester \$100 per inspection to cover expenses incurred while inspecting the project to determine the permittee's compliance with the conditions of approval. The above fees provide for one (1) initial inspection prior to the commencement of construction and four (4) subsequent biannual inspections until the conditions of approval have been met. The Director of Regional Planning and the County Forester shall retain the right to make regular and unannounced site inspections.
12. Before commencing work authorized or required by this grant, the consulting arborist shall submit a letter to the Director of Regional Planning ("Director of Planning") and the County of Los Angeles Fire Department, Forestry Division Forester stating that he or she has been retained by the permittee to perform or supervise the work, and that he or she agrees to report to the Director of Planning and County Forester any failure to fully comply with the conditions of this grant. The arborist shall also submit a written report on permit compliance upon completion of the work required by this grant. The report shall include a diagram showing the exact number and location of all mitigation trees planted as well as planting dates.
13. The permittee shall arrange for the consulting arborist or similarly qualified person to maintain all remaining Oak trees on the subject property that are within the zone of impact as determined by the County Forester for the life of the Oak Tree Permit.

14. The permittee shall install temporary chain link fencing, not less than four (4) feet in height, to secure the protected zone of all remaining Oak trees on site as necessary. The fencing shall be installed prior to grading or tree removal, and shall not be removed without the approval of the County Forester. The term "protected zone" refers to the area extending five (5) feet beyond the dripline of the Oak tree (before pruning), or fifteen (15) feet from the trunk, whichever is greater.
15. The permittee shall keep copies of the Oak Tree Report, Oak Tree Map, Mitigation Planting Plan and Conditions of Approval on the project site and available for review. All Individuals associated with the project as it relates to the Oak resource shall be familiar with the Oak Tree Report, Oak Tree Map, Mitigation Planting Plan and Conditions of Approval.
16. This grant allows the removal of two (2) trees of the Oak genus (*Quercus agrifolia*) identified as Tree Numbers 9 and 10 on the applicant's site plan map and Oak Tree Report. This grant allows encroachment within the protected zone of nine (9) trees of the Oak genus (*Quercus agrifolia*) identified as Tree Numbers 1,2,3,4,5,6,7,8, and 11 on the applicant's site plan and Oak Tree Report. Trenching, excavation, or clearance of vegetation within the protected zone of the an Oak tree shall be accomplished by the use of hand tools or small hand-held power tools. Any major roots encountered shall be conserved to the extent possible and treated as recommended by the consulting arborist.
17. In addition to work expressly allowed by this permit, remedial pruning intended to ensure the continued health of a protected Oak tree or to improve its appearance or structure may be performed. Such pruning shall include removal of deadwood and stubs and medium pruning of branches two-inches in diameter or less in accordance with the guidelines published by the National Arborist Association. Copies of these guidelines are available from the County of Los Angeles Fire Department, Forestry Division. In no case shall more than 20 percent of the tree canopy of any one tree be removed.
18. Except as otherwise expressly authorized by this grant, the remaining Oak trees shall be maintained in accordance with the principles set forth in the publication "Oak Trees: Care and Maintenance," prepared by the County of Los Angeles Fire Department, Forestry Division. A copy of the publication is enclosed with these conditions.
19. The permittee shall provide mitigation trees of the Oak genus at a rate of two to one (2:1) for each tree removed for a total of four (4) trees to be planted. The permittee shall provide mitigation trees of the Oak genus at a rate of two to one (2:1) for any tree specified above that dies as a result of approved encroachments.

Also included in this permit is the mitigation requirement for Oak Tree Permit No. 200700020 when this property was modified by Lot Line Adjustment Case 200600042. The applicant removed two (2) of the three (3) oak trees approved to be removed under this permit and the mitigation requirement was at a ratio of two to one (2:1) for each tree removed for a total of four (4) trees.

The grand total for both permits will be eight (8) mitigation trees.

20. Each mitigation tree shall be at least a 15-gallon specimen in size and measure one (1) inch or more in diameter at one (1) foot above the base. Free form trees with multiple stems are permissible provided that the combined diameter of the two (2) largest stems of such trees measures a minimum of one (1) inch in diameter one (1) foot above the base.
21. Mitigation trees shall consist of indigenous varieties of *Quercus agrifolia* grown from a local seed source
22. Mitigation trees shall be planted within one (1) year of the permitted Oak tree removals. Mitigation trees shall be planted either on site or at an off-site location approved by the County Forester. Alternatively, a contribution to the County of Los Angeles Oak Forest Special Fund may be made in the amount equivalent to the Oak resource loss. The contribution shall be calculated by the consulting arborist and approved by the County Forester according to the most current edition of the International Society for Arboriculture's "Guide for Plant Appraisal."
23. The permittee shall properly maintain each mitigation tree and shall replace any tree failing to survive due to lack of proper care and maintenance with a tree meeting the specifications set forth above. The two-year maintenance period will begin upon receipt of a letter from the permittee or consulting arborist to the Director of Planning and the County Forester indicating that the mitigation trees have been planted. The maintenance period of the trees failing to survive two (2) years will start anew with new replacement trees. Subsequently, additional monitoring fees shall be required.
24. All mitigation Oak trees planted as a condition of this permit shall be protected in perpetuity by the Los Angeles County Oak Tree Ordinance once they have survived the required maintenance period.
25. Encroachment within the protected zone of any additional trees of the Oak genus on the project site is prohibited.
26. Should encroachment within the protected zone of any additional trees of the Oak genus on the project site not permitted by this grant result in its injury or death within

two (2) years, the permittee shall be required to make a contribution to the Los Angeles County Oak Forest Special Fund in the amount equivalent to the Oak resource damage/loss. Said contribution shall be calculated by the consulting arborist and approved by the Forester according to the most current edition of the International Society of Arboriculture's "Guide for Plant Appraisal".

27. No planting or irrigation system shall be installed within the drip line of any Oak tree that will be retained
28. Utility trenches shall not be routed within the protected zone of an Oak tree unless the serving utility requires such locations.
29. Equipment, materials and vehicles shall not be stored, parked, or operated within the protected zone of any Oak tree. No temporary structures shall be placed within the protected zone of any oak.
30. Any violation of the conditions of this grant shall result in immediate work stoppage or in a Notice of Correction depending on the nature of the violation. A time frame within which deficiencies must be corrected will be indicated on the Notice of Correction.
31. Should any future inspection disclose that the subject property is being used in violation of any one of the conditions of this grant, the permittee shall be held financially responsible and shall reimburse the Forester for all enforcement efforts necessary to bring the subject property into compliance. The Director of Planning and the Forester shall retain the right to make regular and unannounced site inspections.
32. Notice is hereby given that any person violating a provision of this grant is guilty of a misdemeanor. Notice is further given that the Los Angeles County Regional Planning Commission ("Commission") or Hearing Officer may, after conducting a public hearing, revoke or modify this grant, if the Commission or Hearing Officer finds that these conditions have been violated or that this grant has been exercised so as to be detrimental to the public health or safety or as to be a nuisance.
33. The permittee shall defend, indemnify and hold harmless Los Angeles County (the "County"), its agents, officers, and employees from any claim, action or proceeding against the County, or its agents, officers, or employees to attack, set aside, void or annul this permit approval, which action is brought within the applicable time period of Government Code Section 65009 or any other applicable limitation period. The County shall notify the permittee of any such claim, action, or proceeding and the County shall reasonably cooperate in the defense.

34. In the event that any claim, action, or proceeding as described above is filed against the County, the permittee shall, within ten days of the filing, pay Regional Planning an initial deposit of \$5,000, from which actual costs shall be billed and deducted for the purpose of defraying the expense involved in the department's cooperation in the defense, including, but not limited to, depositions, testimony, and other assistance to the permittee or permittee's counsel. The permittee shall also pay the following supplemental deposits, from which actual costs shall be billed and deducted:
- a. If during the litigation process, actual costs incurred by the department reach 80 percent of the amount on deposit up to the amount of the initial deposit. There is no limit to the number of supplemental deposits that may be required prior to completion of the litigation.
 - b. At the sole discretion of the permittee, the amount of an initial or supplemental deposit may exceed the minimum amounts defined herein.

The cost for collection and duplication of records and other related documents will be paid by permittee in accordance with Section 2.170.010 of the Los Angeles County Code.

35. This grant shall expire unless used within two years after the recordation of a final map for Tentative Parcel Map No. 070971. In the event that the tentative map should expire without the recordation of a final map, this grant shall terminate upon the expiration of the tentative map. Entitlement to the use of the property thereafter shall be subject to the regulations then in effect.
36. This grant shall terminate upon the completion of the authorized Oak tree encroachment and the completion of all required mitigation and monitoring to the satisfaction of the Forester and Regional Planning.

COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS
LAND DEVELOPMENT DIVISION – SUBDIVISION
PARCEL MAP NO. 70971 (Rev.)

TENTATIVE MAP DATED 04-13-2009

The following report consisting of 9 pages are the recommendations of Public Works.

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. Details and notes shown on the tentative map are not necessarily approved. Any details or notes which may be inconsistent with requirements of ordinances, general conditions of approval, or Department policies must be specifically approved in other conditions, or ordinance requirements are modified to those shown on the tentative map upon approval by the Advisory agency.
2. Easements are tentatively required, subject to review by the Director of Public Works to determine the final locations and requirements.
3. Easements shall not be granted or recorded within areas proposed to be granted, dedicated, or offered for dedication for public streets, highways, access rights, building restriction rights, or other easements until after the final map is filed with the Registrar-Recorder/County Clerk's Office. If easements are granted after the date of tentative approval, a subordination must be executed by the easement holder prior to the filing of the final map.
4. In lieu of establishing the final specific locations of structures on each lot/parcel at this time, the owner, at the time of issuance of a grading or building permit, agrees to develop the property in conformance with the County Code and other appropriate ordinances such as the Building Code, Plumbing Code, Grading Ordinance, Highway Permit Ordinance, Mechanical Code, Zoning Ordinance, Underground of Utilities Ordinance, Water Ordinance, Sanitary Sewer and Industrial Waste Ordinance, Electrical Code, and Fire Code. Improvements and other requirements may be imposed pursuant to such codes and ordinances.
5. Adjust, relocate, and/or eliminate lot lines, lots, streets, easements, grading, geotechnical protective devices, and/or physical improvements to comply with ordinances, policies, and standards in effect at the date the County determined the application to be complete all to the satisfaction of Public Works.
6. All easements existing at the time of final map approval must be accounted for on the approved tentative map. This includes the location, owner, purpose, and recording reference for all existing easements. If an easement is blanket or indeterminate in nature, a statement to that effect must be shown on the tentative map in lieu of its location. If all easements have not been accounted for, submit a corrected tentative map to the Department of Regional Planning for approval.

COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS
LAND DEVELOPMENT DIVISION – SUBDIVISION
PARCEL MAP NO. 70971 (Rev.)

TENTATIVE MAP DATED 04-13-2009

7. Quitclaim or relocate easements running through proposed structures.
8. A final parcel map must be processed through the Director of Public Works prior to being filed with the Registrar-Recorder/County Clerk's Office.
9. Prior to submitting the parcel map to the Director of Public Works for examination pursuant to Section 66450 of the Government Code, obtain clearances from all affected Departments and Divisions, including a clearance from the Subdivision Mapping Section of the Land Development Division of Public Works for the following mapping items; mathematical accuracy; survey analysis; and correctness of certificates, signatures, etc.
10. If signatures of record title interests appear on the final map, a preliminary guarantee is needed. A final guarantee will be required at the time of filing of the final map with the Registrar-Recorder/County Clerk's Office. If said signatures do not appear on the final map, a title report/guarantee is needed showing all fee owners and interest holders and this account must remain open until the final parcel map is filed with the Registrar-Recorder/County Clerk's Office.
11. Within 30 days of the approval date of this land use entitlement or at the time of first plan check submittal, the applicant shall deposit the sum of \$2,000 (Minor Land Divisions) or \$5,000 (Major Land Divisions) with Public Works to defray the cost of verifying conditions of approval for the purpose of issuing final map clearances. This deposit will cover the actual cost of reviewing conditions of approval for Conditional Use Permits, Tentative Tract and Parcel Maps, Vesting Tentative Tract and Parcel Maps, Oak Tree Permits, Specific Plans, General Plan Amendments, Zone Changes, CEQA Mitigation Monitoring Programs and Regulatory Permits from State and Federal Agencies (Fish and Game, USF&W, Army Corps, RWQCB, etc.) as they relate to the various plan check activities and improvement plan designs. In addition, this deposit will be used to conduct site field reviews and attend meetings requested by the applicant and/or his agents for the purpose of resolving technical issues on condition compliance as they relate to improvement plan design, engineering studies, highway alignment studies and tract/parcel map boundary, title and easement issues. When 80% of the deposit is expended, the applicant will be required to provide additional funds to restore the initial deposit. Remaining balances in the deposit account will be refunded upon final map recordation.

HCW
Prepared by John Chin
pm70971L -rev1.doc

Phone (626) 458-4918

Date 05-11-2009



COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS

900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA 91803-1331
WWW.DPW.LACOUNTY.GOV


TRACT NO.: 70971

TENTATIVE MAP DATE: 4/13/09

STORM DRAIN AND HYDROLOGY SECTION CONDITIONS OF APPROVAL, PHONE: (626) 458-4921

Prior to Building Permit:

1. Prior to issuance of building permits, plans must be approved to: provide for the proper distribution of drainage and for contributory drainage from adjoining properties and eliminate the sheet overflow, ponding, and protect the lots from high velocity scouring action; comply with NPDES, SWMP, and SUSMP requirements.
2. Per County Code Section 12.84.460 comply with LID requirements and provide LID plan, if applicable, for Low Impact Development BMPs in accordance with the Low Impact Development Standards Manual which can be found at:
http://dpw.lacounty.gov/wmd/LA_County_LID_Manual.pdf

Name  Date 4/30/09 Phone (626) 458-4921
CHRIS SHEPPARD

County of Los Angeles Department of Public Works
GEOTECHNICAL AND MATERIALS ENGINEERING DIVISION
GEOLOGIC REVIEW SHEET
900 So. Fremont Ave., Alhambra, CA 91803
TEL. (626) 458-4925

DISTRIBUTION
___ Geologist
___ Soils Engineer
1 GMED File
1 Subdivision

TENTATIVE PARCEL MAP 70971
SUBDIVIDER Hales-Anderson Investment Properties
ENGINEER Jerry M. Crowley Engineering Services
GEOLOGIST ---
SOILS ENGINEER ---

TENTATIVE MAP DATED 4/13/09 (Revision)
LOCATION La Crescenta
GRADING BY SUBDIVIDER [N] (Y or N)
REPORT DATE ---
REPORT DATE ---

TENTATIVE MAP FEASIBILITY IS RECOMMENDED FOR APPROVAL FROM A GEOLOGIC STANDPOINT

THE FOLLOWING INFORMATION IS APPLICABLE TO THIS DIVISION OF LAND:

- The Final Map does *not* need to be reviewed by GMED.
- Geology and/or soils engineering reports may be required prior to approval of building or grading plans.
- The Soils Engineering review dated 4/22/09 is attached.

Reviewed by _____


Geir Mathisen

Date 4/28/09

COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS
GEOTECHNICAL AND MATERIALS ENGINEERING DIVISION

SOILS ENGINEERING REVIEW SHEET

Address: 900 S. Fremont Ave., Alhambra, CA 91803
Telephone: (626) 458-4925
Fax: (626) 458-4913

District Office ---
PCA LX001129
Sheet 1 of 1

Ungraded Site Lots

Tentative Parcel Map 70971
Location La Crescenta
Developer/Owner Hales-Anderson Investment Properties
Engineer/Architect Jerry M. Crowley Engineering Services
Soils Engineer ---
Geologist ---

DISTRIBUTION:

Drainage
 Grading
 Geo/Soils Central File
 District Engineer
 Geologist
 Soils Engineer
 Engineer/Architect

Review of:

Revised Tentative Map Dated by Regional Planning 4/13/09
Previous Review Sheet Dated 3/4/09

ACTION:

Tentative Map feasibility is recommended for approval.



Prepared by _____

Date 4/27/09

Please complete a Customer Service Survey at <http://dpw.lacounty.gov/go/gmedsurvey>.

NOTICE: Public safety, relative to geotechnical subsurface exploration, shall be provided in accordance with current codes for excavations, inclusive of the Los Angeles County Code, Chapter 11.48, and the State of California, Title 8, Construction Safety Orders.

P:\gmepub\Soils Review\Jeremy\PR 70971, La Crescenta, TPM-A_2.doc

COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS
LAND DEVELOPMENT DIVISION – GRADING
PARCEL MAP NO. 070971

Page 1/1

TENTATIVE MAP DATED 04-13-2009

1. Approval of this map pertaining to grading is recommended.


Name Jason Flood Date 5/4/09 Phone (626) 458-4921
P:\dpub\SUBPCHECK\Grading\Tentative Map Reviews\70971\rev1.doc

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. Permission is granted to allow the modified street right of way of 40 feet on Frances Avenue due to title limitations.
2. Install postal delivery receptacles in groups to serve two or more residential units.

 Prepared by Matthew Dubiel
pm70971r-rev1.doc

Phone (626) 458-4921

Date 04-27-2009

The subdivision shall conform to the design standards and policies of the Department of Public Works, in particular, but not limited to the following items:

1. Provide a sewer system maintained by Crescenta Valley Water District with appurtenant facilities to serve all parcels in the subdivision.
2. Submit a statement from Crescenta Valley Water District indicating that there is adequate sewer capacity in the existing sewer system, that financial arrangements have been made, and that the sewer system will be operated by Crescenta Valley Water District.



Prepared by Tony Khalkhali
Pm70971s-rev1.doc

Phone (626) 458-4921

Date 05-06-2009

The subdivision shall conform to the design standards and policies of Public Works, in particular, but not limited to the following items:

1. A water system maintained by Crescenta Valley Water District, with appurtenant facilities to serve all lots in the subdivision. The system shall include fire hydrants of the type and location (both on-site and off-site) as determined by the Los Angeles County Fire Department. The water mains shall be sized to accommodate the total domestic and fire flows.
2. There shall be filed with Public Works a statement from Crescenta Valley Water District indicating that there is adequate water capacity in the existing water system, that financial arrangements have been made, and that the water system will be operated by Crescenta Valley water District, and that under normal conditions, the system will meet the requirements for the subdivision.

Prepared by  Lana Radle
pm70971w-rev1.doc

Phone (626) 458-4921

Date 05-07-2009



COUNTY OF LOS ANGELES

FIRE DEPARTMENT

5823 Rickenbacker Road
Commerce, California 90040

CONDITIONS OF APPROVAL FOR SUBDIVISION - UNINCORPORATED

Subdivision No: PM 70971 Map Date: April 13, 2009

C.U.P. _____ Vicinity: _____

- FIRE DEPARTMENT HOLD** on the tentative map shall remain until verification from the Los Angeles County Fire Dept. Planning Section is received, stating adequacy of service. Contact (323) 881-2404.
- Access shall comply with Title 21 (County of Los Angeles Subdivision Code) and Section 503 of the Fire Code, which requires all weather access. All weather access may require paving.
- Fire Department access shall be extended to within 150 feet distance of any exterior portion of all structures.
- Where driveways extend further than 150 feet and are of single access design, turnarounds suitable for fire protection equipment use shall be provided and shown on the final map. Turnarounds shall be designed, constructed and maintained to insure their integrity for Fire Department use. Where topography dictates, turnarounds shall be provided for driveways that extend over 150 feet in length.
- The private driveways shall be indicated on the final map as "Private Driveway and Firelane" with the widths clearly depicted. Driveways shall be maintained in accordance with the Fire Code.
- Vehicular access must be provided and maintained serviceable throughout construction to all required fire hydrants. All required fire hydrants shall be installed, tested and accepted prior to construction.
- This property is located within the area described by the Fire Department as "Very High Fire Hazard Severity Zone" (formerly Fire Zone 4). A "Fuel Modification Plan" shall be submitted and approved prior to final map clearance. (Contact: Fuel Modification Unit, Fire Station #32, 605 North Angeleno Avenue, Azusa, CA 91702-2904, Phone (626) 969-5205 for details).
- Provide Fire Department or City approved street signs and building access numbers prior to occupancy.
- Additional fire protection systems shall be installed in lieu of suitable access and/or fire protection water.
- The final concept map, which has been submitted to this department for review, has fulfilled the conditions of approval recommended by this department for access only.
- These conditions must be secured by a C.U.P. and/or Covenant and Agreement approved by the County of Los Angeles Fire Department prior to final map clearance.
- The Fire Department has no additional requirements for this division of land.

Comments: On site access for each lot will be determined during the building permit process.

By Inspector: Juan C. Padilla / Nancy Rodeheffer Date June 12, 2009

Land Development Unit – Fire Prevention Division – (323) 890-4243, Fax (323) 890-9783



COUNTY OF LOS ANGELES

FIRE DEPARTMENT

5823 Rickenbacker Road
Commerce, California 90040

WATER SYSTEM REQUIREMENTS - UNINCORPORATED

Subdivision No: PM 70971 Map Date: April 13, 2009

Revised Report _____

- The County Forester and Fire Warden is prohibited from setting requirements for water mains, fire hydrants and fire flows as a condition of approval for this division of land as presently zoned and/or submitted. However, water requirements may be necessary at the time of building permit issuance.
- The required fire flow for public fire hydrants at this location is 1250 gallons per minute at 20 psi for a duration of 2 hours, over and above maximum daily domestic demand. 1 Hydrant(s) flowing simultaneously may be used to achieve the required fire flow.
- The required fire flow for private on-site hydrants is _____ gallons per minute at 20 psi. Each private on-site hydrant must be capable of flowing _____ gallons per minute at 20 psi with two hydrants flowing simultaneously, one of which must be the furthest from the public water source.
- Fire hydrant requirements are as follows:
Install _____ public fire hydrant(s). Verify / Upgrade existing _____ public fire hydrant(s).
Install _____ private on-site fire hydrant(s).
- All hydrants shall measure 6"x 4"x 2-1/2" brass or bronze, conforming to current AWWA standard C503 or approved equal. All on-site hydrants shall be installed a minimum of 25' feet from a structure or protected by a two (2) hour rated firewall.
 Location: As per map on file with the office.
 Other location: _____
- All required fire hydrants shall be installed, tested and accepted or bonded for prior to Final Map approval. Vehicular access shall be provided and maintained serviceable throughout construction.
- The County of Los Angeles Fire Department is not setting requirements for water mains, fire hydrants and fire flows as a condition of approval for this division of land as presently zoned and/or submitted.
- Additional water system requirements will be required when this land is further subdivided and/or during the building permit process.
- Hydrants and fire flows are adequate to meet current Fire Department requirements.
- Fire hydrant upgrade is not necessary, if existing hydrant(s) meet(s) fire flow requirements. Submit original water availability form to our office.

Comments: **Per Crescenta Valley Water Company, the Fire Flow Availability form dated June 4, 2009, hydrants and flows meet the current Fire Department requirements.**

All hydrants shall be installed in conformance with Title 20, County of Los Angeles Government Code and County of Los Angeles Fire Code, or appropriate city regulations. This shall include minimum six-inch diameter mains. Arrangements to meet these requirements must be made with the water purveyor serving the area.

By Inspector Juan C. Padilla / Nancy Rodeheffer Date June 12, 2009

Land Development Unit – Fire Prevention Division – (323) 890-4243, Fax (323) 890-9783



**LOS ANGELES COUNTY
DEPARTMENT OF PARKS AND RECREATION**



PARK OBLIGATION REPORT

Tentative Map #	70971	DRP Map Date:	04/13/2009	SCM Date:	05/14/2009	Report Date:	05/06/2009
Park Planning Area #	38	LA CRESCENTE / MONTROSE / UNIVERSAL CITY			Map Type: REV. (REV RECD)		

Total Units = Proposed Units + Exempt Units

Sections 21.24.340, 21.24.350, 21.28.120, 21.28.130, and 21.28.140, the County of Los Angeles Code, Title 21, Subdivision Ordinance provide that the County will determine whether the development's park obligation is to be met by:

- 1) the dedication of land for public or private park purpose or,
- 2) the payment of in-lieu fees or,
- 3) the provision of amenities or any combination of the above.

The specific determination of how the park obligation will be satisfied will be based on the conditions of approval by the advisory agency as recommended by the Department of Parks and Recreation.

Park land obligation in acres or in-lieu fees:

ACRES:	0.02
IN-LIEU FEES:	\$7,635

Conditions of the map approval:

The park obligation for this development will be met by:

The payment of \$7,635 in-lieu fees.

Trails:

No trails.

Comments:

***The In-Lieu Fee has been updated to \$7,635 from \$7,712 to reflect the fee schedule at the time Map 70971 was advertised for public hearing in September 2009

Advisory:

Advisory: the Representative Land Values (RLVs) in Los Angeles County Code (LACC) Section 21.28.140 are used to calculate park fees and are adjusted annually, based on changes in the Consumer Price Index. The new RLVs become effective July 1st of each year and may apply to this subdivision map if first advertised for hearing before either a hearing officer or the Regional Planning Commission on or after July 1st pursuant to LACC Section 21.28.140, subsection 3. Accordingly, the park fee in this report is subject to change depending upon when the subdivision is first advertised for public hearing.

Please contact Clement Lau at (213) 351-5120 or Sheela Mathai at (213) 351-5121, Department of Parks and Recreation, 510 South Vermont Avenue, Los Angeles, CA 90020 for further information or to schedule an appointment to make an in-lieu fee payment.

For information on Hiking and Equestrian Trail requirements, please contact the Trails Coordinator at (213) 351-5135.

By: James Barber
James Barber, Land Acquisition & Development Section

Supv D 5th
August 18, 2009 16:45:38
QMB02F.FRX



**LOS ANGELES COUNTY
DEPARTMENT OF PARKS AND RECREATION**



PARK OBLIGATION WORKSHEET

Tentative Map #	70971	DRP Map Date: 04/13/2009	SMC Date: 05/14/2009	Report Date: 05/06/2009
Park Planning Area #	38	LA CRESCENTE / MONTROSE / UNIVERSAL CITY		Map Type: REV. (REV RECD)

The formula for calculating the acreage obligation and or In-lieu fee is as follows:

(P)eople x (0.003) Ratio x (U)nits = (X) acres obligation

(X) acres obligation x RLV/Acre = In-Lieu Base Fee

- Where: P = Estimate of number of People per dwelling unit according to the type of dwelling unit as determined by the 2000 U.S. Census*. Assume * people for detached single-family residences; Assume * people for attached single-family (townhouse) residences, two-family residences, and apartment houses containing fewer than five dwelling units; Assume * people for apartment houses containing five or more dwelling units; Assume * people for mobile homes.
- Ratio = The subdivision ordinance provides a ratio of 3.0 acres of park land for each 1,000 people generated by the development. This ratio is calculated as "0.0030" in the formula.
- U = Total approved number of Dwelling Units.
- X = Local park space obligation expressed in terms of acres.
- RLV/Acre = Representative Land Value per Acre by Park Planning Area.

Total Units = Proposed Units + Exempt Units

	People*	Ratio 3.0 Acres / 1000 People	Number of Units	Acre Obligation
Detached S.F. Units	2.85	0.0030	2	0.02
M.F. < 5 Units	2.38	0.0030	0	0.00
M.F. >= 5 Units	2.19	0.0030	0	0.00
Mobile Units	2.40	0.0030	0	0.00
Exempt Units			0	
Total Acre Obligation =				0.02

Park Planning Area = 38 LA CRESCENTE / MONTROSE / UNIVERSAL CITY

Ratio	Acre Obligation	RLV / Acre	In-Lieu Base Fee
@(0.0030)	0.02	\$381,765	\$7,635

Lot #	Provided Space	Provided Acres	Credit (%)	Acre Credit	Land
None					
Total Provided Acre Credit:				0.00	

Acre Obligation	Public Land Crdt.	Priv. Land Crdt.	Net Obligation	RLV / Acre	In-Lieu Fee Due
0.02	0.00	0.00	0.02	\$381,765	\$7,635



JONATHAN E. FIELDING, M.D., M.P.H.
Director and Health Officer

JONATHAN E. FREEDMAN
Chief Deputy Director

ANGELO J. BELLOMO, REHS
Director of Environmental Health

ALFONSO MEDINA, REHS
Director of Environmental Protection Bureau
5050 Commerce Drive
Baldwin Park, California 91706
TEL (626) 430-5280 • FAX (626) 960-2740

www.publichealth.lacounty.gov



BOARD OF SUPERVISORS

Gloria Molina
First District

Mark Ridley-Thomas
Second District

Zev Yaroslavsky
Third District

Don Knabe
Fourth District

Michael D. Antonovich
Fifth District

June 2, 2009

RFS No. 09-0013594

Parcel Map No. 070971

Vicinity: La Crescenta

The County of Los Angeles Department of Public Health has no objection to this subdivision and **Tentative Parcel Map 070971** is cleared for public hearing. The following conditions still apply and are in force:

1. Potable water will be supplied by the **Crescenta Valley Water District**, a public water system.
2. Sewage disposal will be provided through the public sewer and wastewater treatment facilities of the **Crescenta Valley Water District** as proposed.

If you have any questions or need additional information, please contact me at (626) 430-5262.

A handwritten signature in black ink, appearing to read "Ken Habaradas", written over a horizontal line.

Ken Habaradas, REHS
Bureau of Environmental Protection



Los Angeles County
Department of Regional Planning

Planning for the Challenges Ahead



Jon Sanabria
Acting Director of Planning

July 27, 2009

Mark Anderson
2852 Foothill Blvd.
La Crescenta, CA 91214

SUBJECT: INITIAL STUDY DETERMINATION LETTER
PROJECT NO. PM 070971/RENV200900002

On July 27, 2009, the staff of the Department of Regional Planning completed its review of the Environmental Questionnaire and other data regarding your project and made the following determination as to the type of environmental document required.

- Use of previously prepared Environmental Document
- Categorical Exemption
- Negative Declaration
- Mitigated Negative Declaration
- Other: _____
- Environmental Impact Report (EIR)

If you have any questions regarding the above determination or environmental document preparation, please contact Anthony Curzi of the Impact Analysis Section at (213) 974-6461, Monday to Thursday between 7:30 a.m. and 6 p.m. Our offices are closed on Fridays.

Very truly yours,

DEPARTMENT OF REGIONAL PLANNING
Jon Sanabria
Acting Director of Planning

PM
Paul McCarthy, Supervising Regional Planner
Impact Analysis Section

JS:PM:amc

PROJECT NUMBER: PM 070971

CASES: RENT200900002

ROAKT200900003



***** INITIAL STUDY *****

**COUNTY OF LOS ANGELES
DEPARTMENT OF REGIONAL PLANNING**

GENERAL INFORMATION

I.A. Map Date: December 17, 2008 Staff Member: Anthony Curzi
Thomas Guide: 504-G6 USGS Quad: Pasadena
Location: 2748 Frances Avenue, La Crescenta

Description of Project: Application is for a parcel map to subdivide one lot into two single-family parcels. Application is also for an Oak Tree Permit for the encroachment of nine (9) oak trees, and the removal of two (2) oak trees. There are no structures on the site. Ingress and egress will be from Frances Avenue.

Gross Acres: 0.38
Environmental Setting: Project site is in a suburban area of La Crescenta. There are nine (9) oak trees on the site, all in proposed Parcel 1. There are also pine trees on the site. Surrounding uses consist of single-family houses.

Zoning: R-1-7500
General Plan: Category 1-Low Density (1 to 6 dwelling units per acre)
Community/Area wide Plan: NA

Major projects in area:

<u>PROJECT NUMBER</u>	<u>DESCRIPTION & STATUS</u>
<i>PM 21434</i>	<i>Three single-family lots on 120 acres (inactive).</i>
<i>PM 26538</i>	<i>Two single-family lots (recorded).</i>
<i>PM 067564</i>	<i>Three single-family lots on 0.5 acres (approved).</i>
<i>PM 065814</i>	<i>Four single-family lots on 0.91 acres (approved).</i>
<i>PM 070536</i>	<i>Three single-family lots on 0.54 acres (pending).</i>

NOTE: For EIRs, above projects are not sufficient for cumulative analysis.

REVIEWING AGENCIES

Responsible Agencies

- None
- Regional Water Quality Control Board
 - Los Angeles Region
 - Lahontan Region
- Coastal Commission
- Army Corps of Engineers
-
-
-
-
-

Special Reviewing Agencies

- None
- Santa Monica Mountains Conservancy
- National Parks
- National Forest
- Edwards Air Force Base
- Resource Conservation District of Santa Monica Mtns. Area
- City of Glendale
- City of La Canada Flintridge
- Glendale Unified
-
-
-
-

Regional Significance

- None
- SCAG Criteria
- Air Quality
- Water Resources
- Santa Monica Mtns. Area
-
-
-
-

Trustee Agencies

- None
- State Fish and Game
- State Parks
-
-
-
-

-
-
-
-
-
-
-

County Reviewing Agencies

- Subdivision Committee
- DPW:
- Fire Department
-
-
-
-

IMPACT ANALYSIS MATRIX		ANALYSIS SUMMARY (See individual pages for details)				
			Less than Significant Impact/No Impact			
			Less than Significant Impact with Project Mitigation			
			Potentially Significant Impact			
CATEGORY	FACTOR	Pg				Potential Concern
HAZARDS	1. Geotechnical	5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2. Flood	6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3. Fire	7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	4. Noise	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RESOURCES	1. Water Quality	9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2. Air Quality	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3. Biota	11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	4. Cultural Resources	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	5. Mineral Resources	13	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	6. Agriculture Resources	14	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	7. Visual Qualities	15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SERVICES	1. Traffic/Access	16	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2. Sewage Disposal	17	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3. Education	18	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	4. Fire/Sheriff	19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	5. Utilities	20	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
OTHER	1. General	21	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2. Environmental Safety	22	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3. Land Use	23	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	4. Pop/Hous./Emp./Rec.	24	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	5. Mandatory Findings	25	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Environmental Finding:

FINAL DETERMINATION: On the basis of this Initial Study, the Department of Regional Planning finds that this project qualifies for the following environmental document:

NEGATIVE DECLARATION, inasmuch as the proposed project will not have a significant effect on the environment.

An Initial Study was prepared on this project in compliance with the State CEQA Guidelines and the environmental reporting procedures of the County of Los Angeles. It was determined that this project will not exceed the established threshold criteria for any environmental/service factor and, as a result, will not have a significant effect on the physical environment.

MITIGATED NEGATIVE DECLARATION, in as much as the changes required for the project will reduce impacts to insignificant levels (see attached discussion and/or conditions).

An Initial Study was prepared on this project in compliance with the State CEQA Guidelines and the environmental reporting procedures of the County of Los Angeles. It was originally determined that the proposed project may exceed established threshold criteria. The applicant has agreed to modification of the project so that it can now be determined that the project will not have a significant effect on the physical environment. The modification to mitigate this impact(s) is identified on the Project Changes/Conditions Form included as part of this Initial Study.

ENVIRONMENTAL IMPACT REPORT*, inasmuch as there is substantial evidence that the project may have a significant impact due to factors listed above as "significant".

At least one factor has been adequately analyzed in an earlier document pursuant to legal standards, and has been addressed by mitigation measures based on the earlier analysis as described on the attached sheets (see attached Form DRP/IA 101). The Addendum EIR is required to analyze only the factors changed or not previously addressed.

Reviewed by: Anthony Curzi Date: 07/27/2009

Approved by: Paul McCarthy Date: 07/27/2009

This proposed project is exempt from Fish and Game CEQA filing fees. There is no substantial evidence that the proposed project will have potential for an adverse effect on wildlife or the habitat upon which the wildlife depends. (Fish & Game Code 753.5).

Determination appealed – see attached sheet.

*NOTE: Findings for Environmental Impact Reports will be prepared as a separate document following the public hearing on the project.

HAZARDS - 1. Geotechnical

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project located in an active or potentially active fault zone, Seismic Hazards Zone, or Alquist-Priolo Earthquake Fault Zone?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in an area containing a major landslide(s)?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in an area having high slope instability?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site subject to high subsidence, high groundwater level, liquefaction, or hydrocompaction?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the proposed project considered a sensitive use (school, hospital, public assembly site) located in close proximity to a significant geotechnical hazard?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the project entail substantial grading and/or alteration of topography including slopes of over 25%?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project be located on expansive soil, as defined in Table 18-1-B of Uniform Building Code (1994), creating substantial risks to life or property?
h.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

<input type="checkbox"/> Building Ordinance No. 2225 – Sections 308B, 309, 310, and 311 and Chapters 29 and 70	<input type="checkbox"/> MITIGATION MEASURES	<input type="checkbox"/> OTHER CONSIDERATIONS
<input type="checkbox"/> Lot Size	<input type="checkbox"/> Project Design	<input type="checkbox"/> Approval of Geotechnical Report by DPW

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, or be impacted by, **geotechnical** factors?

<input checked="" type="checkbox"/> Potentially significant	<input type="checkbox"/> Less than significant with project mitigation	<input checked="" type="checkbox"/> Less than significant/No Impact
---	--	---

HAZARDS - 3. Fire

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in a Very High Fire Hazard Severity Zone (Fire Zone 4)?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site in a high fire hazard area and served by inadequate access due to lengths, width, surface materials, turnarounds or grade?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project site have more than 75 dwelling units on a single access in a high fire hazard area?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in an area having inadequate water and pressure to meet fire flow standards?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project located in close proximity to potential dangerous fire hazard conditions/uses (such as refineries, flammables, explosives manufacturing)?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the proposed use constitute a potentially dangerous fire hazard?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

- Water Ordinance No. 7834 Fire Ordinance No. 2947 Fire Regulation No. 8
 Fuel Modification / Landscape Plan

MITIGATION MEASURES

OTHER CONSIDERATIONS

- Project Design Compatible Use

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, or be impacted by **fire hazard** factors?

- Potentially significant Less than significant with project mitigation Less than significant/No impact

HAZARDS - 4. Noise

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located near a high noise source (airports, railroads, freeways, industry)?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the proposed use considered sensitive (school, hospital, senior citizen facility) or are there other sensitive uses in close proximity?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project substantially increase ambient noise levels including those associated with special equipment (such as amplified sound systems) or parking areas associated with the project?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project result in a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels without the project?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

Noise Control (Title 12 – Chapter 8) Uniform Building Code (Title 26 - Chapter 35)

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size Project Design Compatible Use

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, or be adversely impacted by **noise**?

Potentially significant Less than significant with project mitigation Less than significant/No impact

RESOURCES - 1. Water Quality

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in an area having known water quality problems and proposing the use of individual water wells?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the proposed project require the use of a private sewage disposal system?
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If the answer is yes, is the project site located in an area having known septic tank limitations due to high groundwater or other geotechnical limitations <i>or</i> is the project proposing on-site systems located in close proximity to a drainage course?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project's associated construction activities significantly impact the quality of groundwater and/or storm water runoff to the storm water conveyance system and/or receiving water bodies?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project's post-development activities potentially degrade the quality of storm water runoff and/or could post-development non-storm water discharges contribute potential pollutants to the storm water conveyance system and/or receiving bodies?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

<input type="checkbox"/> Industrial Waste Permit	<input type="checkbox"/> Health Code – Ordinance No.7583, Chapter 5
<input type="checkbox"/> Plumbing Code – Ordinance No.2269	<input type="checkbox"/> NPDES Permit Compliance (DPW)

<input type="checkbox"/> MITIGATION MEASURES	<input type="checkbox"/> OTHER CONSIDERATIONS
<input type="checkbox"/> Lot Size <input type="checkbox"/> Project Design <input type="checkbox"/> Compatible Use	

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, or be adversely impacted by, **water quality** problems?

<input type="checkbox"/> Potentially significant	<input type="checkbox"/> Less than significant with project mitigation	<input checked="" type="checkbox"/> Less than significant/No impact
--	--	---

RESOURCES - 2. Air Quality

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the proposed project exceed the State's criteria for regional significance (generally (a) 500 dwelling units for residential users or (b) 40 gross acres, 650,000 square feet of floor area or 1,000 employees for non-residential uses)?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the proposal considered a sensitive use (schools, hospitals, parks) and located near a freeway or heavy industrial use?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the project increase local emissions to a significant extent due to increased traffic congestion or use of a parking structure or exceed AQMD thresholds of potential significance?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the project generate or is the site in close proximity to sources that create obnoxious odors, dust, and/or hazardous emissions?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project conflict with or obstruct implementation of the applicable air quality plan?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project violate any air quality standard or contribute substantially to an existing or projected air quality violation?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under applicable federal or state ambient air quality standard (including releasing emission which exceed quantitative thresholds for ozone precursors)?
h.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

Health and Safety Code – Section 40506

MITIGATION MEASURES

Project Design Air Quality Report

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, or be adversely impacted by, **air quality**?

Potentially significant Less than significant with project mitigation Less than significant/No impact

RESOURCES - 3. Biota

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located within Significant Ecological Area (SEA), SEA Buffer, or coastal Sensitive Environmental Resource (ESHA, etc.), or is the site relatively undisturbed and natural?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will grading, fire clearance, or flood related improvements remove substantial natural habitat areas?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is a drainage course located on the project site that is depicted on USGS quad sheets by a dashed blue line or that may contain a bed, channel, or bank of any perennial, intermittent or ephemeral river, stream, or lake?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project site contain a major riparian or other sensitive habitat (e.g. coastal sage scrub, oak woodland, sycamore riparian, woodland, wetland, etc.)?
e.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Does the project site contain oak or other unique native trees (specify kinds of trees)? <i>Eight oak trees are present on the project site.</i>
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site habitat for any known sensitive species (federal or state listed endangered, etc.)?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors (e.g., wildlife corridor, adjacent open space linkage)?

<input type="checkbox"/> MITIGATION MEASURES	<input checked="" type="checkbox"/> OTHER CONSIDERATIONS
<input type="checkbox"/> Lot Size <input type="checkbox"/> Project Design	<input type="checkbox"/> ERB/SEATAC Review <input checked="" type="checkbox"/> Oak Tree Permit

Applicant shall comply with conditions set forth in Los Angeles County Forester's Oak Tree Permit in letter dated June 30, 2009.

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on, **biotic** resources?

<input checked="" type="checkbox"/> Potentially significant	<input type="checkbox"/> Less than significant with project mitigation	<input checked="" type="checkbox"/> Less than significant/No impact
---	--	---

RESOURCES - 4. Archaeological/Historical/Paleontological

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site in or near an area containing known archaeological resources or containing features (drainage course, spring, knoll, rock outcroppings, or oak trees) that indicate potential archaeological sensitivity?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project site contain rock formations indicating potential paleontological resources?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project site contain known historic structures or sites?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project cause a substantial adverse change in the significance of a historical or archaeological resource as defined in 15064.5?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size

Project Design

Phase 1 Archaeology Report

CONCLUSION

Considering the above information, could the project leave a significant impact (individually or cumulatively) on **archaeological, historical, or paleontological** resources?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

RESOURCES - 5. Mineral Resources

SETTING/IMPACTS

- | | Yes | No | Maybe | |
|----|--------------------------|-------------------------------------|--------------------------|---|
| a. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state? |
| b. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Would the project result in the loss of availability of a locally important mineral resource discovery site delineated on a local general plan, specific plan or other land use plan? |
| c. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Other factors? |
| | | | | |
| | | | | |

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size Project Design

CONCLUSION

Considering the above information, could the project leave a significant impact (individually or cumulatively) on **mineral** resources?

- Potentially significant Less than significant with project mitigation Less than significant/No impact

RESOURCES - 6. Agriculture Resources

SETTING/IMPACTS

Yes No Maybe

a. Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency to non-agricultural use?

b. Would the project conflict with existing zoning for agricultural use, or a Williamson Act contract?

c. Would the project involve other changes in the existing environment that due to their location or nature, could result in conversion of Farmland, to non-agricultural use?

d. Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size

Project Design

CONCLUSION

Considering the above information, could the project leave a significant impact (individually or cumulatively) on **agriculture** resources?

Potentially significant

Less than significant with project mitigation Less than significant/No impact

RESOURCES - 7. Visual Qualities

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site substantially visible from or will it obstruct views along a scenic highway (as shown on the Scenic Highway Element), or is it located within a scenic corridor or will it otherwise impact the viewshed?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project substantially visible from or will it obstruct views from a regional riding or hiking trail?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site located in an undeveloped or undisturbed area that contains unique aesthetic features?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the proposed use out-of-character in comparison to adjacent uses because of height, bulk, or other features?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project likely to create substantial sun shadow, light or glare problems?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors (e.g., grading or landform alteration)?

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size

Project Design

Visual Report

Compatible Use

CONCLUSION

Considering the above information, could the project leave a significant impact (individually or cumulatively) on scenic qualities?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

SERVICES - 1. Traffic/Access

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project contain 25 dwelling units or more and is it located in an area with known congestion problems (roadway or intersections)?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the project result in any hazardous traffic conditions?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the project result in parking problems with a subsequent impact on traffic conditions?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will inadequate access during an emergency (other than fire hazards) result in problems for emergency vehicles or residents/employees in the area?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the congestion management program (CMP) Transportation Impact Analysis thresholds of 50 peak hour vehicles added by project traffic to a CMP highway system intersection or 150 peak hour trips added by project traffic to a mainline freeway link be exceeded?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project conflict with adopted policies, plans, or program supporting alternative transportation (e.g., bus, turnouts, bicycle racks)?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

Project Design Traffic Report

Consultation with Traffic & Lighting Division

CONCLUSION

Considering the above information, could the project leave a significant impact (individually or cumulatively) on **traffic/access** factors?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

SERVICES - 2. Sewage Disposal

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If served by a community sewage system, could the project create capacity problems at the treatment plant?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create capacity problems in the sewer lines serving the project site?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

- Sanitary Sewers and Industrial Waste – Ordinance No. 6130
- Plumbing Code – Ordinance No. 2269

MITIGATION MEASURES

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on the physical environment due to **sewage disposal** facilities?

- Potentially significant Less than significant with project mitigation Less than significant/No impact

SERVICES - 3. Education

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create capacity problems at the district level?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create capacity problems at individual schools that will serve the project site?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create student transportation problems?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create substantial library impacts due to increased population and demand?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

Site Dedication Government Code Section 65995 Library Facilities Mitigation Fee

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) relative to **educational** facilities/services?

Potentially significant Less than significant with project mitigation Less than significant/No impact

SERVICES - 4. Fire/Sheriff Services

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create staffing or response time problems at the fire station or sheriff's substation serving the project site?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Are there any special fire or law enforcement problems associated with the project or the general area?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?
				<hr/> <hr/> <hr/> <hr/> <hr/>

MITIGATION MEASURES

OTHER CONSIDERATIONS

Fire Mitigation Fee

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) relative to **fire/sheriff** services?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

SERVICES - 5. Utilities/Other Services

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site in an area known to have an inadequate public water supply to meet domestic needs or to have an inadequate ground water supply and proposes water wells?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Is the project site in an area known to have an inadequate water supply and/or pressure to meet fire fighting needs?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project create problems with providing utility services, such as electricity, gas, or propane?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Are there any other known service problem areas (e.g., solid waste)?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services or facilities (e.g., fire protection, police protection, schools, parks, roads)?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

STANDARD CODE REQUIREMENTS

Plumbing Code – Ordinance No. 2269 Water Code – Ordinance No. 7834

MITIGATION MEASURES

Lot Size Project Design

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) relative to **utilities** services?

Potentially significant Less than significant with project mitigation Less than significant/No impact

OTHER FACTORS - 1. General

SETTING/IMPACTS

- | | Yes | No | Maybe | |
|----|--------------------------|-------------------------------------|--------------------------|--|
| a. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Will the project result in an inefficient use of energy resources? |
| b. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Will the project result in a major change in the patterns, scale, or character of the general area or community? |
| c. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Will the project result in a significant reduction in the amount of agricultural land? |
| d. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Other factors? |
-
-
-

STANDARD CODE REQUIREMENTS

State Administrative Code, Title 24, Part 5, T-20 (Energy Conservation)

MITIGATION MEASURES

OTHER CONSIDERATIONS

Lot Size

Project Design

Compatible Use

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on the physical environment due to any of the above factors?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

OTHER FACTORS - 2. Environmental Safety

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Are any hazardous materials used, transported, produced, handled, or stored on-site?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Are any pressurized tanks to be used or any hazardous wastes stored on-site?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Are any residential units, schools, or hospitals located within 500 feet and potentially adversely affected?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Have there been previous uses that indicate residual soil toxicity of the site or is the site located within two miles downstream of a known groundwater contamination source within the same watershed?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project create a significant hazard to the public or the environment involving the accidental release of hazardous materials into the environment?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project emit hazardous emissions or handle hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would create a significant hazard to the public or environment?
h.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project result in a safety hazard for people in a project area located within an airport land use plan, within two miles of a public or public use airport, or within the vicinity of a private airstrip?
i.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?
j.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES
 Toxic Clean-up Plan

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact relative to **public safety**?

Potentially significant Less than significant with project mitigation Less than significant/No impact

OTHER FACTORS - 3. Land Use

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Can the project be found to be inconsistent with the plan designation(s) of the subject property?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Can the project be found to be inconsistent with the zoning designation of the subject property?
c.				Can the project be found to be inconsistent with the following applicable land use criteria:
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hillside Management Criteria?
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SEA Conformance Criteria?
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project physically divide an established community?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on the physical environment due to **land use** factors?

Potentially significant

Less than significant with project mitigation

Less than significant/No impact

OTHER FACTORS - 4. Population/Housing/Employment/Recreation

SETTING/IMPACTS

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project cumulatively exceed official regional or local population projections?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project induce substantial direct or indirect growth in an area (e.g., through projects in an undeveloped area or extension of major infrastructure)?
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project displace existing housing, especially affordable housing?
d.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project result in substantial job/housing imbalance or substantial increase in Vehicle Miles Traveled (VMT)?
e.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Could the project require new or expanded recreational facilities for future residents?
f.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Would the project displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?
g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other factors?

MITIGATION MEASURES

OTHER CONSIDERATIONS

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on the physical environment due to **population, housing, employment, or recreational** factors?

Potentially significant
 Less than significant with project mitigation
 Less than significant/No impact

MANDATORY FINDINGS OF SIGNIFICANCE

Based on this Initial Study, the following findings are made:

	Yes	No	Maybe	
a.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?
b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Does the project have possible environmental effects that are individually limited but cumulatively considerable? "Cumulatively considerable" means that the incremental effects of an individual project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.
c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Will the environmental effects of the project cause substantial adverse effects on human beings, either directly or indirectly?

CONCLUSION

Considering the above information, could the project have a significant impact (individually or cumulatively) on the environment?

Potentially significant

Less than significant with project mitigation Less than significant/No impact