

PROPERTY LEGAL DESCRIPTION

LOTS 1, 2, 3, 4 OF TRACT NO. 6161, IN THE COUNTY OF LOS ANGELES, STATE OF CALIFORNIA AS PER MAP BOOK RECORDED IN BOOK 86 PAGE 16 OF MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY

BUILDING INFORMATION

BUILDING TYPE - VA
 OCCUPANCY - R2 CONGREGATE RESIDENCE
 ALLOWABLE BUILDING AREA - 12,000 SF
 ALLOWABLE STORIES - 3
 SPRINKLERS - YES

BUILDING AREA SUMMARY

EXISTING GROUND FLOOR AREA	2,944 sf
EXISTING OCCUPIED BASEMENT AREA	1,132 sf
EXISTING SECOND FLOOR AREA	1,459 sf
NEW SECOND FLOOR AREA	314 sf
NEW OCCUPIED BASEMENT AREA	1,222 sf
TOTAL RESIDENTIAL AREA	7,076 sf

PROPERTY INFORMATION

ASSESSORS ID NO.: 8835-038-001
 SITE ADDRESS: 20 EAST MARIPOSA STREET
 ALTADENA, CALIFORNIA
 PROPERTY TYPE: CONGREGATE RESIDENCE

LOT COVERAGE AREA SUMMARY

EXISTING GROUND FLOOR AREA	3,173 sf
EXISTING OCCUPIED BASEMENT AREA	1,264 sf
EXISTING SECOND FLOOR AREA	1,539 sf
NEW SECOND FLOOR AREA	336 sf
NEW OCCUPIED BASEMENT AREA	1,317 sf
TOTAL RESIDENTIAL AREA	7,619 sf

LOT AREA COVERAGE SUMMARY

LOT AREA	9,553 sf
BUILDING GROUND FLOOR LOT COVERAGE AREA	3,173 sf
TOTAL LOT COVERAGE	31.7% of 33.2 %

Construction Notes

- 1 PROVIDE NEW ADA PARKING STALL
- 2 PROVIDE NEW CONCRETE WHEEL STOPS
- 3 PROVIDE NEW ADA SIGN
- 4 PROVIDE NEW ADA LOADING ZONE STRIPING
- 5 REMOVE THE EXISTING ASPHALT AS REQUIRED TO ACCOMMODATE THE NEW ADA PARKING STALL PARKING SURFACE
- 6 PROVIDE NEW CONCRETE PARKING SURFACE = 2% SLOPE IN EACH DIRECTION
- 7 CLEAN AND REPAIR THE EXISTING ASPHALT PARKING SURFACE. PROVIDE SLURRY SEAL TOP COAT
- 8 PROVIDE NEW 4" WIDE PARKING STALL STRIPING
- 9 PROVIDE NEW 6"-0" HIGH VINYL FENCE AT EGRESS YARD
- 10 EXISTING FOUNDATION VENT WELL. EXTEND CONCRETE CURB AS NECESSARY
- 11 PROVIDE NEW GRATE COVER
- 12 REMOVE EXISTING LANDSCAPE PLANTING, IRRIGATION AND SOIL AS REQUIRED TO ACCOMMODATE NEW LANDSCAPE AND IRRIGATION
- 13 REMOVE THE EXISTING CONCRETE STEPS
- 14 LINE OF UNCONDITIONED BASEMENT AREA TO BE CONVERTED TO HABITABLE AREA
- 15 LINE OF EXISTING AREA ON SECOND FLOOR NON PERMITTED WORK TO BE PERMITTED AND INSPECTED
- 16 PROVIDE NEW ASPHALT PAVING PARKING AREA
- 17 COORDINATE RELOCATION OF THE POWER POLE GUY WIRE
- 18 PROVIDE ENCLOSED TRASH AREA PER LAC ZONING ORD. 22.52.1225
- 19 THE EXISTING CATCH BASIN TO REMAIN. PROVIDE ADEQUATE PROTECTION FROM DAMAGE FOR THE DURATION OF THE PROJECT

THE SEALS, STAMPS, PERMITS, FEES, AND APPROVALS ARE THE PROPERTY OF THE DESIGN GROUP AND WILL BE RETURNED TO THE DESIGN GROUP UPON THE COMPLETION OF THE PROJECT. THE DESIGN GROUP IS NOT RESPONSIBLE FOR ANY DAMAGE TO OR LOSS OF ANY PROPERTY OR PERSONS DURING THE PROJECT. THE DESIGN GROUP IS NOT RESPONSIBLE FOR ANY DAMAGE TO OR LOSS OF ANY PROPERTY OR PERSONS DURING THE PROJECT.



Cambridge Institute
 International Student Residence
 20 East Mariposa Street
 Altadena, California

REV.	DATE	DESCRIPTION

SHEET TITLE	DATE
Site Plan	04-01-15
SCALE	As Noted
JOB NO.	14013
REV.	SHEET
REVIEWED AND APPROVED	SIGNATURE

THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.




Cambridge Institute
 International Student Residence
 20 East Mariposa Street
 Altadena, California

REV.	DATE	DESCRIPTION

SHEET TITLE	DATE
Construction Plan - Second Floor	
REVIEWED AND APPROVED	
SIGNATURE	

SCALE	DATE
As Noted	04-01-15
JOB NO.	14013
REV.	SHEET
SHEET NO.	A3.3



General Requirements
Construction Plan - Second Floor
 1/4" = 1'-0"

Construction Legend

- EXISTING CONSTRUCTION TO REMAIN
- - - EXISTING CONSTRUCTION TO BE REMOVED
- NEW WOOD FRAME CONSTRUCTION
- SINGLE POLE LIGHT SWITCH
- THREE WAY LIGHT SWITCH
- LIGHT FIXTURE
- EXHAUST FAN, VENT TO OUTSIDE AIR
- CEILING MOUNTED SMOKE DETECTOR - HARD WIRED WITH BATTERY BACKUP
- THERMOSTAT
- PHONE JACK
- T.V. TELEVISION JACK
- JUNCTION BOX
- 110 V. DUPLEX POWER OUTLET
- 110 V. FOURPLEX POWER OUTLET
- 220 V. POWER OUTLET
- CHIMES
- PUSH BUTTON
- HEAT REGISTER W/ AIR FLOW INDICATION
- FUEL GAS VALVE
- HOSEBIBB
- FLOOR MOUNTED 110V 20A FOURPLEX WITH MONUMENT
- FLOOR MOUNTED 110V 20A DUPLEX WITH MONUMENT
- FIRE PLACE KEY VALVE
- COMBINATION CARBON MONOXIDE DETECTOR AND SMOKE DETECTOR
- WALL MOUNTED CLEAN OUT
- FLUORESCENT LIGHT FIXTURE
- BLANK PLATE
- INDICATES EXISTING TO REMAIN
- INDICATES EXISTING TO BE REMOVED AND/OR RELOCATED
- REL. INDICATES EXISTING SHOWN IN RELOCATED POSITION
- DETAIL CALLOUT SHEET LOCATION
- CONSTRUCTION NOTE CALLOUT
- ROOM SQUARE FOOTAGE
- EGRESS SQUARE FOOTAGE PROVIDED
- VENTILATION SQUARE FOOTAGE PROVIDED
- LIGHT SQUARE FOOTAGE PROVIDED
- SHEAR PANEL CALLOUT
- SHEAR PANEL LENGTH
- FRAMING REQUIREMENTS

Construction Notes

- 1 NOT USED
- 2 COORDINATE THE INSTALLATION OF OWNER SUPPLIED AND INSTALLED STORAGE CABINETS
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6 NOT USED
- 7 PROVIDE 2" WIDE CLEARLY CONTRASTING VISUAL WARNING STRIPE SET 1" FROM THE TREAD NOSING. SEE DETAIL
- 8 NOT USED
- 9 NOT USED
- 10 NOT USED
- 11 NOT USED
- 12 NOT USED
- 13 NOT USED
- 14 NOT USED
- 15 NOT USED
- 16 NOT USED
- 17 NOT USED
- 18 NOT USED
- 19 NOT USED
- 20 NOT USED
- 21 NOT USED
- 22 PROVIDE GROUND FAULT INTERRUPTION CIRCUIT AND RECEPTACLES
- 23 PROVIDE ARC FAULT CIRCUIT AND RECEPTACLES
- 24 NOT USED
- 25 NOT USED
- 26 COORDINATE THE INSTALLATION OF OWNER SUPPLIED AND INSTALLED MILLWORK IN KITCHEN
- 27 COORDINATE THE INSTALLATION OF OWNER SUPPLIED AND INSTALLED PLUMBING FIXTURES IN KITCHEN
- 28 PROVIDE NEW 1 1/2" WOOD HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS
- 29 PROVIDE NEW WOOD STAIR ASSEMBLY. SEE ELEVATIONS AND DETAILS
- 30 NOT USED
- 31 NOT USED
- 32 NOT USED
- 33 PROVIDE NEW JANITOR SINK. REFER TO THE PLUMBING ENGINEERING DRAWINGS
- 34 NOT USED
- 35 NOT USED
- 36 NOT USED
- 37 NOT USED
- 38 NOT USED
- 39 PROVIDE NEW ELEVATED CONCRETE ADA RAMP AND WALKWAY. REFER TO THE FOUNDATION PLAN SHEET A4.1
- 40 PROVIDE NEW PAINTED WROUGHT IRON GUARDRAIL AT +42". SEE ELEVATIONS AND DETAILS
- 41 PROVIDE NEW STEEL AND CONCRETE STAIR ASSEMBLY. SEE ELEVATIONS AND DETAILS
- 42 PROVIDE NEW PAINTED ADA COMPLIANT WROUGHT IRON HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS
- 43 PROVIDE NEW STRUCTURAL STEEL TUBE SUPPORT FOR NEW STAIR AND LANDING. SEE ELEVATIONS AND DETAILS
- 44 PROVIDE NEW STRUCTURAL 6 X 6 DFI POST. REFER TO THE FRAMING PLANS
- 45 PROVIDE COORDINATION OF THE OWNER SUPPLIED ELEVATOR. REFER TO THE ELEVATOR DRAWINGS
- 46 PROVIDE NEW STRUCTURAL ELEVATOR SHAFT AND WALL SUPPORT ASSEMBLY. SEE ELEVATIONS AND DETAILS
- 47 PROVIDE NEW FIBERGLASS SHOWER ENCLOSURE. REFER TO THE PLUMBING ENGINEERING DRAWINGS
- 48 PROVIDE NEW SPLIT SYSTEMS HVAC EQUIPMENT. REFER TO THE MECHANICAL AND ELECTRICAL ENGINEERING DRAWINGS
- 49 COORDINATE THE INSTALLATION OF THE ELEVATOR HALL CALL BUTTONS. SET TOP BUTTON AT +42". REFER TO ELEVATOR DRAWINGS
- 50 COORDINATE THE INSTALLATION OF THE ELEVATOR CAR POSITION LATERNES. SET TOP LATERN AT +84". REFER TO THE ELEVATOR DRAWINGS
- 51 PROVIDE NEW 1.28 GALLON PER FLUSH FLOOR MOUNTED WATER CLOSET WITH ELONGATED BOWL AND OPEN FRONT TOILET SEAT SET AT +17". REFER TO THE PLUMBING ENGINEERING DRAWINGS
- 52 PROVIDE NEW ADA COMPLIANT FIBERGLASS SHOWER ENCLOSURE WITH GRAB BARS AND FOLD DOWN SEAT. PROVIDE ADA COMPLIANT SHOWER CONTROLS, 1 GALLON / MINUTE OPERATION. REFER TO THE PLUMBING ENGINEERING DRAWINGS
- 53 PROVIDE WATERPROOF WALL FINISHES TO +72" ABOVE THE SHOWER FLOOR
- 54 PROVIDE NEW ADA COMPLIANT COUNTER MOUNT VITEROUS CHINA LAVATORY WITH LEVER OPERATED FAUCET CONTROLS, 0.5 GALLON / MINUTE OPERATION. REFER TO THE PLUMBING ENGINEERING DRAWINGS
- 55 COORDINATE THE INSTALLATION OF THE NEW MIRROR SUPPLIED AND INSTALLED BY THE OWNER. SET THE LOWER REFLECTIVE EDGE AT +40"
- 56 COORDINATE THE INSTALLATION OF THE NEW ADA COMPLIANT LOWER CASEWORK SUPPLIED AND INSTALLED BY THE OWNER FOR THE LAVATORY COUNTER
- 57 COORDINATE THE INSTALLATION OF THE NEW ADA COMPLIANT POLISHED STONE LAVATORY COUNTER SUPPLIED AND INSTALLED BY THE OWNER. SET COUNTER AT +34"
- 58 PROVIDE NEW EXTERIOR 1 1/2" PAINTED STEEL PIPE GUARDRAIL AT +42". SEE ELEVATIONS AND DETAILS
- 59 PROVIDE NEW ELEVATED CONCRETE ADA COMPLIANT WALKWAY. REFER TO THE FOUNDATION PLAN SHEET A4.1



THIS DOCUMENT IS THE PROPERTY OF DESIGN GROUP. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF DESIGN GROUP. DESIGN GROUP SHALL NOT BE RESPONSIBLE FOR ANY DAMAGE TO PERSONS OR PROPERTY, OR FOR ANY CONSEQUENCES ARISING FROM THE USE OF THIS DOCUMENT. THE ATTENTION OF ALL USERS SHOULD BE DIRECTED TO THE REQUIREMENTS OF ALL APPLICABLE CODES AND REGULATIONS. ALL DIMENSIONS SHOWN ON THIS DRAWING EXCEPT FOR THE DIMENSIONS OF THE EXISTING STRUCTURE, SHALL BE IN ACCORDANCE WITH THE DIMENSIONS SHOWN ON THE PROJECT'S SPECIFICATIONS.




Cambridge Institute
 International Student Residence
 20 East Mariposa Street
 Altadena, California

REV.	DATE	DESCRIPTION

SHEET TITLE Construction Plan - Basement	DATE
REVIEWED AND APPROVED SIGNATURE	DATE

SCALE: As Noted
 DATE: 04-01-15
 JOB NO.: 14013
 SHEET NO.: A3.1



Construction Legend

- EXISTING CONSTRUCTION TO REMAIN
- - - - - EXISTING CONSTRUCTION TO BE REMOVED
- SINGLE POLE LIGHT SWITCH
- THREE WAY LIGHT SWITCH
- LIGHT FIXTURE
- EXHAUST FAN, VENT TO OUTSIDE AIR
- CEILING MOUNTED SMOKE DETECTOR - HARD WIRED WITH BATTERY BACKUP
- THERMOSTAT
- PHONE JACK
- T.V. TELEVISION JACK
- JUNCTION BOX
- 110 V. DUPLEX POWER OUTLET
- 110 V. FOURPLEX POWER OUTLET
- 220 V. POWER OUTLET
- CHIMES
- PUSH BUTTON
- HEAT REGISTER W/ AIR FLOW INDICATION
- FUEL GAS VALVE
- HOSEBIBB
- FLOOR MOUNTED 110V 20A FOURPLEX WITH MONUMENT
- FLOOR MOUNTED 110V 20A DUPLEX WITH MONUMENT
- FIRE PLACE KEY VALVE
- COMBINATION CARBON MONOXIDE DETECTOR AND SMOKE DETECTOR
- WALL MOUNTED CLEAN OUT
- FLUORESCENT LIGHT FIXTURE
- BLANK PLATE
- INDICATES EXISTING TO REMAIN
- INDICATES EXISTING TO BE REMOVED AND/OR RELOCATED
- INDICATES EXISTING SHOWN IN RELOCATED POSITION
- DETAIL CALLOUT SHEET LOCATION
- CONSTRUCTION NOTE CALLOUT
- ROOM SQUARE FOOTAGE
- EGRESS SQUARE FOOTAGE PROVIDED
- VENTILATION SQUARE FOOTAGE PROVIDED
- LIGHT SQUARE FOOTAGE PROVIDED
- SHEAR PANEL CALLOUT
- SHEAR PANEL LENGTH
- FRAMING REQUIREMENTS

Construction Notes


- 1 INSPECT THE EXISTING EXPOSED WOOD FRAMING. PROVIDE ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO REPLACE DAMAGED FRAMING MEMBERS OR FRAMING MEMBERS WITH NOTCHES AND BORINGS EXCEEDING ALLOWABLE CODE LIMITS.
- 2 COORDINATE THE INSTALLATION OF OWNER SUPPLIED AND INSTALLED STORAGE CABINETS.
- 3 THE EXISTING ELECTRICAL METERS AND SERVICE PANELS TO BE RELOCATED.
- 4 THE EXISTING AREA DRAIN TO REMAIN. INSPECT AND PROVIDE ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO INSURE OPERATIONAL STATUS.
- 5 PROVIDE NEW EXTERIOR 1 1/2" PAINTED STEEL PIPE HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS.
- 6 PROVIDE NEW EXTERIOR 1 1/2" PAINTED STEEL PIPE GUARDRAIL AT +42". SEE ELEVATIONS AND DETAILS.
- 7 PROVIDE 2" WIDE CLEARLY CONTRASTING VISUAL WARNING STRIPE SET 1" FROM THE TREAD NOSING. SEE DETAIL.
- 8 THE EXISTING 18" X 24" UNDERFLOOR FOUNDATION ACCESS TO REMAIN. PROVIDE ADEQUATE PROTECTION FROM DAMAGE FOR THE DURATION OF THE PROJECT.
- 9 PROVIDE NEW BUILDING ELECTRICAL PANEL. REFER TO THE ELECTRICAL ENGINEERING DRAWINGS.
- 10 PROVIDE NEW 100A ELECTRICAL PANEL FOR BASEMENT. REFER TO THE ELECTRICAL ENGINEERING DRAWINGS.
- 11 PROVIDE NEW 100A ELECTRICAL PANEL FOR GROUND FLOOR. REFER TO THE ELECTRICAL ENGINEERING DRAWINGS.
- 12 PROVIDE NEW 100A ELECTRICAL PANEL FOR THE SECOND FLOOR. REFER TO THE ELECTRICAL ENGINEERING DRAWINGS.
- 13 COORDINATE AND INSTALL NEW OWNER SUPPLIED ELEVATOR TANK, PUMP, AND VALVE EQUIPMENT. REFER TO THE ELEVATOR AND MEP DRAWINGS.
- 14 COORDINATE AND INSTALL NEW ELEVATOR CONTROLLER EQUIPMENT. REFER TO THE ELEVATOR AND MEP DRAWINGS.
- 15 PROVIDE NEW FUSED DISCONNECT SWITCH REFER TO THE ELEVATOR AND ELECTRICAL ENGINEERING DRAWINGS.
- 16 PROVIDE NEW FUSED GFI LIGHT AND ALARM DISCONNECT SWITCH. REFER TO THE ELECTRICAL ENGINEERING AND ELEVATOR DRAWINGS.
- 17 PROVIDE NEW SELF CLOSING AND SELF LOCKING DOOR, FRAME, AND HARDWARE ASSEMBLY. REFER TO THE DOOR SCHEDULE ON SHEET A0.2
- 18 PROVIDE 5/8" TYPE "X" GYPSUM BOARD INTERIOR FINISHES AT CEILING AND ALL WALLS.
- 19 REFER TO THE ELEVATOR DRAWINGS FOR ADDITIONAL REQUIREMENTS.
- 20 PROVIDE WASHER HOT AND COLD WATER HOOKUPS IN RECESSED IN WALL ENCLOSURE.
- 21 PROVIDE NEW GAS HOOK UP FOR DRYER.
- 22 PROVIDE GROUND FAULT INTERRUPTION CIRCUIT AND RECEPTACLES.
- 23 PROVIDE ARC FAULT CIRCUIT AND RECEPTACLES.
- 24 EMERGENCY EGRESS WELL. REFER TO THE FOUNDATION PLAN SHEET A4.1.
- 25 PROVIDE NEW THROUGH WALL DRYER VENTS WITH RODENT PROOF SCREENS.
- 26 NOT USED.
- 27 NOT USED.
- 28 PROVIDE NEW 1 1/2" WOOD HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS.
- 29 PROVIDE NEW WOOD STAIR ASSEMBLY. SEE ELEVATIONS AND DETAILS.
- 30 PROVIDE NEW 5/8" TYPE "X" GYPSUM BOARD INTERIOR WALL FINISHES BELOW STAIR ASSEMBLY.
- 31 PROVIDE NEW WOOD STAIR ASSEMBLY. SEE ELEVATIONS AND DETAILS.
- 32 PROVIDE NEW FLOOR MOUNTED 1 1/2" WOOD HANDRAIL / GUARD RAIL ASSEMBLY. SEE ELEVATIONS AND DETAILS.
- 33 NOT USED.
- 34 NOT USED.
- 35 PROVIDE NEW FLOOR MOUNTED HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS.
- 36 NOT USED.
- 37 PROVIDE NEW 1 1/2" PAINTED STEEL PIPE HANDRAILS AT +36". SEE ELEVATIONS AND DETAILS.
- 38 NOT USED.
- 39 PROVIDE NEW ELEVATED CONCRETE ADA RAMP AND WALKWAY. REFER TO THE FOUNDATION PLAN SHEET A4.1.
- 40 PROVIDE NEW PAINTED WROUGHT IRON GUARDRAIL AT +42". SEE ELEVATIONS AND DETAILS.
- 41 PROVIDE NEW STEEL AND CONCRETE STAIR ASSEMBLY. SEE ELEVATIONS AND DETAILS.
- 42 PROVIDE NEW PAINTED ADA COMPLIANT WROUGHT IRON HANDRAIL AT +36". SEE ELEVATIONS AND DETAILS.
- 43 PROVIDE NEW STRUCTURAL STEEL TUBE SUPPORT FOR NEW STAIR AND LANDING. SEE ELEVATIONS AND DETAILS.
- 44 PROVIDE NEW STRUCTURAL 6 X 6 DFI POST. REFER TO THE FRAMING PLANS.
- 45 PROVIDE COORDINATION OF THE OWNER SUPPLIED ELEVATOR. REFER TO THE ELEVATOR DRAWINGS.
- 46 PROVIDE NEW STRUCTURAL ELEVATOR GUIDE RAIL SUPPORT ASSEMBLY. SEE ELEVATIONS AND DETAILS.
- 47 NOT USED.
- 48 NOT USED.
- 49 COORDINATE THE INSTALLATION OF THE ELEVATOR HALL CALL BUTTONS. SET TOP BUTTON AT +42". REFER TO ELEVATOR DRAWINGS.
- 50 COORDINATE THE INSTALLATION OF THE ELEVATOR CAR POSITION LATERN. SET TOP LATERN AT +84". REFER TO THE ELEVATOR DRAWINGS.
- 51 PROVIDE NEW 1.28 GALLON PER FLUSH FLOOR MOUNTED WATER CLOSET WITH ELONGATED BOWL AND OPEN FRONT TOILET SEAT SET AT +17". REFER TO THE PLUMBING ENGINEERING DRAWINGS.
- 52 PROVIDE NEW ADA COMPLIANT FIBERGLASS SHOWER ENCLOSURE WITH GRAB BARS AND FOLD DOWN SEAT. PROVIDE ADA COMPLIANT SHOWER CONTROLS, 1 GALLON / MINUTE OPERATION. REFER TO THE PLUMBING ENGINEERING DRAWINGS.
- 53 PROVIDE WATERPROOF WALL FINISHES TO +72" ABOVE THE SHOWER FLOOR.
- 54 PROVIDE NEW ADA COMPLIANT COUNTER MOUNT VITEROUS CHINA LAVATORY WITH LEVER OPERATED FAUCET CONTROLS, 0.5 GALLON / MINUTE OPERATION. REFER TO THE PLUMBING ENGINEERING DRAWINGS.
- 55 COORDINATE THE INSTALLATION OF THE NEW MIRROR SUPPLIED AND INSTALLED BY THE OWNER. SET THE LOWER REFLECTIVE EDGE AT +40".
- 56 COORDINATE THE INSTALLATION OF THE NEW ADA COMPLIANT LOWER CASEWORK SUPPLIED AND INSTALLED BY THE OWNER FOR THE LAVATORY COUNTER.
- 57 COORDINATE THE INSTALLATION OF THE NEW ADA COMPLIANT POLISHED STONE LAVATORY COUNTER SUPPLIED AND INSTALLED BY THE OWNER. SET COUNTER AT +34".
- 58 NOT USED.
- 59 NOT USED.

General Requirements
Construction Plan - Basement

1/4" = 1'-0"



East Elevation (Alley way frontage)



West Elevation (Fair Oaks frontage)

THESE PLANS, SPECIFICATIONS, DETAILS, AND SCHEDULES ARE THE PROPERTY OF DESIGN GROUP AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION FROM DESIGN GROUP.



Cambridge Institute
 International Student Residence
 20 East Mariposa Street
 Altadena, California

REV	DATE	DESCRIPTION


SHEET TITLE East Elevation (Left) West Elevation (Right)	DATE
REVIEWED AND APPROVED SIGNATURE	DATE

SCALE As Noted	DATE 04-01-15
JOB NO. 14013	
REV.	SHEET
SHEET NO. A8.2	

North Elevation (Mariposa frontage)



South Elevation



SHEET NO. A8.1	REV. Δ	DATE	SHEET	JOB NO. 14013	SCALE As Noted	DATE 04-01-15	SHEET TITLE	
							South Elevation (Back)	North Elevation (Front)
REVIEWED AND APPROVED SIGNATURE				DATE				
REV.		DATE		DESCRIPTION				


Cambridge Institute
International Student Residence


20 East Mariposa Street
Altadena, California



THIS SEAL IS THE PROPERTY OF THE STATE BOARD OF PROFESSIONAL ENGINEERS AND SURVEYORS. IT IS TO BE USED ONLY BY THE ENGINEER OR SURVEYOR TO WHOM IT IS ISSUED. IT IS TO BE KEPT IN A SAFE PLACE AND NOT TO BE LOANED, REPRODUCED, COPIED, OR IN ANY MANNER MISUSED. IT IS TO BE RETURNED TO THE BOARD UPON THE DEATH OF THE ENGINEER OR SURVEYOR. THE BOARD SHALL BE RESPONSIBLE FOR THE PROTECTION OF THIS SEAL.

M&R DESIGN GROUP
875 SOUTH ARROYO PARKWAY, SUITE 500
PASADENA, CALIFORNIA 91105
TEL: (213) 229-8906 E-FAK: 213-229-8857





09/09/2006 19:16



09/09/2006 19:17

