



Los Angeles County  
Department of Regional Planning

*Planning for the Challenges Ahead*



Richard J. Bruckner  
Director

June 16, 2014

Attention: Ryan Galeria  
American Solar Greenworks, LLC  
2 Embarcadero Center  
Suite 410  
San Francisco, CA 94111

**REGARDING: PROJECT NO. R2011-00799 (Project 3)  
CONDITIONAL USE PERMIT NO. 201100071  
70TH STREET WEST AND WEST AVENUE G, LANCASTER, CA  
APNs: 3268-018-035, 3268-018-002, 3268-018-036**

The Regional Planning Commission, by its action of **June 11, 2014** has **APPROVED** the above-referenced project. Enclosed are the Commission's Findings and Conditions of Approval. Please carefully review each condition. This approval is not effective until the appeal period has ended and the required documents and applicable fees are submitted to the Regional Planning Department (see enclosed Affidavit of Acceptance Instructions).

The applicant or any other interested persons may appeal the Regional Planning Commission's decision. The appeal period for this project will end at 5:00 p.m. on **June 26, 2014**. Appeals must be delivered in person.

**Appeals: To file an appeal, please contact:**  
Executive Office of the Board of Supervisors  
Room 383, Kenneth Hahn Hall of Administration  
500 West Temple Street, Los Angeles, CA 90012  
(213) 974-1426

Upon completion of the appeal period, the notarized Affidavit of Acceptance and any applicable fees must be submitted to the planner assigned to your case. Please make an appointment to ensure that processing will be completed in a timely manner. Failure to submit these documents and applicable fees within 60 days will result in a referral to Zoning Enforcement for further action.

For questions or for additional information, please contact Mr. Kim Szalay of the Special Projects Section at (213) 974-876, or, by email at [kszalay@planning.lacounty.gov](mailto:kszalay@planning.lacounty.gov). Our office hours are Monday through Thursday, 7:30 a.m. to 5:30 p.m. We are closed on Fridays.

Sincerely,  
DEPARTMENT OF REGIONAL PLANNING  
Richard J. Bruckner

Samuel Z. Dea, Supervising Regional Planner  
Special Projects Section

Enclosures: Findings, Conditions of Approval, Affidavit of Acceptance (Permittee's Completion)  
c: Board of Supervisors; DPW (Building and Safety); Zoning Enforcement North Area

SZD:KKS

CC.060412

**FINDINGS OF THE REGIONAL PLANNING COMMISSION  
AND ORDER  
COUNTY OF LOS ANGELES  
PROJECT NO. R2011-00799-(5)  
CONDITIONAL USE PERMIT NO. 201100071**

**PROJECT 3 AMERICAN SOLAR GREENWORKS**

1. The Los Angeles County ("County") Regional Planning Commission ("Commission") conducted a duly-noticed public hearing on June 11, 2014, in the matter of Project No. R2011-00799-(5), consisting of Conditional Use Permit No. 2011000071 ("CUP"). The CUP is referred to as the "Project Permit." The Commission previously conducted a duly-noticed hearing on the Project Permit on May 7, 2014.
2. Project 3 American Solar Greenworks is one of six projects cumulatively called Silverado Power West, Los Angeles County Projects 1-6 ("Projects 1-6").
3. The County Hearing Examiner conducted a duly-noticed public hearing on February 1, 2014 to take testimony on the Draft Environmental Impact Report ("Draft EIR") for Projects 1-6.
4. The permittee, American Solar Greenworks, LLC ("permittee"), requests the Project Permit to authorize a 35 Megawatt ("MW") solar photovoltaic electricity generation facility and construction of a water tank in the A-2-2 (Heavy Agriculture-two acres minimum required area) zone ("Project") on a property located on 135.6 acres near the intersection of 70th Street West and West Avenue G in the West Antelope Valley within unincorporated Los Angeles County ("Project Site") pursuant to the Los Angeles County Zoning Ordinance ("County Code") Section 22.24.150.
5. The Project Site is 135.6 gross acres in size and consists of three legal lots. The Project Site is vacant with flat, previously tilled topography.
6. The Project Site is located in the Antelope Valley West Zoned District and is currently zoned A-2-2.
7. The Project Site is located within the N-1 (Non-Urban 1) land use category of the Antelope Valley Areawide General Plan Land Use Policy Map.
8. Surrounding Zoning within a 500-foot radius includes:
  - North: A-2-1
  - South: A-2-1 & City of Lancaster
  - East: City of Lancaster
  - West: A-2-1
9. Surrounding land uses within a 500-foot radius include:
  - North: N-1

South: N-1 & City of Lancaster  
East: City of Lancaster  
West: N-1

10. The Project Site is in an undeveloped state and little to no farming or other permitted activities have taken place at the site in recent times.
11. The site plan for the Project depicts a required 20-foot setback from the solar arrays to the subject Project's property line, which setback may also include a vegetative buffer 10 feet in width for locations across from sensitive uses. An additional required 10-foot "slope easement" would be dedicated to the County as part of the public rights-of-way around the project. The Project Site would include a perimeter safety and security fence eight feet in height including three-strand barbed wire at the top to protect the public from high voltage electricity and to protect the facility from intrusion. Construction internal to the site would be comprised of solar panels set in arrays with associated inverters, transformers, and one internal substation, with access through the site by compacted interior dirt roads. All of the subject property, with the exception of above-mentioned buffers, would be used for construction of arrays and appurtenant facilities to generate solar photovoltaic electricity. Interior drainage basins are required to insure that stormwater flows match pre-existing conditions as it flows through the subject site. The electricity generated would be transmitted through underground transmission lines to tie in to the electrical grid using existing transmission lines or through additional lines limited in length, to the nearest point of connection as depicted on the site plan. There are no trail easement requirements for this Project 3. The Project Site would include the following elements:
- PV modules
  - PV module mounting system
  - Balance of system and electrical boxes (e.g., combiner boxes, electrical disconnects)
  - One Substation
  - Electrical inverters and transformers including service parking areas
  - Electrical AC collection system, including switchgear
  - Data monitoring equipment
  - Generation tie line
  - Access roads and chain link perimeter security fencing
  - Mobile sanitation and drinking water facilities
  - 10,000 gallon fire-flow water supply tank
  - No permanent operations or other buildings are proposed.
12. The Project Site is accessible via both an entrance/exit on 70<sup>th</sup> Street West.
13. The Project does not propose permanent buildings such as operations and maintenance buildings, therefore the Project only requires parking spaces for operational service vehicles. Construction parking is required to be located at least 1,000 feet from sensitive receptors such as private residences.

14. From 2011 to 2013, prior to the Commission's public hearing on the Project, the permittee performed public outreach and provided documentation to substantiate efforts of working with the community. Meetings included development of dust mitigation strategies with local organizations to mitigate Project-related fugitive dust, and meetings with Town Councils and residents to receive comments and concerns and provide information regarding Project proposals related to their comments.
15. The Department of Public Works provided Project conditions for water supply, drainage and grading, road improvements. The Fire Department provided Project conditions for water storage facilities, access, and special requirements for vegetation management and fire control, electrical equipment, and other specialized fire protection measures. The Department of Public Health provided Project conditions for potable water supply, wastewater disposal, and noise. The Department of Parks and Recreation had no specific trail requirements for this Project 3. All of these conditions from various departments have been included in conditions of approval.
16. The Department of Regional Planning, on behalf of the County as lead agency pursuant to the California Environmental Quality Act (California Public Resources Code section 21000 et seq.) ("CEQA"), conducted an Initial Study for the proposed Project and determined that an environmental impact report ("EIR") was necessary. The Department sent to agencies a Notice of Preparation for the EIR. The Department conducted a Scoping Meeting on February 1, 2014 and received comments from the Antelope Valley West community regarding concerns over air quality, noise, traffic safety, water supply, and visual aesthetics. A Draft EIR was prepared which evaluated the potential project-specific and cumulative environmental impacts of the Project and related projects. The Draft EIR was published for public comment on January 6, 2014 and the comment period closed on February 19, 2014. The mitigation measures necessary to ensure the Project will not have a significant effect on the environment are contained in the Mitigation Monitoring and Reporting Program ("MMRP") and the CEQA Findings of Fact, have been prepared for this project. After the close of the comment period for the Draft EIR, a Final EIR was prepared in accordance with section 15089 and 15132 of the CEQA Guidelines. The Final EIR includes the Draft EIR, corrections to the Draft EIR, an introduction to the applicable CEQA process, responses to all timely public comments on the Draft EIR, the MMRP, CEQA Findings of Fact, and referenced appendices.
17. Pursuant to the provisions of sections 22.60.174 and 22.60.175 of the County Code, the community was appropriately notified of the Project's public hearings by mail, newspaper, and property posting. Additional notification was made available on County's website.
18. Twenty members of the public provided additional written comments regarding Projects 1-6 during the 30-day comment period two weeks prior to the Planning Commission public hearing, and received up to the time of preparation of this report. All other comments received are forwarded to the Planning Commission up to the day of the hearing.

19. No comments specifically in favor of the Projects were received at the time of preparation of this report.
20. Eighteen comments opposed to the Projects were received at the time of preparation of this report including comments requesting more time to review Project documents, air quality and noise impacts to adjacent residences during construction, health concerns regarding fugitive dust, construction safety, traffic safety related to Project 6 located adjacent to SR 138, amount of mitigation lands, impacts to views, plants, and animals, and requests for the Planning Commission to hold its hearing near the Projects in the Antelope Valley.
21. Two comments neither in favor nor opposed to the Projects were received at the time of preparation of this report including comments about Projects 1-6 public review processes and suggesting alternatives to Project 2 site regarding impacts to flowers.
22. The Commission held a duly-noticed public hearing on the Project Permit on June 11, 2014. The Commission heard a presentation from Regional Planning staff and testimony from representatives of the permittee and members of the public. The permittee testified that the Project will contribute to renewable energy goals of the State and the County, provide construction jobs, and have minimal impact on the local community. Project opponents expressed to the Commission in written correspondence and oral communications regarding the Project's potential negative effects on local residents' health during construction due to fugitive dust, the visual and aesthetically displeasing aspects of the project, and the potential of the project to create safety and noise concerns during construction.  
  
After hearing all testimony, the Commission closed the public hearing, adopted the EIR and MMRP, and approved the Project Permit with the change to Condition 25.d requiring deletion of 25.d.v.
23. The Commission finds that the Project is consistent with the County of Los Angeles General Plan ("General Plan") and the Antelope Valley Areawide General Plan ("Areawide Plan") N1 (Non-Urban 1) land use designation applicable to the Project. The Project meets the definition of "utility and communication installations" referenced in the listing of public and semi-public uses in the General Plan (Page LU-15) and non-urban non-residential land uses allowed in remote areas designated Non-Urban 1 in the Areawide Plan (page VI-5).
24. The Commission finds that the Project is consistent with the applicable Policies of each of the Elements of the General Plan as set forth below.
25. The Commission finds that the Project is consistent with the policies of the Conservation and Open Space Element which includes encouraging support for renewable energy such as solar energy generation, encouraging support for cost-saving incentives for such alternative energy sources, avoiding development in Significant Ecological Areas, and protecting panoramic views through low-profile development. Project 3 is not within an SEA and is a low-profile development.

26. The Commission finds that the Project is consistent with the policies of the Land Use Element requiring planned developments to avoid land use conflicts with neighboring activities. Though development of the Project may have a temporary negative effect on some adjacent residential properties during construction, long term operations of the Project is passive in relationship to neighboring land uses.
27. The Commission finds that the Project is consistent with the policies of Economic Development Element encouraging the location of renewable energy generation projects within the unincorporated areas of the County and helping meet State mandates for renewable energy production.
28. The Commission finds that the Project is consistent with the policies of Circulation, Housing, Noise, Safety, and Public Facilities Elements. The Project makes no significant impacts to traffic, proposes no housing, requires no additional public facilities, and has no significant impacts regarding noise and safety considerations during construction and operation of the Project.
29. The Commission finds that the Project is consistent with the applicable policies of each of the Elements of the Areawide Plan as set forth below.
30. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Balance of Development in relationship to existing development surrounding the Project and in relationship to cumulative related projects proposed in the surrounding area within a five-mile radius, as follows. Twenty-two solar projects previously proposed in the unincorporated County have withdrawn applications for conditional use permits. Only a few applications for solar projects remain in process in the County. The Project does not create a situation causing an over-balance of solar development in the Antelope Valley.
31. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Hillside Management, as follows. The Project has no hillside slopes in excess of 25 percent.
32. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Floodplain Management, as follows. The Project is not located in a Floodplain or Flood Zone.
33. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Sensitive Land Uses, as follows. The Project avoids disrupting highly environmentally sensitive lands by using previously disturbed properties and by maintaining natural flow of stormwaters through the Project Site. Groundwater from the adjudicated basin is left untouched as out-of-basin or recycled water supply is proposed for use during construction and operations.
34. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Agricultural Lands, as follows. The Project is not currently farmed but is located in an Agricultural Opportunity Area and would not interfere with any adjacent or nearby farm operations.

35. The Commission finds that the Project is consistent with the applicable policies of the Land Use Element, Resource Conservation, as follows. The Project does not impact groundwater, would not produce green house gases during operations, and would generate electrical energy rather than use it.
36. The Commission finds that the Project is consistent with the applicable policies of the Community Revitalization, Community Design, and Human Resources Elements, as follows. The Project is consistent with Community Identity/Aesthetics provisions of the Areawide Plan. The Project would locate all electrical transmission lines underground and connect to existing above ground or underground facilities adjacent to the Project Site. The Project will provide additional screening landscaping along certain of the Project's boundaries as depicted in the Project's site plans.
37. The Commission finds that the Project is consistent with the applicable policies of the Community Revitalization, Community Design, and Human Resources Elements, as follows. The Project is consistent with Employment provisions of the Areawide Plan. The Project will provide employment opportunities for residences of the Antelope Valley during both construction and operation of the Project.
38. The Commission finds that the Project is consistent with the applicable policies of the Environmental Resource Management Element, Natural Resources, as follows. The Project is consistent with policies regarding resource management as cultural, archaeological, and paleontological resources are protected by Project resource protection requirements. Air quality protections are required for construction of the Project to protect adjacent uses from fugitive dust and other construction emissions.
39. The Commission finds that the Project is consistent with the applicable policies of the Environmental Resource Management Element, Trails, as follows. This Project 3 is not required to provide a public trail easement.
40. The Commission finds that the Project is consistent with the applicable policies of the Noise Abatement Element, Aviation-related Noise and Construction and Operational Noise, as follows. The Project is not located within a sensitive aviation-related noise contour and all construction noise impacts are mitigated to be below County noise standards.
41. The Commission finds that the Project is consistent with the applicable policies of the Seismic and Public Safety Elements, as follows. All arrays, inverters, transformers, substations, transmission lines, and other equipment must meet building and safety standards for earthquake and fire protections. Perimeter security fencing is required for public safety and property protection purposes.
42. The Commission finds that the Project is consistent with the applicable policies of the Housing, Circulation, Public Services and Facilities, Governmental Services, and Energy Conservation Elements, as follows. The Project proposes no housing, makes no significant impacts to traffic, public services, governmental services and energy conservation. As renewable a energy generation Project, the Project would

provide a large scale reduction in energy used to produce electricity compared to a traditional fossil fuel energy generation facility of similar output.

43. The Commission finds that the Project is consistent with the Areawide Plan Non-Residential Uses in Non-Urban Areas Location, Access, and Design Guidelines as set forth below.
44. The Commission finds that the Project is consistent with the Location Guidelines of the Areawide Plan as follows. The Project is located on previously disturbed land surrounded by mostly vacant properties with one development located across from each of the east, west, and south Project Site boundaries and two developments located across from the north Project Site boundary. Some agricultural uses are in the general vicinity. Proposed daily operations are considered relatively passive similar to existing surrounding uses. Existing primary roadways would be retained for maintaining existing circulation patterns in the area. Existing utilities, other public services, and infrastructure are available to the Project. The Project provides native landscaping and open space buffering along significant adjacent roadways as visual mitigation for public passersby. The relatively flat topography, distance from known active faults, and previously farmed and disturbed property, make the location suitable for the proposed photovoltaic solar electricity generation development.
45. The Commission finds that primary access is consistent with access guidelines of the Areawide Plan as follows. The Project provides primary access from existing adjacent streets having low traffic volumes. Transport of materials during construction of the Project largely avoids existing residential communities.
46. The Commission finds that the design of the Project is consistent with the Design Guidelines of the Areawide Plan as follows. Solar panel arrays are to be of the low-profile fixed tilt or tracking variety which will not block views to the Tehachapi Mountains to the north and other vistas to the south, east or west from the nearby roadways. Additionally, native drought-tolerant shrubs, drought tolerant trees, and other drought-tolerant plantings are proposed to screen the frontages of solar panel development along sensitive frontages on this Project. Using as natural a placement of plantings as possible and temporary drip systems to establish the plantings are proposed. Perimeter chain link fencing is proposed for security and safety purposes. No outdoor advertising is proposed nor permitted. Minimal security lighting shielded downward is proposed which will minimize visual impacts to neighboring properties and wildlife.
47. The Commission finds that the Project is consistent with the applicable zoning designation for the Project Site. Project 3 complies with A-2-2 zone regulations. The Project complies with Section 22.24.150 of the County Code, Uses Subject to Permits, which lists the following use as permitted provided a Conditional Use Permit is obtained, "Electric distribution substations, electric transmission substations and generating plants, including microwave facilities used in conjunction with any one thereof." The Project is a photovoltaic solar power electricity generation plant with a distribution substation and transmission lines and complies with the applicable regulations of the County Code. The Project meets zoning regulations for yard

requirements, fences and walls as modified by the conditional use permit, outside storage, low-impact development, green building, drought-tolerant landscaping, and parking requirements of one parking space per two employees during operations.

48. The Commission finds that the Project is compatible with the surrounding area in which the Project is located, as follows. The Project location uses previously disturbed land, is located near existing infrastructure such as existing transmission lines and/or substation facilities and public rights-of-way, is located away from highly populated areas and is in areas where impacts to threatened or endangered species and/or their habitats is minimized.
49. The Commission finds that in addition to the information required in the permit application, the applicant substantiates the burden of proof for a conditional use permit found in Section 22.56.040 of the Los Angeles County Code subject to compliance with the conditions of approval including all associated mitigation measures in the MMRP.
50. The Commission finds that the requested use at the location proposed will not adversely affect the health, peace, comfort or welfare of persons residing or working in the surrounding area, as follows. The Project is surrounded predominantly by vacant land and several residences or similar developments. The Project is an operationally passive Project that generates minor impacts which can be mitigated with no remaining significant environmental impacts on the surrounding area.
51. The Commission finds that the requested use at the location proposed will not be materially detrimental to the use, enjoyment or valuation of property of other persons located in the vicinity of the site, as follows. The Draft EIR concludes that the Project's mitigation measures would reduce any environmental impacts to a less than significant level, and therefore that the construction and operation of the Project would not limit, hinder or denigrate the use of properties in the vicinity of the Project.
52. The Commission finds that the requested use at the subject location will not jeopardize, endanger or otherwise constitute a menace to the public health, safety or general welfare, as follows. Since areas of concern regarding the Project are mitigated to a level of no significant impact on the environment. Additionally, the Project requires various measures such as a fire-flow water tank for each site, perimeter fencing, buffer areas, and limited night security lighting to minimize the potential of hazardous situations arising from the Project. Additional dust control measures are required in the conditions of approval to further reduce health and visual effects of fugitive dust.
53. The Commission finds that the proposed site is adequate in size and shape to accommodate the yards, walls, fences, parking and loading facilities, landscaping and other development features prescribed in this Title 22, or as is otherwise required or modified in order to integrate said use with the uses in the surrounding area, as follows. The Project provides sufficient space including proposals to maximize buffering and safety in relationship to surrounding properties.

54. The Commission finds that the proposed site is adequately served by highways or streets of sufficient width and improved as necessary to carry the kind and quantity of traffic such use would generate, as follows. The Project requires minimal long-term use of roads for ongoing operations, therefore the current access and road conditions require minimal improvements to carry on the proposed use. Any damage to existing or improved local roadways caused by project construction and/or operations is required to be repaired at the applicant's expense as required by mitigation measures and conditions of approval.
55. The Commission finds that the proposed site is adequately served by other public or private service facilities as are required, as follows. All required and needed public and private service facilities would be met for the Project.
56. The Commission finds that to ensure continued compatibility between the Project and the surrounding land uses, it is necessary to limit the conditional use permit to 35 years.
57. The Commission finds that pursuant to sections 22.60.174 and 22.60.175 of the County Code, the community was properly notified of the public hearing by mail, newspaper, and property posting. Additionally, the Project was noticed and case materials were available on Regional Planning's website and at libraries located in the vicinity of the Antelope Valley West community. On April 3, 2014, a total of 611 Notices of Public Hearing were mailed to all property owners as identified on the County Assessor's record within a 1,000-foot radius from the Project Site, as well as 70 notices to those on the courtesy mailing list for the Antelope Valley West Zoned District and to any additional interested parties.
58. The Commission finds that the permittee is subject to payment of the California Department of Fish and Wildlife fees related to the Project's effect on wildlife resources pursuant to section 711.4 of the California Fish and Game Code.
59. The Commission finds that the Final EIR for the Project was prepared in accordance with CEQA, the State CEQA Guidelines, and the County's Environmental Document Reporting Procedures and Guidelines. The Commission reviewed and considered the Final EIR, along with its associated MMRP, and Findings of Fact, and finds that they reflect the independent judgment of the Commission. The Findings of Fact are incorporated herein by this reference, as set forth in full.
60. The Commission finds that the MMRP for the Project is consistent with the conclusions and recommendations of the Final EIR and that the MMRP's requirements are incorporated into the conditions of approval for the Project.
61. The Commission finds that the MMRP, prepared in conjunction with the Final EIR, identifies in detail how compliance with its measures will mitigate or avoid potential adverse impacts to the environment from the Project.
62. The location of the documents and other materials constituting the record of proceedings upon which the Commission's decision is based in this matter is at the

Los Angeles County Department of Regional Planning, 13th Floor, Hall of Records, 320 West Temple Street, Los Angeles, California 90012. The custodian of such documents and materials shall be the Section Head of the Special Projects Section, Department of Regional Planning.

**BASED ON THE FOREGOING, THE REGIONAL PLANNING CONCLUDES THAT:**

Regarding the Conditional Use Permit:

- A. the proposed use with the attached conditions will be consistent with the adopted General Plan;
- B. the proposed use at the site will not adversely affect the health, peace, comfort or welfare of persons residing or working in the surrounding area, will not be materially detrimental to the use, enjoyment or valuation of property of other persons located in the vicinity of the site, and will not jeopardize, endanger or otherwise constitute a menace to the public health, safety or general welfare;
- C. the proposed site is adequate in size and shape to accommodate the yards, walls, fences, parking and loading facilities, landscaping and other development features prescribed in this Title 22, or as is otherwise required in order to integrate said use with the uses in the surrounding area; and
- D. the proposed site is adequately served by highways or streets of sufficient width and improved as necessary to carry the kind and quantity of traffic such use would generate, and by other public or private service facilities as are required.

**THEREFORE, THE REGIONAL PLANNING COMMISSION:**

- 1. Certifies that the Final EIR for the project was completed in compliance with CEQA and the State and County CEQA Guidelines related thereto; certifies that it independently reviewed and considered the information contained in the Final EIR, and that the Final EIR reflects the independent judgment and analysis of the Commission as to the environmental consequences of the Project; adopts the Findings of Fact and the MMRP; and finds that the MMRP is adequately designed to ensure compliance with the mitigation measures during the Project implementation.
- 2. Approves Conditional Use Permit No. 201100071, subject to the attached conditions.

**PROJECT NO. R2011-00799-(5)**  
**CONDITIONAL USE PERMIT NO. 201100071**

**FINDINGS**  
**PAGE 11 OF 11**

**ACTION DATE: June 11, 2014**

**VOTE: 4:0:0:1**

Concurring: Shell, Louie, Pedersen, Modugno

Dissenting: 0

Abstaining: 0

Absent: Valadez

Attachment: CUP Conditions

c: Each Commissioner, Zoning Enforcement, Building and Safety

SZD:KKS  
6/16/14





Los Angeles County  
Department of Regional Planning

---

*Planning for the Challenges Ahead*



Richard J. Bruckner  
Director

June 16, 2014

**TO:** Letter to File  
Silverado Power, West Los Angeles County Project 3

**FROM:** Kim K. Szalay  
Principal Planner

**SUBJECT:** **PROJECT NO. R2011-00799-(5), CUP NO. 201100071,  
PROJECT 3 CONDITIONS INTERPRETATION**

The following CUP conditions for Project 3 are interpreted as follows:

Condition 34 – The phrase in this condition, “Permittee shall agree to and shall retire any development rights”, is interpreted to take effect at that time when Permittee has ownership or other legal control of the subject property in order to use the subject approved permit. If the subject permit is not used within the permitted time frame or withdrawn prior to use of the permit, the subject conditional use permit would not apply to future owners.

Condition 36 – This condition is interpreted to apply to Project 3 water use while the Antelope Valley Water Basin is under the water adjudication process up to the length of the life of the permit. Upon settlement of the adjudication process, water use by Project 3 would be subject to the water rights then in effect.

SZD:KKS



**CONDITIONS OF APPROVAL  
COUNTY OF LOS ANGELES  
PROJECT NO. R2011-00799-(5)  
CONDITIONAL USE PERMIT NO. 201100071**

**PROJECT 3 AMERICAN SOLAR GREENWORKS**

**PROJECT DESCRIPTION**

Project 3 is located on a 135.6-acre site near the intersection of 70<sup>th</sup> Street West and West Avenue G within unincorporated Antelope Valley in Los Angeles County and would produce 35 Megawatts of electricity. The Project is comprised of an unmanned utility scale photovoltaic electricity generation facility which would employ a series of photovoltaic module arrays to convert sunlight into electrical energy using fixed-tilt or tracker mounting supports, to convert sunlight into electrical energy without the use of heat transfer fluid or cooling water. The facilities would deliver the electrical output to the existing regional transmission system from one on-site substation through an underground generation-tie transmission line. A 10,000 gallon fire-flow water supply tank would be located on-site. No permanent operations building or other buildings are proposed on the Project site. Construction would generally take place during normal daylight hours. The Project would be operated for an estimated 35 years. The Project is subject to the following conditions of approval:

**GENERAL CONDITIONS**

1. Unless otherwise apparent from the context, the term "permittee" shall include the applicant, owner of the property, and any other person, corporation, or other entity making use of this grant.
2. This grant shall not be effective for any purpose until Permittee, and the owner of the subject property if other than Permittee, have filed at the office of the Los Angeles County ("County") Department of Regional Planning ("Regional Planning") their affidavit stating that they are aware of and agree to accept all of the conditions of this grant, and that the conditions of the grant have been recorded as required by **Condition No. 7**, and until all required monies have been paid pursuant to **Condition Nos. 10, 11, and 14**. Notwithstanding the foregoing, this **Condition No. 2** and **Condition Nos. 4, 5, 9, and 11** shall be effective immediately upon the date of final approval of this grant by the County.
3. Unless otherwise apparent from the context, the term "date of final approval" shall mean the date the County's action becomes effective pursuant to Section 22.60.260 of the County Code.
4. Permittee shall defend, indemnify, and hold harmless the County, its agents, officers, and employees from any claim, action, or proceeding against the County or its agents, officers, or employees to attack, set aside, void, or annul this permit approval, which action is brought within the applicable time period of Government Code Section 65009 or any other applicable limitations period. The County shall promptly notify Permittee of any claim, action, or proceeding and the County shall

promptly notify Permittee of any claim, action, or proceeding and the County shall reasonably cooperate in the defense. If the County fails to promptly notify Permittee of any claim, action, or proceeding, or if the County fails to cooperate reasonably in the defense, Permittee shall not thereafter be responsible to defend, indemnify, or hold harmless the County.

5. In the event that any claim, action, or proceeding as described above is filed against the County, Permittee shall within ten days of the filing make an initial deposit with Regional Planning in the amount of up to \$5,000.00, from which actual costs and expenses shall be billed and deducted for the purpose of defraying the costs or expenses involved in Regional Planning's cooperation in the defense, including but not limited to, depositions, testimony, and other assistance provided to permittee or permittee's counsel.

If during the litigation process, actual costs or expenses incurred reach 80 percent of the amount on deposit, Permittee shall deposit additional funds sufficient to bring the balance up to the amount of \$5,000.00. There is no limit to the number of supplemental deposits that may be required prior to completion of the litigation.

At the sole discretion of Permittee, the amount of an initial or any supplemental deposit may exceed the minimum amounts defined herein. Additionally, the cost for collection and duplication of records and other related documents shall be paid by Permittee according to County Code Section 2.170.010.

6. If any material provision of this grant is held or declared to be invalid by a court of competent jurisdiction, the permit shall be void and the privileges granted hereunder shall lapse.
7. Prior to the use of this grant, Permittee, or the owner of the subject property if other than Permittee, shall record the terms and conditions of the grant in the office of the County Registrar-Recorder/County Clerk ("Recorder"). In addition, upon any transfer or lease of the property during the term of this grant, Permittee, or the owner of the subject property if other than Permittee, shall promptly provide a copy of the grant and its conditions to the transferee or lessee of the subject property.
8. This grant shall terminate on June 11, 2049, 35 years from the date of approval. Entitlement to use of the property thereafter shall be subject to the regulations then in effect. If Permittee intends to continue operations after such date, whether or not Permittee proposes any modifications to the use at that time, Permittee shall file a new Conditional Use Permit application with Regional Planning, or shall otherwise comply with the applicable requirements at that time. Such application shall be filed at least six (6) months prior to the expiration date of this grant and shall be accompanied by the required fee. In the event that Permittee seeks to discontinue or otherwise change the use, notice is hereby given that the use of such property may require additional or different permits and would be subject to the then-applicable regulations.

9. This grant shall expire unless used within two (2) years from the date of final approval of the grant. A single one-year time extension may be requested in writing and with the payment of the applicable fee prior to such expiration date.
10. The subject property shall be maintained and operated in full compliance with the conditions of this grant and any law, statute, ordinance, or other regulation applicable to any development or activity on the subject property. Failure of Permittee to cease any development or activity not in full compliance shall be a violation of these conditions. Inspections shall be made to ensure compliance with the conditions of this grant as well as to ensure that any development undertaken on the subject property is in accordance with the approved site plan on file. Within 60 days after final approval of this grant Permittee shall deposit with the County the sum of \$3,600.00. The deposit shall be placed in a performance fund, which shall be used exclusively to compensate Regional Planning for all expenses incurred while inspecting the premises to determine Permittee's compliance with the conditions of approval. The fund provides for 18 (first two years plus 16 biennial - every other year) inspections. Inspections shall be unannounced.

If additional inspections are required to ensure compliance with the conditions of this grant, or if any inspection discloses that the subject property is being used in violation of any one of the conditions of this grant, Permittee shall be financially responsible and shall reimburse Regional Planning for all additional enforcement efforts necessary to bring the subject property into compliance. The amount charged for additional inspections shall be \$200.00 per inspection, or the current recovery cost at the time any additional inspections are required, whichever is greater.

11. Within three (3) days of the date of final approval of this grant, Permittee shall remit processing fees payable to the County in connection with the filing and posting of a Notice of Determination ("NOD") for this project and its entitlements in compliance with Section 21152 of the Public Resources Code. Unless a Certificate of Exemption is issued by the California Department of Fish and Wildlife pursuant to Section 711.4 of the California Fish and Game Code, Permittee shall pay the fees in effect at the time of the filing of the NOD, as provided for in Section 711.4 of the Fish and Game Code, currently \$3,104.75 (\$3,029.75 for an Environmental Impact Report plus \$75.00 processing fee.) No land use project subject to this requirement is final, vested or operative until the fee is paid.
12. Permittee shall comply with all mitigation measures identified in the Mitigation Monitoring and Reporting Program ("MMRP"), which are incorporated by this reference as if set forth fully herein.
13. Within thirty (30) days of the date of final approval of the grant by the County, Permittee shall record a covenant and agreement, which attaches the MMRP and agrees to comply with the mitigation measures imposed by the Environmental Impact Report for this project, in the office of the Recorder. Prior to recordation of the covenant, Permittee shall submit a draft copy of the covenant and agreement to Regional Planning for review and approval. As a means of ensuring the

effectiveness of the mitigation measures, Permittee shall submit annual mitigation monitoring reports to Regional Planning for approval or as required. The reports shall describe the status of Permittee's compliance with the required mitigation measures.

14. Permittee shall deposit an initial sum of \$6,000.00 with Regional Planning within thirty (30) days of the date of final approval of this grant to defray the cost of reviewing and verifying the information contained in the reports required by the MMRP. Permittee shall replenish the mitigation monitoring account if necessary until all mitigation measures have been implemented and completed.
15. Notice is hereby given that any person violating a provision of this grant is guilty of a misdemeanor. Notice is further given that the Regional Planning Commission ("Commission") or a Hearing Officer may, after conducting a public hearing, revoke or modify this grant, if the Commission or Hearing Officer finds that these conditions have been violated or that this grant has been exercised so as to be detrimental to the public's health or safety or so as to be a nuisance, or as otherwise authorized pursuant to Chapter 22.56, Part 13 of the County Code.
16. All development pursuant to this grant must be kept in full compliance with the County Fire Code to the satisfaction of said department.
17. All development pursuant to this grant shall conform with the requirements of the County Department of Public Works to the satisfaction of said department.
18. All development pursuant to this grant shall comply with the requirements of Title 22 of the County Code and of the specific zoning of the subject property, unless specifically modified by this grant, as set forth in these conditions, including the approved Exhibit "A," or a revised Exhibit "A" approved by the Director of Regional Planning ("Director").
19. Permittee shall maintain the subject property in a neat and orderly fashion. Permittee shall maintain free of litter all areas of the premises over which Permittee has control.
20. All structures, walls and fences open to public view shall remain free of graffiti or other extraneous markings, drawings, or signage that was not approved by Regional Planning. These shall include any of the above that do not directly relate to the business being operated on the premises or that do not provide pertinent information about said premises. The only exceptions shall be seasonal decorations or signage provided under the auspices of a civic or non-profit organization.

In the event of graffiti or other extraneous markings occurring, Permittee shall remove or cover said markings, drawings, or signage within 24 hours of notification of such occurrence, weather permitting. Paint utilized in covering such markings shall be of a color that matches, as closely as possible, the color of the adjacent surfaces.

21. The subject property shall be developed and maintained in substantial compliance with the plans marked Exhibit "A." If changes to any of the plans marked Exhibit "A" are required as a result of instruction given at the public hearing, three (3) copies of a modified Exhibit "A" shall be submitted to Regional Planning within 60 days of the approval date.
22. In the event that subsequent revisions to the approved Exhibit "A" are submitted, Permittee shall submit three (3) copies of the proposed plans to the Director for review and approval. All revised plans must substantially conform to the originally approved Exhibit "A". All revised plans must be accompanied by the written authorization of the property owner(s) and applicable fee for such revision.

### PERMIT SPECIFIC CONDITIONS - CONDITIONAL USE PERMIT

23. Prior to obtaining any grading or building permit, Permittee shall provide to the County a decommissioning plan ("Decommissioning Plan") in connection with any and/or all of the terminating events described in **Condition No. 25**, which Plan shall include, at a minimum, a detailed plan for decommissioning and deconstructing the facility, and for restoration of the site (collectively referred to as "decommissioning"). The Decommissioning Plan shall be developed to the satisfaction of the Director and the Director of Public Works and subject to their review and approval.

The Decommissioning Plan shall provide for, including, but not be limited to, the following:

- a. Removal of solar panel structures and all appurtenant above-ground equipment;
- b. Removal of on-site overhead poles and above-ground electricity lines;
- c. Removal of permanent above-ground transmission lines and poles located in the public right-of-way if determined not usable by Public Works and/or any other applicable public or private utility. Otherwise such transmission lines and poles shall be allowed to remain;
- d. Removal of the on-site substation, if owned by Permittee. If in the future a public or private utility assumes ownership of the substation, such substation may remain on site to be used as part of the utility service;
- e. Restoration of any disturbed soil and revegetation of the site to its pre-construction condition, with native vegetation similar to the vegetation in the surrounding vicinity;
- f. Restoration or reclamation of project roads to their pre-construction condition unless the then-existing owner of the site elects to retain the improved roads for access throughout the site;

- g. Documentation of the pre-construction condition of the project site, including, but not be limited to, a photographic record; and
  - h. Details of the performance and financial assurance guarantees described in **Condition No. 24**, explaining the amounts and schedule for the provision of such guarantees.
24. Prior to obtaining any building permits, Permittee shall provide to the County, to the satisfaction of the Director and the Director of Public Works, performance and financial assurance guarantees in an amount sufficient to ensure the performance of the approved Decommissioning Plan, as described in **Condition No. 23**. In this connection, Permittee shall be solely responsible for the costs and expenses associated with decommissioning the site after any of the terminating events described in **Condition No. 25**. In the event that the performance and financial assurance guarantees are not sufficient to fully compensate the County for the cost and expense of decommissioning the site, Permittee shall be responsible for compensating the County for any shortfall. In determining the sufficiency of the performance and financial assurance guarantees, the residual value of the solar panels, support structures, and other salvageable equipment (collectively "Salvageable Property") shall be considered.

With respect to the performance and financial assurance guarantees, the following requirements shall apply:

- a. Permittee shall ensure that such guarantees are detailed in the approved Decommissioning Plan to the satisfaction of the Director and the Director of Public Works, and that such Decommissioning Plan shall explain the amounts and schedule for the provision of such guarantees;
- b. Permittee shall provide a report to the Director every five years after the date of final approval of this grant to confirm that the performance and financial assurance guarantees are sufficient to ensure performance and implementation of the Decommissioning Plan. The report shall be subject to review and approval by the Director and the Director of Public Works particularly as to whether the performance and financial assurance guarantees are adequate to meet existing conditions at the time of the report;

A decommissioning pro forma summarizing the residual value of the Salvageable Property shall be included in the report. The pro forma shall include, at a minimum, the expected revenue from all Salvageable Property, as defined in **Condition No. 24**, the then-current cost of decommissioning the site, as required by the approved Decommissioning Plan, and the then-current value of any performance and financial assurance guarantees that have been provided as of the date of such report. In the event it is determined that the performance and financial assurance guarantees are insufficient to perform the decommissioning of the site as required by the approved Decommissioning Plan, Permittee shall be required to provide additional performance and

financial assurance guarantees to the satisfaction of the Director and the Director of Public Works;

- c. Any funds not used by the County in connection with decommissioning the site shall be returned to Permittee; and
  - d. The performance and financial assurance guarantees may consist of, including, but not limited to, one or more of the following, to the satisfaction of the Director and the Director of Public Works:
    - i. An irrevocable letter of credit;
    - ii. A surety bond;
    - iii. An appropriate insurance policy;
    - iv. A trust fund or escrow account established and maintained in accordance with approved financial assurances and practices to guarantee that decommissioning the site will be completed in accordance with the approved Decommissioning Plan; or
25. Upon discontinuance of Permittee's operation as set forth in **Condition No. 26**, abandonment of the project in whole or in part, or termination of this grant as described in **Condition No. 8**, and in the event that a new permit application is not timely filed for a continued similar use or reuse of the site, Permittee shall perform decommissioning in accordance with the approved Decommissioning Plan, or compensate the County for use of a County-contracted consultant to perform such decommissioning. In the alternative, and at the County's sole election, the County shall be entitled to use any performance and/or financial assurance guarantees, as described in **Condition No. 24.d**, to perform the decommissioning itself or to contract for such decommissioning.
26. In the event that any portion of the solar field is not in operational condition for a consecutive period of 6 months, operations for that portion of the site shall be deemed to have been discontinued and that portion of the facility shall be removed from the site within 90 days from the date that written notice is sent to Permittee from the County. Within this 90-day period, Permittee may provide the Director a written request and justification for an extension of up to 90 additional days to resume operations of that portion of the site, which request shall be subject to the satisfaction and approval of the Director. In no event shall the operations of the solar field or portion of the solar field be discontinued for more than 12 months from the date such operations were first deemed discontinued without being decommissioned pursuant to the approved Decommissioning Plan. Further, in no event shall any extension of the period to resume operations of any portion of the site pursuant to this **Condition No. 26** be deemed to extend the term or expiration date of this grant.

27. Permittee shall construct all transmission lines located within unincorporated Los Angeles County underground to the satisfaction of Public Works, except where above-ground crossings are required by applicable regulations.
28. Temporary structures, outside storage, and staging areas allowed for construction shall be removed from the project site within 120 days of project completion. Any other outside storage needed for the project shall comply with the requirements of Part 7 of section 22.52 of the County Code.
29. **Prior to obtaining any grading or building permit**, Permittee shall submit to the Director for review and approval three copies of a landscape plan, showing at least 10 feet of proposed landscaped area as depicted on the approved Exhibit "A," or as otherwise approved by Caltrans and/or Public Works as applicable, and showing re-vegetation of the array areas. The landscape plan shall depict the size, type, and location of all plants, trees, seeding, and watering facilities on-site to the satisfaction of the Director of Planning, and specifically for the watering facilities to the satisfaction of the Director of the Department of Public Works.
30. Permittee shall maintain all landscaping in a neat, clean, and healthful condition and shall properly prune, weed, remove litter, fertilize, and replace plants when necessary for the life of the Project. Watering facilities shall consist of a temporary water-efficient irrigation system, such as drip irrigation, which shall only be used to establish, or re-establish, and maintain the plantings in all landscaped areas as needed for the life of the Project.
31. Permittee shall establish and comply with a landscape maintenance program that controls the spread of invasive species on the subject property during the life of the grant term. The landscape maintenance program shall be submitted to the Director for review and approval prior to the first energization authorization of the facility.
32. All exterior fencing shall be visually non-intrusive to the satisfaction of the Director not to exceed eight feet in height including use of 3-strand barbed wire at the top, and shall include animal openings the lesser of one foot in height or maximum allowable by the Public Utilities Commission, 50 feet in length, every 200 feet on-center as depicted on the approved Exhibit "A".
33. Night-lighting, limited to only that required by applicable lighting regulations for safety and security, shall be shielded and directed downward to avoid lighting spillover and shall consist of: (a) motion sensor or manual switch lighting for entry-lighting to the on-site equipment structures and electricity substation as applicable; and (b) light-sensor or motion-sensor lighting for the main access gate or gates.
34. Permittee shall, to the satisfaction of the Director, utilize the subject property only for the project as proposed and approved herein. In this regard, Permittee shall agree to and shall retire any development rights, including any rights to undertake irrigated farming on the subject property that require the use of groundwater for the life of this Conditional Use Permit.

35. Nothing in this grant shall prevent Permittee from installing more efficient solar panels in the future or increasing output, provided the footprint and overall disturbance area of the project does not increase. At such time Permittee wishes to install more efficient solar panels or increase output, a Revised Exhibit "A" shall be submitted to the Director for such installation.
36. The project shall be limited to use of trucked recycled water and/or water from sources not subject to the adjudication process currently in effect for the Antelope Valley groundwater basin for construction and operations of the Project.
37. The water tank on the subject property shall be painted an earth-tone color (such as beige, sand, taupe, or similar colors) to blend in with the surroundings, subject to review and approval by the Director.
38. Mobile sanitation facilities and potable drinking water supply shall be made available to workers during construction of the project to the satisfaction of the Department of Public Health.
39. In the event that piped recycled water suitable for use in construction and/or operation of the project becomes available from the public right-of-way adjacent to the project site at fair market value, Permittee shall obtain the necessary permits to connect to the recycled water, construct access, and connect to and purchase the piped recycled water.
40. In the event that piped potable water suitable for use in construction and/or operation of the project becomes available from the public right-of-way adjacent to the project site at fair market value, Permittee shall obtain the necessary permits to connect to the potable water, construct access, and connect to and purchase the piped potable water.
41. Permittee shall provide parking as required by the County Code, calculated at a parking ratio of one parking space for each two persons employed. The unmanned solar photovoltaic electricity generation facility ("solar facility") does not include operations buildings or other buildings and does require occasional servicing which requires one space per two persons servicing the facility.
42. Additional Dust Control Measures:
  - a. During site preparation and during operations vegetation shall be retained or mowed in and around array sites to prevent vegetative root loss. Disking, tilling or grading of array sites is prohibited except where specifically authorized by the Department of Public Works. Roads, drainage basins, equipment pads, and any other required earthwork authorized by the Department of Public Works shall be done in compliance with grading regulations;
  - b. Maintain dust control using phased earthwork, watering, clean gravel, composted wood chips not to exceed six inches in depth, application of

nontoxic soil stabilizers, revegetation, limited public access on unpaved areas, impose vehicle speed limits on construction sites, and other dust control measures used during construction, operations, and removal and restoration activities;

- c. Submit the required fugitive dust control plan including a dust plume response plan for review and approval by the Antelope Valley Air Quality Management District (AVAQMD) prior to any earthwork activities;
- d. Permittee shall provide on the Project site weather stations, monitors with wind speed, wind direction, temperature and humidity sensors, and a mechanical dust-monitoring device, placed to the satisfaction of the Antelope Valley Air Quality Management District, to ensure the effectiveness of the Project's dust control treatment on the Project site;
- e. Establish required vegetation along certain portions of Project perimeter as depicted on Exhibit "A" as early as feasible following Project approval for both visual screening and limiting the off-site movement of dust. To limit temporary visual impacts during construction, permittee shall install temporary green-screen fencing cover in the areas requiring the above portions of perimeter landscaping;
- f. Maintain vegetative ground cover to the greatest extent feasible throughout the array areas for the life of the subject permit;
- g. Decommissioning plans shall include restoration of Project site disturbed areas with drought-tolerant vegetation from the County's drought-tolerant plant lists then in effect to the satisfaction of the Regional Planning Biologist at the end of the life of the project;
- h. Mitigation monitoring and Conditional Use Permit inspections shall be done during the first two years to ensure compliance with dust and other mitigation measures and other conditions of project approval during construction and initial operations;
- i. During construction, Permittee shall pay the cost of an on-site mitigation and conditions compliance monitor, satisfactory to the Director of Regional Planning, to independently monitor and report on project compliance. Said monitor may be the same monitor for each of the six related Silverado Power West, Projects 1-6 sites;

- j. Permittee shall use tarps over dirt in trucks to limit off-site movement of dust; and
- k. Permittee shall make National Institute of Occupational Safety and Health (NIOSH) approved dust masks available to construction workers and shall provide proper training to construction workers prior to construction to protect against dust exposure and possible harmful effects from such dust exposure during dust-generating activities. Permittee shall maintain a log demonstrating said training, available upon request by the Director.

**PROJECT SITE SPECIFIC CONDITIONS**

- 43. This grant shall authorize a solar photovoltaic electricity generation facility and construction of a water tank in the proposed A-2-2 (Heavy Agriculture-two acres minimum required area) zone.
- 44. Permittee shall comply with all conditions set forth in the attached County Department of Public Works letter dated April 17, 2014 for Project 3, Fire Department letter dated October 18, 2013 for Project 3, Public Health e-mail dated February 20, 2014 and letter dated October 11, 2013 for Project 3.
- 45. Permittee shall provide on-site notice to the residents of each of the single developments located across from each of the east, west, and south boundaries and two existing developments located across from the north boundary of the Project site at least three days prior to start of construction activities.
- 46. Permittee shall maintain a current contact name, address, and phone number with the Department of Regional Planning at all times, and provide signage at main entrance location(s) with the phone and e-mail contact information for public reference.

Attachments:

Mitigation Monitoring and Reporting Program

Public Works, Fire Department, and Public Health Letters, as dated in Condition 44 above.

SZD:KKS

6/16/14



# COUNTY OF LOS ANGELES

## DEPARTMENT OF PUBLIC WORKS

*"To Enrich Lives Through Effective and Caring Service"*

GAIL FARBER, Director

900 SOUTH FREMONT AVENUE  
ALHAMBRA, CALIFORNIA 91803-1331  
Telephone: (626) 458-5100  
<http://dpw.lacounty.gov>

ADDRESS ALL CORRESPONDENCE TO:  
P.O. BOX 1460  
ALHAMBRA, CALIFORNIA 91802-1460


April 17, 2014

IN REPLY PLEASE

REFER TO FILE: LD-2

TO: Sam Dea  
Special Projects  
Department of Regional Planning

Attention ~~Kim~~ Szalay

FROM:   
Steve Burger  
Land Development Division  
Department of Public Works

**CONDITIONAL USE PERMIT (CUP) NO. 201100071  
PROJECT NO. R2011-00799  
AMERICAN SOLAR GREENWORKS-PROJECT 3  
SOUTHWEST CORNER OF 70TH STREET WEST AND AVENUE G  
ASSESSOR'S MAP BOOK NO. 3268, PAGE 18, PARCEL NOS. 2, 35, AND 36  
UNINCORPORATED COUNTY AREA OF ANTELOPE VALLEY**

- Public Works recommends approval of this CUP.
- Public Works does **NOT** recommend approval of this CUP.

We reviewed CUP No. 201100071 in the unincorporated County area of the Antelope Valley. The project is for the new construction and operation of a 35-megawatts, solar-photovoltaic, power-generating facility in the vicinity of the southwest corner of 70th Street West and Avenue G. The project is proposing to balance the site with 1,000 cubic yards of cut and fill and 25,500 cubic yards of overexcavation. Grading shall be limited to only the access roads, substations, tanks, inverter pad, or basins.

**Upon approval of the site plan, we recommend the following conditions:**

1. Road
  - 1.1 Dedicate or offer right of way, 54 feet from centerline, along the property frontage on Avenue G and 70th Street West to the satisfaction of Public Works. Four feet of additional right of way is required along

Avenue G, and 14 feet of additional right of way is required on 70th Street West. A processing fee will be required for the dedication.

- 1.2 Make an offer of private and future right of way, 32 feet from centerline, along the property frontage on Avenue G-4, Avenue G-8, and 75th Street West to the satisfaction of Public Works. A processing fee will be required for the offer to dedicate.
- 1.3 Dedicate or make an offer of a property line return radii of 13 feet at all local street intersections. In addition, dedicate additional right of way for corner cut-offs to meet current Americans with Disabilities Act (ADA) guidelines, where deemed necessary, and to the satisfaction of Public Works. A processing fee will be required for the dedication or offer to dedicate.
- 1.4 Dedicate or make an offer of a property line return radius of 27 feet at the intersection of Avenue G and 70th Street West. In addition, dedicate additional right of way for corner cut-offs to meet current ADA guidelines and to the satisfaction of Public Works. A processing fee will be required for the dedication of offer to dedicate.
- 1.5 Provide a minimum of 10-foot-wide slope and drainage easements along all streets frontage to the satisfaction of Public Works.
- 1.6 Whenever there is an offer of a future street or a private and future street, provide a drainage statement/letter to the satisfaction of Public Works.
- 1.7 Construct driveway approaches on 70th Street West to the site to the satisfaction of Public Works. Provide a 10-foot-wide clear zone (nothing planted above 3 feet in height) within the vegetative buffer area on each side of the driveway to the satisfaction of Public Works.
- 1.8 Obtain an encroachment permit from Public Works' Land Development Division, Permit Section, for all proposed work within the road right of way and private and future streets.
- 1.9 Repair any public improvements damaged during construction, along the property frontage, to the satisfaction of Public Works.

- 1.10 Underground all new facilities to the satisfaction of Public Works. A franchise agreement will be required for distribution/transmission facilities within public right of way.
- 1.11 Acquire street plan approval or direct check status before obtaining a grading or drainage permit as applicable.
- 1.12 Execute an Agreement to Improve for the street improvements prior to the issuance of a building or grading permit as applicable.

## 2. Grading

- 2.1 Submit a grading plan for review and approval that complies with the approved hydrology study dated January 31, 2014, or the latest revision. Grading shall be limited to only the access roads, substations, tanks, inverter pad, or basins. Work within the existing vegetation, where the solar panels are proposed, shall be conducted with minimal disturbance, and the operator shall take all necessary precautions to not use vehicles or machineries for grading or alter the existing grade in these areas.

When vehicles or machineries are deemed necessary for solar field installation work, appropriate ground-protection practices (such as construction mats, stabilizers, or established vegetation) shall be utilized for both dust suppression and to ensure that the vehicles or machineries are compatible with continue and future vegetation growth to the satisfaction of Public Works. The project's biologist shall confirm that construction practices are compatible with continued and future vegetation growth. Any grading, disking, and scraping to access roads, walkways, required basins, and berms shall be permanently stabilized with an earth-stabilizing product that is acceptable to Public Works, in cooperation with the Departments of Regional Planning and Public Health, to prevent fugitive dust.

- 2.2 A maintenance agreement may be required for privately maintained drainage devices.
- 2.3 Provide soil/geology approval of the grading plan from Public Works' Geotechnical and Materials Engineering Division as applicable.

- 2.4 Obtain all applicable jurisdictional permits. These agencies may include the State of California Regional Water Quality Control Board; State of California Department of Fish and Wildlife; State of California Department of Conservation, Division of Oil, Gas, and Geothermal Resources; and US Army Corps of Engineers.

For questions regarding the road and grading conditions, please contact Ruben Cruz of Public Works' Land Development Division at (626) 458-4921 or [rcruz@dpw.lacounty.gov](mailto:rcruz@dpw.lacounty.gov).

### 3. Building and Safety

- 3.1 Submit plans and specifications to meet current applicable codes and standards for structures, grading, mechanical, plumbing, and electrical.
- 3.2 All electrical installations shall comply with the following criteria:
  - 3.2.1 The portions of the project associated with power generation and transmission shall be designed in accordance with the County of Los Angeles, Electrical Code or in accordance with other standards or regulations acceptable to the building official.
  - 3.2.2 The nonpower generation and transmission portion of the project shall be designed in accordance with the County of Los Angeles, Electrical Code or in accordance with other standards or regulations acceptable to the building official.
- 3.3 Comply with fire, life safety, structural, and accessibility requirements including ADA guidelines.
- 3.4 Any occupiable building must have a restroom for employees.
- 3.5 All foundations must be engineered to comply with existing soil conditions.
- 3.6 Obtain approval from other agencies prior to permit issuance.

For questions regarding the building and safety conditions, please contact Clint Lee of Public Works' Building and Safety Division at (626) 458-3173 or [clee@dpw.lacounty.gov](mailto:clee@dpw.lacounty.gov).

4. Drainage

- 4.1 Comply with the requirements of the Hydrology Study/Water Quality Plan, which was approved on January 31, 2014.
- 4.2 Prior to grading plan approval, the applicant shall obtain a Jurisdictional Determination letter or equivalent from the U.S. Army Corps of Engineers and written acknowledgement from State Department of Fish and Game that no jurisdictional surface water drainages occur in the grading footprint. Documentation from jurisdictional agencies shall be obtained to the satisfaction of Public Works.

For questions regarding the drainage conditions, please contact Ernesto Rivera of Land Development Division at (626) 458-4921 or [erivera@dpw.lacounty.gov](mailto:erivera@dpw.lacounty.gov).

If you have any other questions or require additional information, please contact Ruben Cruz of Land Development Division at (626) 458-4910 or [rcruz@dpw.lacounty.gov](mailto:rcruz@dpw.lacounty.gov).

RC:tb

P:\dpub\SUBPCHECK\Plan\CUP\CUP 201100070-silverado solar\TCUP 201100070\2014-03-25\Project 3-CUP 201100071\Project R2011-0079.docx

## COUNTY OF LOS ANGELES FIRE DEPARTMENT

Land Development Unit – Fire Prevention Division  
5823 Rickenbacker Road  
Commerce, California 90040-3027  
Office (323) 890-4243, Fax (323) 890-9783



DATE: October 18, 2013

Map Date: 09/05/13

TO: Department of Regional Planning  
Zoning Permits – Carolina Blengini

PROJECT #: CUP #2011-00799 *(Project 3)*

LOCATION: West Avenue G & 70<sup>th</sup> Street West Avenue K, Lancaster (County)

### FIRE DEPARTMENT SOLAR ARRAY FIELD CONDITIONS

#### General Comments:

1. The proposed solar array field is "**Cleared**" for public hearing. All Fire Department comments have been addressed.
2. As noted on the site plan, the proposed solar array field will require a minimum of one entry/ exit location due to the size of the field.
3. As noted on the site plan, provide an interior perimeter road and interior access roads as indicated on the site plan. All interior roads shall meet the Fire Department interior access road requirements.
4. The Fire Department is requiring the interior access roads within the solar array fields to have a soil compaction of 90%, OR the apparatus access road shall be excavated and re-compacted to 90%.
5. As noted on the site plan, provide one 10,000 gallon water tank near the address side entry/ exit gates.
6. All fire Protection facilities; including access and water, must be provided prior to and during construction, and for the duration of the project. Please contact FPEA Wally Collins at (323) 890-4243 if there are any questions.

#### On-site Fire Apparatus Access Road Requirements:

1. The fire apparatus on-site access roads shall be installed and maintained in a drivable condition for the duration of the solar project.
2. The fire apparatus on-site access roads shall be installed prior to occupancy or operation of the facility.
3. Provide a minimum roadway width of 20 feet, clear-to-the sky, for all on-site fire apparatus access roads with a minimum centerline turning radius width of 32 feet each turn. The inner radius shall be 22 feet and the out radius shall be 42 feet.
4. The fire apparatus on-site access roads shall have a soil compaction of 90%, OR the apparatus access road shall be excavated and re-compacted to 90%.
5. Provide a 20-foot interior Fire Department access roads throughout the development.
6. Provide a Fire Department access road around the entire perimeter of the solar project, which shall comply with

the above noted requirements.

**REVISED CONDITIONS**  
Supersedes Fire Dept. Conditions Dated 08/28/12  
**COUNTY OF LOS ANGELES FIRE DEPARTMENT**  
Land Development Unit – Fire Prevention Division  
County Project #R2011-00798  
October 18, 2013  
Page 2 of 3

**On-Site Ingress/ Egress Gates:**

1. The onsite ingress/ egress gate shall be located on the address side of the property.
2. The onsite ingress/ egress gate width shall be a minimum 20 feet, clear-to-the sky, with all gate hardware clear of the roadway width.
3. The gates shall be a minimum distance of 40 from the street.
4. Provide an approved "Fire Department Knox Lock" for each ingress/ egress gate.
5. The onsite ingress/ egress gates shall be in compliance with LACoFD Fire Prevention Regulation #5.
6. The facility emergency contact information shall be provided with each limited access device, per LACoFD Regulation 5, and shall be clearly indicated with an appropriate placard at each ingress location. The minimum size of the placard shall be 12 inches X 12 inches.

**Water & Water Tank Requirements:**

1. This development requires the installation of one water tank with a minimum tank size of 10,000 gallons for "Fire Department" use only.
2. The water tanks shall be clearly identified for "Fire Department Use Only".
3. The water tanks shall be located adjacent to the ingress/egress gate located on the address side of the property.
4. The water tanks shall be in compliance with LACoFD Regulation 19, which provide guidance in the installation of a water tank.
5. The water tank shall have a low level water local alarm which shall be in compliance with all applicable codes and regulations. The low level water local alarm can be battery operated.
6. The water tank shall have a Fire Department supply outlet of 2 1/2 inches in diameter with National Standard threads. The supply outlet is to be located 14-24 inches above the finished grade, and is required to be protected by approved barricades.
7. If the outlet is not provided directly off of the tank, provide a 6 inch underground pipe to a 4 inch upright pipe with an outlet of 2 1/2 inches with National Standard threads, which is required to be protected by barricades.

**Vegetation Management:**

1. The clearance of vegetation shall be in compliance with the brush clearance regulation as defined by the Fire Code or as directed by the Fire Official.
2. The vegetation shall be trimmed to a maximum height of 6 inches within the boundaries of the solar array.

3. All electrical transformer vaults or structures shall have all vegetation cleared to mineral soil for a distance of 50 feet.

**REVISED CONDITIONS**

Supersedes Fire Dept. Conditions Dated 08/28/12

**COUNTY OF LOS ANGELES FIRE DEPARTMENT**

Land Development Unit – Fire Prevention Division

County Project #R2011-00798

October 18, 2013

Page 3 of 3

**Electrical Equipment:**

1. All electrical disconnect locations shall be clearly identified.
2. All electrical shall be in compliance with all applicable state and local codes.

**Kim Szalay**

Project ③

**From:** Vicente Banada  
**Sent:** Thursday, February 20, 2014 3:19 PM  
**To:** Kim Szalay  
**Cc:** Eric Edwards  
**Subject:** RE: Project Nos. R2011-00833-(5), R2011-00798-(5), R2011-00799-(5), R2011-00807-(5), R2011-00801-(5), R2011-00805-(5) Permit Consultation - Due March 11, 2014 or earliest date prior as feasible

Hi Kim,

The Department of Public Health-Environmental Health Division has reviewed the information provided for the project identified above and the comments have been met by the revised site plans. Environmental Health recommends the approval of this CUP.

Thanks,

Vicente Banada  
Environmental Health Specialist IV  
Land Use Program  
5050 Commerce Drive  
Baldwin Park, CA 91706  
(626)430-5381 Tel  
(626)813-3016 Fax

---

**From:** Kim Szalay  
**Sent:** Tuesday, February 18, 2014 3:34 PM  
**To:** Vicente Banada  
**Cc:** Eric Edwards  
**Subject:** FW: Project Nos. R2011-00833-(5), R2011-00798-(5), R2011-00799-(5), R2011-00807-(5), R2011-00801-(5), R2011-00805-(5) Permit Consultation - Due March 11, 2014 or earliest date prior as feasible

Mr. Banada, as CUP Coordinator for Public Health while Michelle is out of the office, attached PH comments and link below are a re-send of what was sent to Michelle. The required mobile sanitation plan will be provided for PH review and approval prior to construction, as a required condition of the CUP. The mobile sanitation facilities and potable water (bottled) locations are depicted on the site plans per the link below. Please send your response as soon as possible this week.

Thank You,

Kim Szalay

The CUP consultation package for this project is available at the website below. Please review and provide comments by the date specified above or earliest date prior as feasible.

Employee ID & unique password are required to enter the site. If you have any technical issues please contact [webadmin@planning.lacounty.gov](mailto:webadmin@planning.lacounty.gov).


Project link: <http://10.2.8.130/content/silverado-power-west-0>

Thank you,

Kim Szalay

Mr. Kim K. Szalay, MPL, AICP  
Principal Planner  
Special Projects Section  
Department of Regional Planning  
320 W. Temple Street, Room 1362  
Los Angeles, CA 90012  
(213) 974-4876 Direct  
(213) 626-0434 Fax  
[kszalay@planning.lacounty.gov](mailto:kszalay@planning.lacounty.gov)

CONFIDENTIALITY NOTICE: This email message, including any attachments, from the Department of Regional Planning, is intended for the official and confidential use of the recipients to whom it is addressed. It contains information that may be confidential, privileged, work product, or otherwise exempted from disclosure under applicable law. If you have received this message in error, be advised that any review, disclosure, use, dissemination, distribution, or reproduction of this message or its contents is strictly prohibited. Please notify us immediately by reply email that you have received this message in error, and destroy this message, including any attachments.



COUNTY OF LOS ANGELES

# Public Health

JONATHAN E. FIELDING, M.D., M.P.H.  
Director and Health Officer

CYNTHIA A. HARDING, M.P.H.  
Acting Chief Deputy Director

ANGELO J. BELLOMO, REHS  
Director of Environmental Health

JACQUELINE TAYLOR, REHS  
Director of Environmental Protection Bureau

PATRICK NEJADIAN, REHS  
Chief EHS, Land Use Program

MICHELLE TSIEBOS, REHS  
Environmental Health Specialist IV  
Land Use Program  
5050 Commerce Drive  
Baldwin Park, California 91706  
TEL (626) 430-5382 • FAX (626) 813-3016



## BOARD OF SUPERVISORS

Gloria Molina  
First District

Mark Ridley-Thomas  
Second District

Zev Yaroslavsky  
Third District

Don Knabe  
Fourth District

Michael D. Antonovich  
Fifth District

October 11, 2013

TO: Carolina Blengini  
Regional Planning Assistant II  
Department of Regional Planning

FROM: Michelle Tsiebos, MPA, REHS *M.T.*  
Environmental Health Division  
Department of Public Health

SUBJECT: CUP Consultation  
PROJECT NO. R2011-00798/ R2011-00799/ R2011-00801/ R2011-00805/ R2011-00807/R2011-00833  
Silverado Solar Project  
LOCATION: 110<sup>TH</sup> Street West & West Avenue B, Lancaster

*See Followup  
@ email*

Environmental Health recommends approval of this CUP.  
Environmental Health does **NOT** recommend approval of this CUP.

The Department of Public Health – Environmental Health Division has reviewed the information provided for the project identified above. The project is proposing the construction and operation of six solar electric generating facilities for the provision of 172 MW of electricity into the local grid.

Prior to the Department clearing this project for public hearing, the requirements listed on the attached reports need to be satisfactorily fulfilled.

For questions regarding the attached reports, please contact the individual listed on the bottom of the report. For all other questions, please contact me at (626) 430-5382.

### Potable Water Supply

Hauled water is not an approved source of potable water for this project.

1. An adequate supply of potable water from an approved source shall be provided to serve the sanitary and drinking water needs of the project.

A. If permanent drinking and hand washing facilities are proposed, an on-site well meeting the requirements of Public Health and other applicable laws and regulations shall be required. The applicant shall secure a Well Production Permit and Water Supply Approval from the Drinking Water Program for the installation of the well. A well yield test to establish groundwater sustainability and water quality analysis from an approved laboratory will be required as part of the approval process.

Note: If the well provides potable water to 25 or more persons for more than 60 days per year, the California Safe Drinking Water Act requires that a public water system be established meeting all the requirements of the California Health and Safety Code and the California Code of Regulations.

B. If proposing to use an existing private well, the following information shall be submitted to the Drinking Water Program for review:

- 1) Copy of Well Driller's Report.
- 2) If applicable, provide copy of bond density log to confirm presence and depth of sanitary seal per California Well Standards.
- 3) Copy of a Well Production Permit and Water Supply Approval from the Drinking Water Program for the construction of the water well.
- 4) Documentation of well yield test in conformance with Public Health requirements. Well yield test results are valid for three (3) years from the date of approval.
- 5) Laboratory test results indicating the well water meets the drinking water standards established by the U.S. Environmental Protection Agency and the California Department of Public Health.

C. If Mobile Sanitation Facilities are proposed, the applicant shall include in the Mobile Sanitation Plan a description of how potable drinking water will be provided in a manner as to be readily accessible to employees. The plan shall identify the potable water source and method of dispensing. The plan shall also describe how drinking water containers are maintained, including methods to prevent contamination of drinking water. Please see the guidelines attached at the end of this document.

2. Revise the site plan or submit a separate plan to show the location of the existing or proposed well and setback distances from potential sources of contamination within 200 feet, including but not limited to, septic systems, animal stables, etc.

For questions regarding the potable water requirements, please contact Richard Lavin at (626) 430-5420.

### Sewage Disposal

1. Sanitary toilet facilities shall be provided to meet Public Health requirements.

A. If permanent toilet facilities are proposed, the applicant shall submit the following information to the Land Use Program for review and approval:

- (1) A feasibility report in compliance with Public Health's "A Professional Guide to Requirements and Procedures for Onsite Wastewater Treatment Systems (OWTS)." The guideline is available on-line at [www.lapublichealth.org/eh](http://www.lapublichealth.org/eh). The design and installation of OWTS shall conform to the requirements of Public Health and other

applicable regulatory agencies. The feasibility report shall include a professionally drawn scaled plot plan to illustrate the following:

- a) Location and sizing of proposed OWTS (septic tank and dispersal system), including 100% future expansion dispersal area.
- b) Location of all other structures and amenities, including buildings, walls, fences, retaining walls, storage facilities, guard shacks, etc.
- c) Location of any existing and proposed water wells and their related components on the project site as well as on neighboring properties within 200 feet of the proposed OWTS.
- d) Location of any surface water (e.g. streams, floodways, drainage courses, subdrains, culverts, swales, etc.).

Note: If a public sewer connection is available within 200 feet any part of the proposed building or exterior drainage, all future drainage and piping shall be connected to such public sewer.

- (2) Floor plan of the toilet facility showing the location of all plumbing fixtures (i.e. toilets, urinals, hand wash sinks, etc.).
- (3) Proof that application for a Waste Discharge Permit (WDR) has been filed with the Los Angeles Regional Water Quality Control Board

B. If mobile sanitation facilities are proposed, the applicant shall submit for review and approval a Mobile Sanitation Facility Plan consistent with Public Health's guideline, "Sanitation Facilities at Remote Worksite Locations." Please see the guidelines attached at the end of this document.

2. Provide a detailed description of the panel cleaning process. Include the chemicals to be used during the cleaning process. Describe how the wastewater generated by cleaning/washing of panels when utilizing a solution other than plain water, will be collected to prevent discharge onto the ground surfaces and how will it be disposed of.

For questions regarding wastewater disposal requirements, please contact Patrick Nejadian at (626) 430-5390.

### Noise

The Toxics Epidemiology Program recommends approval of the project upon the following conditions:

Noise mitigation measures "Noise 5.11 (N-1 to N-9)" and Air Quality mitigation measures "AQ 5.3 (AQ-1 to AQ-8)" from the Monitoring Mitigation Reporting Program (MMRP) must be implemented. This includes mitigation measure TT-4.

For questions regarding the above comments, please contact Evenor Masis or Robert Vasquez at (213) 738-3220.

## Sanitation Facilities at Remote Worksite Locations

### 1.0 Background and Purpose

Typically, permanently installed restroom and potable water facilities are required to be provided at worksite locations. In situations where permanent restrooms and potable water facilities are not feasible, the County Department of Public Health (Department) may approve the use of "mobile sanitation facilities" consistent with standards specified in Los Angeles County Code, Title 11 and the California Code of Regulations, Title 8.

The purpose of this document is to outline the procedure for obtaining Departmental approval for the use of "mobile sanitation facilities" by mobile crews at unattended commercial worksites located in remote areas of the County where conventional restroom facilities are unavailable and/or impractical due to the lack of a potable water supply.

### 2.0 Definition

A "mobile sanitation facility" is a portable restroom facility that is self-contained, and equipped with potable water, a toilet, a hand washing facility, and a waste water storage tank. [Note: A portable chemical toilet, commonly referred to as a "porta-potty", is not considered a mobile sanitation facility.]

### 3.0 Regulatory Requirements

The following requirements are based on provisions of Los Angeles County Code, Title 11 - Health & Safety, and Cal-OSHA sanitation standards in Section 3360, Title 8, California Code of Regulations.

#### 3.1 Mobile Sanitation Facility Plan

An applicant seeking to use a "mobile sanitation facility" in conjunction with a conditional use permit to develop and operate a remote commercial work site shall submit to the Department for review and approval a *mobile sanitation facility plan* to include the following:

- 3.1.1 The projected number of employees that will use the proposed mobile sanitation facility.
- 3.1.2 A Site Plan showing the proposed location(s) of the facility.
- 3.1.3 A service and maintenance schedule for the facility.
- 3.1.4 Description of how potable drinking water will be provided in a manner as to be readily accessible to employees. Identification of potable water source and method of dispensing (container and single-use cups or bottled water). Description of how drinking water containers are maintained, including methods to prevent contamination of drinking water.
- 3.1.5 Copy of a service agreement with a permitted toilet rental agency to provide a mobile sanitation facility approved by the Department. If the applicant proposes to design and construct the mobile sanitation facility, design drawings and specifications shall be included.

### **3.2 Permitting, Maintenance and Storage Requirements**

Upon approval of the plan referenced in 3.1 above, the Department will issue an annual operating permit to the applicant. The operating permit will include the following conditions:

**3.2.1** The mobile sanitation facility shall be maintained in a safe and sanitary condition so as not to constitute a public health hazard or nuisance.

**3.2.2** The mobile sanitation facility must be removed from the work site at the end of each work day, and be returned to an approved storage site.

For questions regarding these requirements, please contact the Department's Land Use Program at (626) 430-5380.



COUNTY OF LOS ANGELES  
DEPARTMENT OF PARKS AND RECREATION

"Parks Make Life Better!"

Russ Guiney, Director

John Wicker, Chief Deputy Director

March 12, 2014

Sent via e-mail:kslalay@planning.lacounty.gov

TO: Kim Szalay  
Department of Regional Planning

FROM: Lorrie Bradley, Park Planner  
Research and Trail Planning Section

SUBJECT: PROJECT CONSULTATION  
SILVERADO SOLAR  
COUNTY PROJECT NOS.  
(1) R2011-00833-(5) (CUP201100079);  
(2) R2011-00798-(5) (CUP201100070);  
(3) R2011-00799-(5) (CUP201100071);  
(4) R2011-00807-(5) (CUP201100076);  
(5) R2011-00801-(5) (CUP201100072);  
(6) R2011-00805-(5) (CUP201100074); RZC2011000005)

The Department of Parks and Recreation has completed the review of the six conditional use permits (CUPs) and site plans dated 2/11/2014 for the proposed photovoltaic generation facilities mentioned above to allow for the construction and operation of the solar generating facilities and their associated generation tie lines. The Department of Parks and Recreation requests that the Department of Regional Planning condition the above mentioned project with the following conditions as part of the conditional use permit:

**R2011-00833 Project 1: North Lancaster Ranch**

In concept, the location of the twelve (12) foot wide trail easement dedication for the "Little Buttes Trail", an adopted proposed County trail that runs parallel to the project site (APN 3262-001-006) along West Avenue B, as shown on the site plan dated 2/11/2014 is acceptable.

The Department of Parks and Recreation requires a twelve (12) foot wide multi-use (hiking, mountain biking, and equestrian) trail easement dedication and trail construction, contiguous to West Avenue B, though outside of the road right-of-way, for the purposes of the "Little Buttes Trail".

Trail Easement Recordation Conditions

1. Prior to use and reliance of this conditional use permit, and prior to issuance of a grading permit, building permit or improvement plans, the Applicant shall:
  - a. Dedicate by separate document to the County of Los Angeles, a twelve (12) foot wide multi-use (hiking, mountain biking and equestrian) trail easement for purposes of the Little Buttes Trail as shown on the site plan dated 2/11/2014. Trail easement must be outside of the road right-of-way and slope easement. The trail easement shall be recorded as a separate document and the plat map and legal description shall be attached and submitted to the Department of Parks and Recreation for review.
  - b. The following language (in exact form) must be shown for multi-use trail dedications on the site plan and in the easement document:

Title Page: We hereby dedicate to the County of Los Angeles a twelve (12) foot wide multi-use (hiking, mountain biking and equestrian) trail easement for the purposes of the "Little Buttes Trail". Full multi-use (hiking, mountain biking, and equestrian) public access shall be provided for the trail easement.
2. Per Department of Public Works (DPW) requirement, all trail easements must be outside of the road right-of-way and slope easement.

Trail Construction Conditions

1. Prior to grading approval or building permit issuance, or whichever comes first, the applicant shall:
  - a. Design and construct all required multi-use trails, shown on the site plans, in a manner consistent with the County of Los Angeles Trails Manual (Trails Manual), as Natural Trail 1 (refer to page 4-13, Table 4.3.1-1, Trail Classification Guidelines.) Any significant deviation from the guidelines within the Trails Manual must be approved in writing by the Department of Parks and Recreation.
2. Applicant shall obtain approval from DPW for the trail crossing location (intersection of West Avenue B and 105<sup>th</sup> Street West (Future)), and design, including proper signage, suitable for safe trail crossing.
3. The applicant shall provide the submittal of the rough grading plans, which shall include detailed grading information for the segment of trails for dedication to the County of Los Angeles, Department of Parks and Recreation. The detailed grading information for the trail construction, shall include all pertinent information required,

in a manner consistent with the Trails Manual trail construction guidelines, and all applicable codes, but not limited, to the following:

- a. Cross slope trail gradients not to exceed four percent (4%) with two (2%) preferred, and longitudinal (running) slope gradients not to exceed twelve percent (12%) for more than fifty feet (50'). The Department of Parks and Recreation will review and may allow slopes greater than twelve percent (12%) on a case by case basis.
- b. Bush hammer (or equivalent) porous finish or surface is required on all paved surfaces at minimum width of eight (8) feet wide for driveway trail crossings, and minimum twelve (12) feet width for painted roadway trail crossings.
- c. The applicant is required to purchase and install appropriate lodge pole fencing to delineate "Little Buttes Trail" from the trail tread, for user safety, and property security, as approved by the Department of Parks and Recreation.
  - i. Trail fencing shall be installed within one (1) foot wide section of the dedicated multi-use trail easement contiguous to the West Avenue B.
  - ii. Trail fencing locations and materials shall be approved in writing by the Department of Parks and Recreation.

#### **R2011-00798 Project 2: Western Antelope Blue Sky Ranch**

In concept, the location of the twelve (12) foot wide multi-use trail easement dedication the "California Poppy Trail", an adopted proposed County trail located on the west side of 110<sup>th</sup> Street West, as shown on the site plan dated 2/11/2014 is acceptable.

The Department of Parks and Recreation requires a twelve (12) foot wide multi-use (hiking, mountain biking, and equestrian) trail easement dedication and trail construction on the east side of the project site (APN 3267-015-001) contiguous to, though outside of the 110<sup>th</sup> Street West road right-of-way, for purposes of the "California Poppy Trail".

#### **Trail Easement Recordation Conditions**

1. Prior to use and reliance of this conditional use permit, and prior to issuance of a grading permit, building permit or improvement plans, the Applicant shall:
  - a. Dedicate by separate document to the County of Los Angeles, a twelve (12) foot wide multi-use (hiking, mountain biking and equestrian) trail easement for purposes of the California Poppy Trail as shown on the site plan dated 2/11/2014. Trail easement must be outside of the road right-of-way and slope easement. The trail easement shall be recorded as a separate

document and the plat map and legal description shall be attached and submitted to the Department of Parks and Recreation for review.

- b. The following language (in exact form) must be shown for multi-use trail dedications on the site plan and in the easement document:

Title Page: We hereby dedicate to the County of Los Angeles a twelve (12) foot wide multi-use (hiking, mountain biking and equestrian) trail easement for the purposes of the "California Poppy Trail". Full multi-use (hiking, mountain biking, and equestrian) public access shall be provided for the trail easement.

2. Per Department of Public Works (DPW) requirement, all trail easements must be outside of the road right-of-way and slope easement.

#### Trail Construction Conditions

1. Prior to grading approval or building permit issuance, or whichever comes first, the applicant shall:
  - b. Design and construct all required multi-use trails, shown on the site plans, in a manner consistent with the County of Los Angeles Trails Manual (Trails Manual), as Natural Trail 1 (refer to page 4-13, Table 4.3.1-1, Trail Classification Guidelines.) Any significant deviation from the guidelines within the Trails Manual must be approved in writing by the Department of Parks and Recreation.
2. Applicant shall obtain approval from DPW for the trail crossing location and design, including proper signage, suitable for safe trail crossing.
3. The applicant shall provide the submittal of the rough grading plans, which shall include detailed grading information for the segment of trails for dedication to the County of Los Angeles, Department of Parks and Recreation. The detailed grading information for the trail construction, shall include all pertinent information required, in a manner consistent with the Trails Manual trail construction guidelines, and all applicable codes, but not limited, to the following:
  - a. Cross slope trail gradients not to exceed four percent (4%) with two (2%) preferred, and longitudinal (running) slope gradients not to exceed twelve percent (12%) for more than fifty feet (50'). The Department of Parks and Recreation will review and may allow slopes greater than twelve percent (12%) on a case by case basis.
  - b. Bush hammer (or equivalent) porous finish or surface is required on all paved surfaces at minimum width of eight (8) feet wide for driveway trail

crossings, and minimum twelve (12) feet width for painted roadway trail crossings.

- c. The applicant is required to purchase and install appropriate lodge pole fencing to delineate "California Poppy Trail" from the trail tread, for user safety, and property security, as approved by the Department of Parks and Recreation.
  - i. Trail fencing shall be installed within one (1) foot wide section of the dedicated multi-use trail easement contiguous to the 110<sup>th</sup> Street West.
  - ii. Trail fencing locations and materials shall be approved in writing by the Department of Parks and Recreation.

Trail Construction Conditions for R2011-00833 and R2011-00798

1. Prior to initiation of trail construction, the Applicant shall:

- a. Submit a preliminary construction schedule showing milestones for completing the trail, including installation of lodge-pole fencing. The Applicant's representative shall provide updated trail construction schedules to the Department of Parks and Recreation on a monthly basis. Schedule submittals shall include a "Two Week Look-Ahead" schedule, to reflect any modifications to the original schedule.
- b. Stake the centerline of the trail. The Applicant's representative shall then schedule a site meeting with the Department of Parks and Recreation's representative within the Trails Section for trail alignment inspection and approval.
- c. The Applicant shall notify the Department of Parks and Recreation for a Final Inspection "Trail Walk" within five (5) business days of completion of trail construction, including installation of all required amenities. Any portions of the constructed trail not approved shall be corrected and brought into compliance with the Department of Parks and Recreation's Trails Manual within thirty (30) calendar days. Upon completion of the punch list, the Applicant shall contact the Department of Parks and Recreation to schedule another site inspection.

2. Prior to the Department of Parks and Recreation's final acceptance of the constructed trail, the Applicant shall:

- a. Submit electronic copies on CD or DVD (AutoCAD 2005 or newer version) of the As-Built Trail, grading and construction drawings to the Department of Parks and Recreation, Trails Section.

Kim Szalay  
March 12, 2014  
Page 6

- b. Submit a letter to the Department requesting acceptance of the dedicated constructed trail. The Department will issue a trail acceptance letter only after receiving a written request for final trail approval and as-built trail drawings.

Thank you for including this Department in the review of this notice. For any trail related questions, please contact Ms. Olga Ruano at (213) 738-2014 or [oruano@parks.lacounty.gov](mailto:oruano@parks.lacounty.gov).

- c: Regional Planning (K. Szalay)  
Parks and Recreation (N. E. Garcia, K. King, J. Rupert, F. Moreno, J. Yom,  
O. Ruano)

## V. MITIGATION MONITORING AND REPORTING PROGRAM

CEQA requires a Mitigation Monitoring and Reporting Program (MMRP) for projects where mitigation measures are a condition of project approval and development. The Draft EIR prepared for the Silverado Power West, Los Angeles County Projects identified mitigation measures, where appropriate, to avoid or substantially reduce the environmental impacts associated with the Project. This MMRP is designed to monitor the implementation of those mitigation measures. Accordingly, this MMRP has been prepared in compliance with the requirements of CEQA Section 21081.6 and CEQA Guidelines Section 15097.

This section lists each of the proposed Project Design Features (PDFs) and required Mitigation Measures (MMs) and identifies the corresponding action required for proof of compliance, the mitigation timing, the party responsible for implementation, and the monitoring agency or party responsible for ensuring each measure is adequately implemented.

**Mitigation Monitoring and Reporting Program  
Silverado Power West, Los Angeles County Projects  
Project Nos. R2011-00833, 00798, 00799, 00807, 00801, 00805**

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<b>5.1 AESTHETICS</b>				
<p><b>A-1</b> A Fugitive Dust Control Plan to minimize dust (visual pollution) shall be prepared and implemented.</p>	<p>A. Submit Plan to AVAQMD for review and approval</p>	<p>Prior to any ground disturbance activities</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP AVAQMD</p>
<p><b>A-2</b> The Project site shall be maintained free of debris, trash, and waste during construction.</p>	<p>B. Maintain log demonstrating compliance. Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>AVAQMD</p>
<p><b>A-3</b> The Project site shall be visually screened or partially screened during construction by fencing.</p>	<p>Site inspection</p>	<p>During construction</p>	<p>Applicant</p>	<p>LACDRP</p>
<p><b>A-4</b> A landscape plan shall be developed for each Project prior to Project construction that shows the detail of a 10-foot wide screening vegetation buffer intended to screen or partially screen the Project visually from area residents or travelers on nearby roadways.</p>	<p>A. Submit Site Plans for review and approval</p>	<p>Prior to issuance of applicable building permit</p>	<p>Applicant</p>	<p>LACDRP</p>
<p><b>A-5</b> All lighting shall comply with applicable provisions of the Los Angeles County Outdoor Lighting District Ordinance. Lights shall be limited to types allowed by the ordinance, installed below maximum allowed heights, pointed downwards and shielded to minimize light trespass, and mounted on essential infrastructure rather than on separate light poles except where poles are required by regulation or by governing agency. Lighting will comply with the hours of operation requirements in the ordinance, and utilize automatic control devices to comply with time limits except where permitted by Los Angeles County. Lighting will be maintained in good repair at all times.</p>	<p>B. Site inspection as needed</p>	<p>During construction</p>	<p>Applicant</p>	<p>LACDRP</p>
<p><b>A-6</b> A landscape plan shall be developed for each Project prior to Project construction that shows the detail of a 10-foot wide screening vegetation buffer intended to screen or partially screen the Project visually from area residents or travelers on nearby roadways.</p>	<p>A. Submit landscape plan for review and approval. The landscape plan must be approved prior to grading or building permit.</p>	<p>Prior to 1<sup>st</sup> grading or building permit whichever comes first for each project.</p>	<p>Applicant</p>	<p>LACDRP/LACFD – support/referral Approval of landscape plan</p>
<p><b>A-7</b> All lighting shall comply with applicable provisions of the Los Angeles County Outdoor Lighting District Ordinance. Lights shall be limited to types allowed by the ordinance, installed below maximum allowed heights, pointed downwards and shielded to minimize light trespass, and mounted on essential infrastructure rather than on separate light poles except where poles are required by regulation or by governing agency. Lighting will comply with the hours of operation requirements in the ordinance, and utilize automatic control devices to comply with time limits except where permitted by Los Angeles County. Lighting will be maintained in good repair at all times.</p>	<p>B. Implement approved landscape plan</p>	<p>Prior to first energization approval by LADPW B &amp; S</p>	<p>Applicant</p>	<p>LACDRP/LACFD – support/referral Approval of landscape plan</p>
<p><b>A-8</b> All lighting shall comply with applicable provisions of the Los Angeles County Outdoor Lighting District Ordinance. Lights shall be limited to types allowed by the ordinance, installed below maximum allowed heights, pointed downwards and shielded to minimize light trespass, and mounted on essential infrastructure rather than on separate light poles except where poles are required by regulation or by governing agency. Lighting will comply with the hours of operation requirements in the ordinance, and utilize automatic control devices to comply with time limits except where permitted by Los Angeles County. Lighting will be maintained in good repair at all times.</p>	<p>Submit final lighting plan for review and approval</p>	<p>Prior to issuance of building permit(s)</p>	<p>Applicant</p>	<p>LACDRP</p>
<b>5.2 AGRICULTURE AND FORESTRY</b>				
<p>No mitigation measures are required for Agriculture and Forestry.</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<b>5.3 AIR QUALITY</b>				
<b>AQ-1</b> Water active sites at least twice daily (locations where soil disturbance is to occur would be thoroughly watered before earthmoving) during construction.	Maintain log demonstrating compliance	During construction	Applicant/Construction Manager	AVQMD
<b>AQ-2</b> All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard in accordance with the requirements of CVC Section 23114 (freeboard means vertical space between the top of the load and top of the trailer).	Site inspection as needed	During construction	Applicant/Construction Manager	LACDRP
<b>AQ-3</b> All off-road diesel powered construction equipment less than 50 hp shall meet or exceed Tier 2 off-road emission standards. Off-road diesel-powered construction equipment greater than or equal to 50 hp shall meet or exceed Tier 3 off-road emission standards. The construction equipment requirement shall be increased to Tier 4 off-road emission standards by January 1, 2015. Post-January 1, 2015, all off-road diesel-powered construction equipment greater than 50 hp shall meet or exceed Tier 4 off-road emission standards, where available. Verification documentation such as an ongoing log shall be provided to the County of Los Angeles Department of Regional Planning upon request within five business days.	Maintain log demonstrating compliance	During construction	Applicant/Construction Manager	AVAQMD LACDRP
<b>AQ-4</b> During construction, the off-road equipment, vehicles, and trucks shall not be idle more than five minutes in any one hour.	Site inspection as needed	During construction	Applicant/Construction Manager	LACDRP
<b>AQ-5</b> The off-road construction equipment drivers shall have documented training in operating the equipment efficiently, taking into account ways to reduce the hours of operation of the equipment and/or operate the equipment at a lower load factor.	Maintain log demonstrating compliance	During construction	Applicant/Construction Manager	AVAQMD LACDRP
<b>AQ-6</b> Traffic speeds on all unpaved roads shall be maintained at 15 mph or less.	Site inspection as needed	During construction	Applicant/Construction Manager	AVAQMD LACDRP
<b>AQ-7</b> During construction, there shall be documented carpoos, vanpools, and/or shuttles provided for construction employees.	Submit Transportation Demand Management program for review and approval	Prior to issuance of building permits	Applicant/Construction Manager	LACDRP LACDPW support and referral for trip reduction determination
<b>AQ-8</b> During array area preparation, mowing shall be used instead of grading and/or disking, and shall be limited to no more than 3.5 acres per day per site to further reduce dust emissions during construction.	Maintain log demonstrating compliance	During construction	Applicant/Construction Manager	AVAQMD LACDRP
<b>AQ-9</b> All interior roads shall use long-lasting non-toxic chemical soil stabilizers designed for long-term dust stabilization on dirt roads.	Maintain log demonstrating compliance	During construction	Applicant/Construction Manager	AVAQMD LACDRP

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>AQ-10</b> Interior array areas shall have re-established pre-existing vegetation or be established with drought tolerant, native, or native compatible vegetation, to the greatest extent feasible, approved by the County biologist and compliant with Fire Department requirements, within two years of energization authorization of an array area by the Department of Public Works, Building and Safety Division, to provide long-term dust stabilization under the arrays.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager/Biologist</p>	<p>LACFD LACDRP</p>
<p><b>AQ-11</b> Earth disturbing activities shall be suspended and/or additional water shall be applied to meet Rule 403 criteria if wind gusts exceed 25 miles per hour.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP AVAQMD</p>
<p><b>AQ-12</b> Construction activity shall utilize electricity from power poles on or adjacent to the Project sites rather than use of temporary diesel power generators and/or gasoline power generators when electricity with adequate circuit capacity is available from power poles in proximity to construction areas.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP</p>
<p><b>AQ-13</b> In the event temporary night lighting is necessary for construction or maintenance purposes, lighting not requiring the use of diesel or gasoline driven generators shall be used.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP</p>
<p><b>5.4 BIOLOGICAL RESOURCES</b></p>				
<p><b>B-1</b> Prior to the issuance of a grading permit, a qualified biologist shall be retained by the Applicant as the lead biological monitor subject to the approval of the LACDRP and CDFW. That person shall ensure that impacts to all biological resources are minimized or avoided, and shall conduct (or supervise) pre-grading field surveys for species that may be avoided, affected, or eliminated as a result of grading or any other site preparation activities. The lead biological monitor shall ensure that all surveys are conducted by qualified personnel (e.g. avian biologists for bird surveys, herpetologists for reptile surveys, etc.) and that they possess all necessary permits and memoranda of understanding with the appropriate agencies for the handling of potentially-occurring special-status species. The lead biological monitor shall also ensure that daily monitoring reports (e.g., survey results, protective actions, results of protective actions, adaptive measures, etc.) are prepared, and shall make these monitoring reports available to DRP and CDFW at their request.</p>	<p>A. Retain qualified Biologist(s)</p>	<p>Prior to issuance of Grading Permit</p>	<p>Applicant/Construction Monitor</p>	<p>LACDRP CDFW</p>
	<p>B. Field Surveys</p>	<p>Prior to grading permit</p>	<p>Applicant</p>	<p>LACDRP CDFW</p>
	<p>C. Maintain daily monitoring reports</p>	<p>During Construction</p>	<p>Applicant/Construction Monitor</p>	<p>LACDRP CDFW</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>B-2</b> Pre-Construction surveys will be conducted prior to ground disturbance at each project site. These surveys will include all special-status species identified as having the potential to be present on the project site, including, but not limited to, badger, kit fox, southern grasshopper mouse, and the species listed below.</p> <ul style="list-style-type: none"> <li>• Pre-survey information gathering will include reviewing of all available agency nest data and mapping.</li> <li>• A focused pre-construction Swainson's hawk survey shall be conducted to locate any nesting sites within 5 miles of Projects 1 – 6. If Swainson's hawks or their active nests are located within 500 feet of the project sites, all construction-related work shall be postponed and CDFW will be consulted.</li> <li>• Project-related activities likely to have the potential of disturbing suitable bird nesting habitat, which includes ground nesting birds, shall be prohibited from February 1 through August 31, unless a qualified monitoring biologist conducts nesting bird surveys prior to any construction-related disturbance to confirm the absence of active bird nests or bird nesting habitat. Disturbance shall be defined as any activity that physically removes or damages vegetation or habitat or any action that may cause disruption of nesting behavior such as loud noise from equipment or artificial night lighting. Surveys shall be conducted weekly, beginning no later than 30 days and ending no earlier than 3 days prior to the commencement of disturbance. If an active bird nest is discovered, disturbance within 500 feet for raptors shall be postponed until the nest is vacated, offspring are independent of the nest area and there is no evidence of further attempts at nesting. Limits of avoidance shall be marked with high-visibility flagging or fencing. The Applicant shall record the results of the recommended protective measures and submit the records to LACDRP and CDFW to document compliance with applicable state and federal laws pertaining to the protection of native birds.</li> <li>• A pre-construction burrowing owl survey shall be conducted on each site prior to grading. Pre-construction surveys for burrowing owl shall be conducted weekly, beginning no later than 30 days and ending no earlier than 3 days prior to the commencement of disturbance. The surveys shall follow the protocols set forth by the California Burrowing Owl Consortium (1993 and 2012).</li> </ul> <p>If burrowing owls are found during the pre-construction survey, then replacement burrows and habitat must be provided prior to the commencement of construction. The Applicant shall be prepared to provide artificial replacement burrows in the event that owls are</p>	<p>Pre-construction surveys for special-status species that have been identified as having potential to occur on site</p>	<p>Prior to grading or as specified per species</p>	<p>Applicant</p>	<p>LACDRP CDFW</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p>detected, either as wintering or breeding individuals. Wintering individuals may be evicted with the use of exclusion devices followed by a period of seven days to ensure that animals have left their burrows. When it can be assured that owls are no longer using the burrows, the burrows can be hand excavated and collapsed under the supervision of the avian biologist.</p> <p>Breeding owls must not be disturbed and must be allowed to complete the raising of young until the fledglings can forage independently of adults and it can be confirmed that further attempts at nesting shall not be undertaken. When this has been confirmed, the owls can be evicted as described above for wintering animals.</p> <ul style="list-style-type: none"> <li>Pre-construction surveys shall be conducted for special-status ground-dwelling reptiles, including but not limited to coast horned lizard and northern California legless lizard. Surveys shall be conducted by placing coverboards on the ground 4 to 6 weeks in advance of the survey effort, checking weekly for such species. Any special-status reptiles or other species determined important by the qualified biological monitor (i.e., biologist must be appropriately permitted for collection and relocation activities) occurring within the work area prior to the start of work shall be collected and relocated to areas outside of the designated work zones.</li> </ul>	<p>Biological Monitoring</p>	<p>During construction</p>	<p>Applicant</p>	<p>LACDRP CDFW</p>
<p><b>B-3</b> During grading, earthmoving activities, and other construction activities the biological monitor shall be present to inspect and enforce all mitigation requirements and to relocate any species that may come into harm's way to an appropriate offsite location of similar habitat. The biological monitor shall be authorized to stop specific grading or construction activities if violations of mitigation measures or any local, state, or federal laws are suspected. The biological monitor shall file a report of the monitoring activities with LACDRP and CDFW. If ongoing biological monitoring of construction activities reveals the presence of any special-status reptiles within an active work area, then work shall be temporarily halted until the animals can be collected and relocated to areas outside of the designated work zones. Work areas shall be surveyed for special-status reptile species, such as the coast horned lizard and northern California legless lizard, during construction activities. During the construction, surveys shall be conducted by placing coverboards on the ground in appropriate work areas and checking them weekly for such species. Any special-status reptiles occurring within the work area shall be collected and relocated to areas outside of the designated work zones.</p>				

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>B-4</b> Mitigation lands shall be acquired for Swainson's hawk, burrowing owl, special-status migratory and wintering birds, and alkali mariposa lily.</p> <p><u>Swainson's hawk:</u> Impacts due to development of the projects shall be mitigated by the acquisition of good quality Swainson's hawk habitat targeted within the Antelope Valley. Land shall be purchased or placed in a conservation easement or other suitable deed restriction and managed to maintain suitable habitat in perpetuity.</p> <p>The proposed development is not expected to result in the "take" of Swainson's hawk; however, the Applicant shall be required to consult CDFW in the event of take, which may result in additional mitigation prescribed by CDFW. Although the Projects are not expected to result in "take" of Swainson's hawk, mitigation will still be required to alleviate the effects of cumulative impacts on raptor, migratory bird, and burrowing owl habitats:</p> <p>Replacement land will be provided based on the quality of the mitigation land relative to the impacted habitat. The ratio of such replacement shall be determined as follows:</p> <ul style="list-style-type: none"> <li>• A ratio of one acre of replacement land for each 3 acres of development if the replacement land is superior nesting and foraging habitat contiguous to occupied nesting and foraging habitat, and is within a designated or proposed Significant Ecological Area (SEA).</li> <li>• A ratio of one acre of replacement land for each 2 acres of development if the replacement land is unoccupied irrigated land, contiguous to occupied habitat and providing superior quality foraging habitat with trees or other such nesting habitat;</li> <li>• A ratio of 1 acre of replacement land for each acre of development if the replacement land provides similar foraging and nesting habitat.</li> </ul> <p><u>Burrowing Owl:</u> Mitigation for any occupied burrowing owl burrows found during pre-construction surveys will include a comprehensive tiered approach:</p> <ul style="list-style-type: none"> <li>• Pre-construction and construction monitoring surveys conducted by a qualified biologist to detect potential new owl activity onsite;</li> <li>• Disturbance avoidance of occupied burrows during nesting period February 1 – August 31;</li> <li>• Impact avoidance of occupied burrows;</li> <li>• Burrow exclusion and closure and offsite relocation (&gt;100 m), as described previously in B-2, will be conducted for unavoidable impacts to occupied burrows (after consultation with CDFW).</li> <li>• Minimizing impacts by protecting in-place any owls, their burrows,</li> </ul>	<p>A. Acquire mitigation lands for Swainson's Hawk</p> <p>B. Acquire mitigation lands for Burrowing Owl</p> <p>C. Pre-construction survey for Alkali Mariposa Lilies</p> <p>D. If necessary Acquire Alkali Mariposa Mitigation land</p>	<p>Prior to 1<sup>st</sup> either grading or building permits</p>	<p>Applicant</p> <p>Applicant</p> <p>Applicant</p> <p>Applicant</p>	<p>LACDRP CDFW</p> <p>LACDRP CDFW</p> <p>LACDRP CDFW</p> <p>LACDRP CDFW</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p>and their immediate habitat by establishing setback zones and visual screens for burrows adjacent to construction activity; by placing visible markers, and by conducting construction worker awareness training. Setback widths will be applied as appropriate to the level of existing disturbance and owl stage of activity (e.g., for low to moderate construction-related disturbance activity outside the nesting season near burrows in currently high-traffic or disturbance areas, it is assumed owls are adapted to human disturbance and will not need a large setback).</p> <ul style="list-style-type: none"> <li>• Mitigating unavoidable impacts to habitat: restore temporary impacts to pre-existing conditions; replace nesting/occupied and satellite burrows lost with the same number of suitable burrows on the mitigation site. Mitigation acreage for foraging habitat provided for Swainson's hawk will be sufficient to replace lost burrowing owl habitat because the hawk's replacement habitat will be in-kind or better (i.e., the Project habitat is low quality overall and mitigation habitat will be at least the same quality as the lost habitat OR will have higher quality habitat features overall, such as increased vegetative structure, higher numbers of prey species, less disturbance, and less potential for predation by domestic animals, etc.). Specific habitat considerations as provided in the CDFW 2012 burrowing owl guidance will be considered in selecting the overall habitat replacement acres for the project.</li> </ul> <p><u>Alkali Mariposa Lily:</u> Alkali mariposa lily will be avoided to the greatest extent possible. If pre-construction surveys reveal individuals that cannot be avoided, mitigation of lost alkali mariposa lily shall be provided at a minimum 1:1 ratio. This acreage will be calculated with input from LACDRP and CDFW. Additionally, because alkali mariposa Lilies have locally available seed sources, plantings of the lilies on appropriate soil types on Projects shall be implemented in selected areas. The lilies may also be transplanted from areas planned for disturbance to more suitable locations in the Project area. Transplantation locations must be situated within adequately buffered areas to be found suitable.</p> <p>For all species the mitigation acreage may be located within the Project sites, but outside of the area of development, subject to LACDRP and CDFW approval, if acreage of sufficient quantity and quality exists.</p>				

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>B-5</b> Review and Approval of Habitat Management Lands Prior to Acquisition: The Applicant shall provide a mitigation land acquisition proposal to LACDRP and CDFW for their approval before acquiring the property. The proposal shall discuss the suitability of the property by comparing it to the selection criteria. As a part of the preparation of the land acquisition proposal, acreage quantification by habitat category will be developed with LACDRP and CDFW based on the following criteria:</p> <p><u>Habitat Management Land Selection Criteria:</u> The Applicant must identify the region within which lands shall be acquired, and the type and quality of habitat to be acquired. Detailed criteria and acreage for each habitat category will be developed with Los Angeles County and CDFW. Foraging habitat shall be assessed as moderate to good with a capacity to improve in quality and value to Swainson's hawks, and must be within the Antelope Valley Swainson's hawk breeding range. Foraging habitat with suitable nest trees is preferred.</p> <p><u>Habitat Management Lands Acquisition:</u> Prior to initiating ground-disturbing activities, the Applicant shall provide a proposal to LACDRP and CDFW for off-site mitigation land to be restored, enhanced, or maintained according to the requirements of the biological mitigation measures in this EIR. The proposal will require that mitigation lands identified shall be preserved as open space in perpetuity. Within 45 days of acquiring the mitigation land(s), the Applicant shall record a permanent deed restriction on the mitigation land(s) to be preserved as open space. The deed restriction or conservation easement language shall be submitted to LACDRP and CDFW for review and approval prior to recordation. Alternatively, should a conservation easement on the mitigation land be offered, the permanent conservation easement shall be recorded to the satisfaction of LACDRP and CDFW.</p> <p>The Applicant shall establish a fund sufficient for the restoration, enhancement, and maintenance of the mitigation land(s) until such time when the mitigation land(s) become self-sustaining and until such time as the mitigation land(s) meet the requirements of this mitigation measure. The fund shall be established within 90 days of mitigation land(s) acquisition in an amount acceptable to the LACDRP and CDFW.</p>	<p>A. Obtain approval of habitat management lands</p> <p>B. Record a permanent deed restriction or conservation easement on mitigation land(s)</p> <p>C. Establish fund in the amount acceptable to LACDRP and CDFW for restoration, enhancement and maintenance of the mitigation lands</p>	<p>Prior to Acquisition</p> <p>Within 45 days of acquiring land(s)</p> <p>Within 90-days of mitigation land(s) acquisition</p>	<p>Applicant</p> <p>Applicant</p> <p>Applicant</p>	<p>LACDRP CDFW</p> <p>LACDRP CDFW</p> <p>LACDRP CDFW</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><u>Land Acquisition Schedule and Financial Assurances:</u> The Applicant shall complete acquisition, or execute an irrevocable option to purchase, of proposed Habitat Management lands and shall provide financial assurances for dedicating adequate funding for impact avoidance, minimization, and compensation measures, if necessary, prior to the issuance of building permits. If an irrevocable option to purchase is utilized, the applicant shall provide a proposed date of purchase which coincides with construction of the facility.</p>				
<p><b>B-6</b> Prior to alteration of any streambeds, the Applicant shall enter into an agreement with the CDFW, pursuant to Sections 1601 through 1603 of the State Fish and Game Code.</p> <p><b>B-7</b> Within all interior portions of the site within and adjacent to the proposed solar arrays, re-vegetation shall be accomplished (excluding interior roads as follows: Vegetation seeded in these areas shall comprise locally-sourced, native species if available, or, native compatible as approved by the County biologist if sufficient locally-sourced native seed stock not available, approximating low-growing communities such as native perennial or annual grasslands (i.e., wildflower fields). Shrub species shall not be used due to these species inability to survive continued vegetation trimming. Vegetation shall be maintained in accordance with Los Angeles County Fire Department regulations.</p>	<p>Enter into an agreement with CDFW pursuant to sections 1601 through 1603</p> <p>Revegetation of interior site, excluding interior roads</p>	<p>Prior to alteration of Streambed</p> <p>After construction</p>	<p>Applicant</p> <p>Applicant</p>	<p>CDFW</p> <p>LACDRP</p>
<p><b>5.5 CULTURAL RESOURCES</b></p> <p><b>CUL-1</b> In the event cultural resources are encountered during construction of the Projects, all ground-disturbing activities within the vicinity of the find shall cease and a qualified archaeologist and Native American Monitor shall be notified of the find. The archaeologist, in consultation with the Native American Monitor shall make recommendations to the Lead Agency on the measures that shall be implemented to protect the discovered resources, including but not limited to recordation and excavation of the finds and evaluation and processing of the finds in accordance with § 15064.5 of the CEQA Guidelines. Potentially significant cultural resources consist of, but are not limited to, stone, bone, fossils, wood or shell artifacts or features, including hearths, structural remains, or historic dumpsites.</p> <p>If the resources are determined to be unique historic resources as defined under § 15064.5 of the CEQA Guidelines, Mitigation Measures shall be identified by the monitor and recommended to the Lead Agency. Appropriate Mitigation Measures for significant resources could include but not be limited to avoidance or capping.</p>	<p>A. Archaeological monitoring. and Native American monitor when there is a find</p> <p>B. Maintain log demonstrating compliance</p> <p>C. Site inspection as needed</p>	<p>During earthmoving activities</p> <p>During earthmoving activities</p> <p>During earthmoving activities</p>	<p>Applicant/Construction Manager/Qualified Archaeologist</p> <p>Applicant/Construction Manager/Qualified Archaeologist</p> <p>Applicant/Construction Manager/Qualified Archaeologist</p>	<p>LACDRP NAHC</p> <p>LACDRP</p> <p>LACDRP</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p>incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. No further earthwork shall occur in the area of the discovery until the Lead Agency approves the measures to protect these resources. Any archaeological artifacts recovered because of mitigation will be donated to a qualified scientific institution approved by the Lead Agency where they would be afforded long-term preservation to allow future scientific study. This Mitigation Measure shall apply to all Projects.</p>				
<p><b>CUL-2</b> In the event of an accidental discovery or recognition of any human remains, California State Health and Safety Code § 7050.5 dictates that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to CEQA regulations and PRC § 5097.98. This Mitigation Measure shall apply to all Projects.</p>	<p>A. Archaeological and Native American monitoring B. Maintain documentation demonstrating compliance C. Site inspection as needed</p>	<p>During construction During construction During construction</p>	<p>Applicant/Construction Manager/Qualified Archaeologist/NAHC representative Applicant/Construction Manager/Qualified Archaeologist Applicant/Construction Manager/Qualified Archaeologist</p>	<p>LACDRP NAHC LACDRP LACDRP</p>
<p><b>CUL-3</b> Project 4 construction of gen-tie lines shall maintain the right of way buffer zones prescribed by SCE for this historic electric transmission line resource, which is an active transmission line. This Mitigation Measure shall apply to Project 4 only.</p>	<p>Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager/Qualified Archaeologist</p>	<p>LACDRP</p>
<p><b>CUL-4</b> Project construction for Project 4 shall maintain a one acre undisturbed area surrounding the Del Sur Cemetery site. This Mitigation Measure shall apply to Project 4 only.</p>	<p>A. Submit pre-construction surveys B. Construction monitoring by qualified Archaeologist C. Submit construction monitoring documentation D. Site inspection as needed</p>	<p>Prior to construction During construction Applicant/Qualified Archaeologist Applicant/Qualified Archaeologist</p>	<p>Applicant/Qualified Archaeologist Applicant/Qualified Archaeologist Applicant/Qualified Archaeologist Applicant/Qualified Archaeologist</p>	<p>LACDRP LACDRP LACDRP LACDRP</p>
<p><b>CUL-5</b> A County approved archaeologist will be retained to initiate and supervise cultural resource monitoring during Project related earthwork in areas of the Project that are within 50 feet from certain significant cultural resources, specifically from the defined perimeter of site CA-LAN-1579H (Project 4). If resources are identified, the procedures outlined in CUL-1 will be followed and/or CUL-2 (as necessary). This Mitigation Measure shall apply to Project 4 only.</p>	<p>A. Archaeological monitoring B. Maintain log demonstrating compliance</p>	<p>During Project related earthmoving activities During Project related earthmoving activities</p>	<p>Applicant/Construction Manager/Qualified Archaeologist Applicant/Construction Manager/Qualified Archaeologist</p>	<p>LACDRP LACDRP</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>PALEO-1:</b> A qualified paleontologist shall be retained by the Applicant prior to excavations reaching 10 feet in depth or greater. A The paleontologist shall develop and execute a Paleontological Resource Mitigation and Monitoring Program and supervise a paleontological monitor whom shall monitor all ground-disturbing activities associated with such excavations. The Program will outline the procedures to follow in regards to paleontological resources (e.g. monitoring protocols, curation, data recovery of fossils, reporting). If fossils are found during such excavation, the paleontological monitor shall be authorized to halt ground-disturbing activities within 25 feet of the find in order to allow evaluation of the find and determination of appropriate treatment according to the Program.</p>	<p>Paleontological Monitoring</p>	<p>During Project related earthmoving activities</p>	<p>Applicant/Construction Manager/Qualified Paleontologist</p>	<p>LACDRP LAC Natural History Museum support/referral</p>
<p><b>5.6 GEOLOGY AND SOILS</b></p>				
<p>No mitigation measures are required for Geology and Soils.</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>
<p><b>5.7 GREENHOUSE GAS EMISSIONS</b></p>				
<p><b>GHG-1</b> All off-road diesel powered construction equipment less than 50 hp shall meet or exceed Tier 2 off-road emission standards. Off-road diesel-powered construction equipment greater than or equal to 50 hp shall meet or exceed Tier 3 off-road emission standards. The construction equipment requirement shall be increased to Tier 4 off-road emission standards by January 1, 2015. Post-January 1, 2015, all off-road diesel-powered construction equipment greater than 50 hp shall meet or exceed Tier 4 off-road emission standards, where available. Verification documentation such as an ongoing log shall be provided to the County of Los Angeles Department of Regional Planning upon request within five business days.</p>	<p>A. Submit operating permit(s) as required B. Maintain log demonstrating compliance</p>	<p>Prior to commencement of construction During construction</p>	<p>Applicant Applicant/Construction Manager</p>	<p>AVAQMD LACDRP AVAQMD LACDRP</p>
<p><b>GHG-2</b> During construction, the off-road equipment, vehicles, and trucks shall not be idle more than five minutes in any one hour.</p>	<p>Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>AVAQMD LACDRP</p>
<p><b>GHG-3</b> The off-road construction equipment drivers shall have proper training in operating the equipment efficiently, taking into account ways to reduce the hours of operations of the equipment and/or operate the equipment at a lower load factor.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>AVAQMD LACDRP</p>
<p><b>GHG-4</b> Traffic speeds on all unpaved roads shall be reduced to 15 mph or less.</p>	<p>Site inspection as needed</p>	<p>During construction and grading</p>	<p>Applicant/Construction Manager</p>	<p>AVAQMD LACDRP</p>
<p><b>GHG-5</b> During construction, there shall be documented carpools, vanpools, and/or shuttles provided for construction employees.</p>	<p>Maintain log demonstrating compliance</p>	<p>Prior to Building Permit</p>	<p>Applicant/Construction Manager</p>	<p>AVAQMD LACDRP</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<b>5.8 HAZARDS/HAZARDOUS WASTES</b>				
<b>HH-1</b> Prior to the start of construction activities, a Hazardous Materials Management Plan shall be implemented for each project.	Submit Hazardous Materials Management Plan	Prior to start of construction	Applicant	DTSC
<b>HH-2</b> Prior to the start of construction activities, a Hazardous Waste Management Plan shall be implemented for each project.	Submit Hazardous Waste Management Plan for each Project	Prior to start of construction	Applicant	DTSC
<b>HH-3</b> Prior to the start of construction activities on the parcel containing the historic UST at the location of Project 1, a Phase I ESA will be completed. This mitigation measure only applies to Project 1.	Phase I ESA	Prior to issuance of grading permit(s)	Applicant	LACDRP
<b>HH-4</b> Prior to the start of construction activities, a closure permit for the UST will be verified or obtained from the Los Angeles County Fire Department, Health Hazardous Materials Division. This mitigation measure only applies to Project 1.	Closure permit or verification for UST – Project 1 site	Prior to issuance of grading permit(s)	Applicant	LACFD
<b>HH-5</b> Construction activities shall be halted if previously unidentified soil contamination is observed or indicated by testing during any earthwork activities. Construction will be halted or redirected until such soil contamination is evaluated and disposed of and/or treated	Testing of soil contamination	Prior to start of construction	Applicant	DTSC LACDRP
<b>5.9 HYDROLOGY/WATER QUALITY</b>				
<b>Construction</b>				
<b>HYDRO-1</b> Education and training for Property Owners, Tenants, Occupants and Employees. Appropriate educational materials and training for preventing stormwater pollution and additional BMP Fact Sheets from the California Stormwater Best Management Practice Handbooks can be found at <a href="http://www.cabmphandbooks.com">www.cabmphandbooks.com</a> . Practical information material will be provided to employees on general good housekeeping practices. These materials will describe, but are not limited to, spill prevention and control and the use of chemicals, petroleum products, pesticides and fertilizers that should be limited to the property, with no discharge of wastes directly or indirectly to gutters, catch basins or the storm drain system. Information will be distributed directly to the employees as well as being posted in public areas. This Mitigation Measure shall be implemented at Projects 1 – 6 for the entire duration of construction activities. The required materials shall be available at each project site and a log kept to show education has occurred prior to the start of construction.	Maintain log demonstrating compliance of Educational materials and training for Property Owners, Tenants, Occupants, and Employee	During Construction	Applicant	LACDRP

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<b>HYDRO-2</b> A spill contingency plan will be prepared by the owner/building operator. As a minimum the Spill Contingency Plan will "mandate the stockpiling of cleanup materials, notification of responsible agencies, disposal of cleanup materials and documentation." This Mitigation Measure shall be implemented at Projects 1 – 6 for the entire duration of construction activities.	Submit spill contingency plan	Prior to grading permit	Applicant	LACDRP
<b>HYDRO-3</b> No hazardous materials are anticipated to be stored on-site. If deemed otherwise, a designated representative of the owner shall provide information to the Fire Authority in accordance with requirements of the Health & Safety Code. This Mitigation Measure shall be implemented at Projects 1 – 6 for the entire duration of construction activities.	Maintain log demonstrating compliance	During construction and operations	Applicant/Construction Manager	LACFD
<b>HYDRO-4</b> A designated representative of the owner shall provide information to the Fire Authority in compliance of the current requirements of the County of Los Angeles Fire Code. This Mitigation Measure shall be implemented at Projects 1 – 6 for the entire duration of construction activities.	Submit all applicable information	Prior to grading permit	Applicant	LACFD
<b>Operation</b>				
<b>HYDRO-5</b> Site waste receptacles shall be emptied on a weekly basis or more often if containers approach overflowing. Upon inspection any debris or rubbish will be picked up and the site cleaned. The trash area/room is NOT to be cleaned by hosing down. The type of materials used to clean the area and storage of said materials will be determined by the Contractor. Signage will be posted that lids shall be kept closed at all times. This Mitigation Measure shall be implemented at Projects 1 – 6 at all times during facility operations.	A. Include waste collection and disposal methods in construction contract specifications B. Maintain log demonstrating compliance	During operation	Applicant	LACSD LACDRP
<b>5.10 LAND USE AND PLANNING</b>				
No mitigation measures are required for Land Use and Planning	N/A	N/A	N/A	N/A
<b>5.11 NOISE</b>				
<b>N-1</b> Construction operations would not occur between 7:00 p.m. and 7:00 a.m. on weekdays or Saturday, or at any time on Sunday with the exception of limited low-noise generating potential night work with Los Angeles County Department of Regional Planning and Public Works approval.	Maintain log of construction equipment arrivals and exit times demonstrating compliance	During construction	Applicant/Construction Manager	LACDRP
<b>N-2</b> Construction site and access road maximum speed limit of 15 miles per hour shall be established and enforced during the construction period.	Site inspection as needed	During construction	Applicant/Construction Manager	LACDRP

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<p><b>N-3</b> Electrically-powered equipment shall be used instead of pneumatic or internal combustion powered equipment, except for devices like trucks, loaders, dozers, and other heavy equipment.</p>	<p>Maintain log demonstrating compliance</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP</p>
<p><b>N-4</b> Material stockpiles and mobile equipment staging, parking, and maintenance areas shall be located as far as practicable, and no closer than 1,000 feet, from noise-sensitive receptors.</p>	<p>A. Maintain log demonstrating compliance B. Inclusion of requirement for a Noise Control Plan</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP LACDRP – Health Officer for referral</p>
<p><b>N-5</b> The use of noise-producing signals, including horns, whistles, alarms, and bells are prohibited except where required by OSHA or for safety or emergency warning purposes required by other regulatory agencies.</p>	<p>Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP</p>
<p><b>N-6</b> Project-related public address or music systems used on-site shall not be audible at any adjacent receptor.</p>	<p>Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP LACDRP – Health Officer for referral</p>
<p><b>N-7</b> All noise-producing construction equipment and vehicles using internal combustion engines shall be equipped with mufflers, air-inlet silencers where appropriate, and any other shrouds, shields, or other noise-reducing features in good operating condition that meet or exceed original factory specifications which are in compliance with any applicable legally required equipment noise standards. Mobile or fixed "package" equipment (e.g., arc-welders, air compressors) shall be equipped with shrouds and/or other noise control features that are readily available for that type of equipment. Mobile sound barriers with a sound transmission class of 19 or greater will be used for pile driving on Projects where received sound levels at the nearest NSR are predicted to be above the County construction noise limit of 60 dBA during the day.</p>	<p>A. Maintain log demonstrating compliance B. Site inspection as needed</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP LACDRP – Health Officer for referral</p>
<p>With respect to mitigation during operation, potential impacts associated with on-site substations are considered. Depending on the Project's acoustic design goals, final substation design may incorporate appropriate mitigation measures, including:</p>	<p>A. Submit acoustical report demonstrating substation design compliance with applicable noise standards</p>	<p>Prior to issuance of relevant building permit(s)</p>	<p>Applicant</p>	<p>LACDRP LACDRP Health Officer</p>
<p><b>N-8</b> Siting substations to achieve NEMA sound ratings at sensitive receptors as described in Section 4.11.5.2 not to be closer to the property line of sensitive receptors than the following distances for each individual project:</p> <ul style="list-style-type: none"> <li>• Project 1 – 325 feet with a NEMA sound rating of 74 dBA</li> <li>• Project 2 – 1,511 feet with a NEMA sound rating of 81 dBA</li> <li>• Project 3 – 650 feet with a NEMA sound rating of 74 dBA</li> </ul>	<p>B. Construct structures in compliance with noise limit requirements of applicable County codes. C. Submit post-construction noise measurements verifying compliance upon request</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP LACDRP</p>
		<p>Prior to issuance of certificate of occupancy</p>	<p>Applicant</p>	<p>LACDRP LACDRP Health Officer – for support/referral</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
<ul style="list-style-type: none"> <li>Project 4 (two transformers) – 1,000 feet with a NEMA sound rating of 77 dBA</li> <li>Project 5 – 748 feet with a NEMA sound rating of 82 dBA</li> </ul>				
<p>With respect to mitigation during operation, potential impacts associated with on-site substations are considered. Depending on the Project's acoustic design goals, final substation design may incorporate appropriate mitigation measures, including:</p>	<p>A. Submit acoustical report demonstrating substation design compliance with applicable noise standards</p>	<p>Prior to issuance of relevant building permit(s)</p>	<p>Applicant</p>	<p>LACDRP LACDPH Health Officer</p>
<p><b>N-9</b> The Applicant shall choose to use NEMA low noise rated transformer equipment which will achieve 10 dBA or greater noise reduction as compared to standard NEMA-rated transformers of a similar size and rated capacity to ensure that Project noise impacts would be less than significant.</p>	<p>B. Construct structures in compliance with noise limit requirements of applicable County codes.</p>	<p>During construction</p>	<p>Applicant/Construction Manager</p>	<p>LACDRP LACDPH</p>
	<p>C. Submit post-construction noise measurements verifying compliance upon request</p>	<p>Prior to issuance of certificate of occupancy request</p>	<p>Applicant</p>	<p>LACDRP LACDPH Health Officer – for support/referral</p>
<p><b>5.12 PUBLIC SERVICES</b></p>				
<p>No mitigation measures are required for Public Services</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>
<p><b>5.13 TRANSPORTATION/TRAFFIC</b></p>				
<p><b>TT-1</b> Prior to issuance of first grading or building permit, Applicant shall document and submit all required information and/or material pertaining to the pavement conditions of construction routes for the Projects, including the formula for calculation of the Projects' fair share of any repair or reconstruction of construction routes to the satisfaction of LACDPW. Applicant shall reimburse the County of Los Angeles for the cost of any repairs and/or reconstruction of construction routes attributable to the Projects as agreed to by LACDPW. The timing of any necessary repairs and/or reconstruction of construction routes and the required payment by the Applicant shall be determined by LACDPW.</p>	<p>Submit Projects' road survey</p>	<p>Prior to issuance of first grading or building permit</p>	<p>Applicant</p>	<p>LACDPW</p>
<p><b>TT-2</b> The County, including LACFD Fire Stations 78 ( for R2011-00801) and 130 (for R2011-00798, 00799, 00805,00807, &amp; 00833) shall be notified at least three days in advance of any street closures that may affect fire and/or paramedic responses in the area. The Applicant shall provide alternate route (detour) plans to the County, including three sets to LACFD, with a tentative schedule of planned closures, prior to the beginning of construction.</p>	<p>Provide street closure notifications</p>	<p>Three days prior to any street closures impacting fire and/or paramedics</p>	<p>Applicant/Construction Manager</p>	<p>LACFD</p>

Project Design Feature/Mitigation Measure	Action Required	Mitigation Timing	Responsible Party	Monitoring Agency or Party
TT-3 Stagger construction work shifts before or after peak traffic hours.	A. Maintain log demonstrating compliance	During construction	Applicant	LACDRP LACDPH Health Officer – for support referral Caltrans
TT-4 Schedule truck deliveries during off peak hours.	B. Site inspection as needed	During construction	Applicant	LACDRP LACDPH Health Officer – for support referral Caltrans
TT-5 Limit water truck deliveries during the AM peak hour to 30 percent of the daily water truck trips.	Maintain log of truck arrivals and exit times demonstrating compliance	During construction	Applicant/Construction Manager	LACDRP
TT-6 Encourage carpooling between construction works.	Maintain log of truck arrivals and exit times demonstrating compliance	During construction	Applicant/Construction Manager	LACDRP
<b>5.14 UTILITIES</b>				
No mitigation measures are required for Utilities.	N/A	N/A	N/A	N/A
<p><b>List of Acronyms:</b>                      B &amp; S – building and safety                      BMP – Best Management Practice                      CEQA – California Environmental Quality Act                      CASQA – California Association of Stormwater Quality Agencies                      CBC – California Building Code                      CDFW – California Department of Fish and Wildlife                      CUP – Conditional Use Permit                      CVC – California Vehicle Code                      dBA – decibels (acoustics)                      DPR – Department of Parks and Recreation                      ESA – Environmental Site Assessment                      hp – Horsepower                      LACDPW – Los Angeles County Department of Public Works                      LACED – Los Angeles County Fire Department                      mph – miles per hour                      NEMA – National Electrical Manufacturers Association                      OSHA – Occupational Safety and Health Administration                      PRC – Public Resources Code                      ROW – Right of Way</p>				

Mitigation Monitoring and Reporting Program

<p>SCE – Southern California Edison                  SWPPP – Stormwater Pollution Prevention Plan                  UFC – Uniform Fire Code                  UST – Underground Storage Tank                  WATCH – Work Area Traffic Control Handbook                  LACDPH – Los Angeles County Department of Public Health                  LACSD – Los Angeles County Sanitation District</p>				
---	--	--	--	--



Please complete and return to:  
Department of Regional Planning  
320 West Temple Street, 13th Floor  
Los Angeles, California 90012

**AFFIDAVIT OF ACCEPTANCE**

STATE OF CALIFORNIA  
COUNTY OF LOS ANGELES

}ss

**REGARDING: PROJECT NO. R2011-00799 (Project 3)  
CONDITIONAL USE PERMIT NO. 201100071  
70th Street West and West Avenue G, Lancaster, CA  
APN(S): 3268-018-035, 3268-018-002, 3268-018-036**

I/We the undersigned state:

I am/We are the permittee/owner of the real property described above. I am/We are aware of, and accept, all the stated Findings and Conditions of Approval for the above-mentioned permit(s).

I/We have enclosed a check in the amount of **\$3,600.00** payable to the County of Los Angeles as required by the Conditions of Approval for regular inspections for compliance. I/We also acknowledge that I/We and my/our successors in interest may be required to reimburse the Department of Regional Planning for any additional enforcement efforts necessary to bring the subject property into compliance.

Executed this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_

I/We declare under the penalty of perjury that the foregoing is true and correct.

*Complete both Applicant and Owner sections, even if the same.*

*Signatures must be acknowledged by a Notary Public. Affix seal or appropriate acknowledgements.*

Applicant's Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Signature: \_\_\_\_\_

Owner's Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Signature: \_\_\_\_\_

## Affidavit of Acceptance Instructions

**STEP 1:** **NOTARY PUBLIC:** In the presence of a Notary Public, sign the Affidavit of Acceptance form. Complete and sign both applicant and owner sections, even if the applicant is the same as the owner.

**STEP 2:** **COUNTY REGISTRAR-RECORDER:** Go to the Registrar-Recorder's office to record the original Affidavit of Acceptance and Conditions of Approval.

Registrar-Recorder Headquarters: 12400 East Imperial Highway, Norwalk, CA 90650. The following branch offices can also assist you: LAX Courthouse, Lancaster District Office, Van Nuys District Office. For more information call (562) 462-2125 or visit [http://www.lavote.net/Recorder/Document\\_Recording.cfm](http://www.lavote.net/Recorder/Document_Recording.cfm).

- a. Submit the original Affidavit of Acceptance form (wet signature) and Conditions of Approval to the County Registrar-Recorder for recording.
- b. Request one certified copy of the recorded documents for the Department of Regional Planning.

**STEP 3:** **REGIONAL PLANNING:** Schedule an appointment with the case planner to submit the following items in person:

- a. One certified copy of the recorded documents. The certified copy will have an official document number and a purple recordation stamp from the Registrar-Recorder.
- b. Three full-sized copies of the final plans, or as requested by the planner. Plans must be bound and folded to fit into an 8 ½" x 14" folder.
- c. One check payable to "County of Los Angeles" for zoning inspection fees (see Conditions of Approval). Write project number on checks.
- d. One check payable to the "County of Los Angeles" for State Fish and Game CEQA fees ([http://www.dfg.ca.gov/habcon/ceqa/ceqa\\_changes.html](http://www.dfg.ca.gov/habcon/ceqa/ceqa_changes.html)), as applicable below:

- Not Required (Categorically Exempt)
- \$2,256.25 for the issued Negative Declaration or Mitigated Negative Declaration  
Includes \$75.00 Registrar-Recorder processing fee
- \$3,104.75 for the Environmental Impact Report  
Includes \$75.00 Registrar-Recorder processing fee

Section 21089 (b) of the Public Resources Code provides that no project approval is operative, vested, or final until applicable California Department of Fish and Game CEQA fees are paid. The Registrar-Recorder will not accept a Notice of Determination (NOD) or Exemption unless applicable Fish and Game fees are paid. Regional Planning will file the NOD or Exemption, as applicable. (Fees rates effective 1/1/14 to 12/31/14)

**STEP 4:** At your final appointment, you will receive a copy of the approved site plan, and approved plans will be routed to the Department of Public Works, Building and Safety, as applicable.

For questions or for additional information, please contact the planner assigned to your case. Our office hours are Monday through Thursday, 7:30 a.m. to 5:30 p.m. We are closed on Fridays.