Los Angeles County Department of Regional Planning



GREEN ZONES ORDINANCE SUMMARY				
Purpose	The Green Zones Ordinance seeks to enhance public health and land use compatibility in the unincorporated communities that bear a disproportionate pollution burden and establish			
	Countywide standards for recycling a		ution burden and establish	
THEFO	LLOWING PROVISIONS AR			
Countywide	 <u>Definitions</u> (22.14 - 22.230): "organic waste facilities", "recycling & solid waste", "organic waste", "recycling", "recycling processing facilities", "sensitive uses", "automobile service stations", and "CNG fueling stations" <u>Recategorized Uses:</u> "auto dismantling", "scrap metal yards", and "junk & salvage" under recycling. Note: "junk & salvage yard" removed <u>Chapters:</u> storage enclosure requirements for recycling & solid waste (22.132), and sensitive uses (22.134) 			
	• Sections: pallet yards (22.140.700), supermarket accessory recycling collections centers (22.140.710), recycling collection facilities (22.140.720), recycling processing facilities (22.140.730), organic waste facilities (22.140.740), and solid waste facilities (22.140.750)			
THE FOLI	OWING PROVISIONS ARE			
	PARCELS ONI			
Communities Containing	Avocado Heights	South San Jose Hills	West Carson	
Green Zones "- GZ"	East Los Angeles	West Rancho	West Whitter-Los Nietos	
Industrial Parcels	Florence-Firestone	Dominguez-Victoria	Willowbrook	
	Parcel Identification: Any parcels a	zoned, "() - GZ".		
General Applicability (22.84.020.A)	<u>Types of uses:</u> New and legally established, existing uses listed under the Industrial Uses, Recycling & Solid Waste Uses, and Vehicle-Related Uses in Table 22.22.030-B (Principal Use Regulations for Industrial Zones) within a 500-foot radius of a lot containing an existing sensitive use; and			
	New automobile service stations, CN through facility, or drive-through serv Commercial Zones) within a 500-foo	ice listed in Table 22.20.030- t radius of a lot containing an	B (Principal Use Regulations for existing sensitive use.	
Exceptions from Green Zones Requirements (22.84.020.C)	Types of uses: Uses listed in Table 22.22.030-B (Principal Use Regulations for Industrial Zones which are in the following categories: Airport-Related sub-category, including airports, heliports helistops, and landing strips. Vehicle sales and rentals sub-category; Supply stores under Vehicle services sub-category that are within fully enclosed buildings.			
	Uses with a valid discretionary permit: Any legally-established, existing use that has been operating with an approved discretionary land use permit, until the expiration date of such permit or until a new discretionary permit is required.			
	Any legally established existing industrial, recycling, solid waste, or vehicle-related us with a valid building permit issued prior to the establishment of a new sensitive use on or after 14, 2022, on an adjacent or adjoining lot pursuant to Chapter 22.134, if such sensitive use is the constitute use that is within a 500-foot radius of the lot containing the existing industrial, recycling solid waste, or vehicle-related uses.			
	Note: When in conflict with other pro- Required improvements shall not be and Structures).			

Prohibited Uses

(22.84.030)

Note: Legally-established, existing uses that are prohibited pursuant to Chapter 22.84 are subject to the Schedule for Compliance (22.84.050). Extensions are not possible pursuant to the Nonconforming Chapter (22.172).

- Acid manufacture.
- Anaerobic digestion facility (except as an accessory to a legally- established use that processes waste generated on-site only)
- Auto dismantling (outdoor operation)
- Cement, lime, gypsum, or plaster of Paris manufacture
- Chipping and grinding
- Combustion or noncombustion biomass conversion facility, except for a non-combustion biomass conversion facility that processes waste generated on-site only
- Composting facility, except for green waste composting only
- Compressed natural gas manufacture
- Construction and demolition facility, recycling
- Conversion technology facility, recycling or solid waste

- Distillation of bones
- Drop hammers
- Explosives
- Forging works
- Fertilizer
 manufacture,
 except accessory
 composting of on site generated
 waste associated
 with a legally,
 established
 commercial or
 agricultural use
- Gas manufacture, except accessory anaerobic digestion of on-site generated waste associated with a legally, established commercial or agricultural use
- Glue manufacture
- Inert Debris landfills
- Inert Debris processing facilities, recycling
- Materials recovery facilities, new

- Metal plating (prohibited in Zone () - GZ within a 1,000-foot radius of a lot containing a sensitive use)
- Polymer plastics and foam manufacture
- Scrap metal yards (outdoor operation)
- Smelting of tin, copper, zinc or iron ores
- Solid waste landfills
- Tannery or the curing or storage of raw hides
- Transfer stations.

Existing, legally-established uses shall comply with all applicable requirements in 3, 5 or 7 years Schedule of Compliance from July 14, 2022 or at the time of the renewal of their Conditional Use Permit (CUP). See Table (22.84.050)22.84.050-A A. Industrial Uses: For all parcels zoned. "() - GZ" 1. Assembly, manufacture, packaging, and storage of finished or prepared materials. Uses Subject to a including on-site manufacture of raw. natural, or synthesized flammable or toxic **Conditional Use Permit** chemicals: (a) Earthen products, including ceramics, sand, and stone, but excluding brick. terra cotta, and tile manufacture. (b) Precious and semi-precious metal products, including (CUP) iewelry and lapidary. (22.84.040.A) 2. Assembly, manufacture, packaging, and storage of finished or prepared materials, For all parcels zoned, "() - GZ" provided that no manufacturing of raw natural or synthesized materials, including flammable or toxic chemicals, are conducted on-site. Metal products and parts; including the fabricating, engraving, spinning, storing, plating, and finishing of, where the use prohibits snap riveting and any process used in bending or shaping, which produces any audible nuisance or disagreeable noise, is prohibited. Use of perchloric acid is prohibited. Use excludes foundries and forging works. 3. Food processing: (a) Breweries. (b) Dairy products depot. (c) Slaughtering. (d) Starch mixing and bottling. 4. Laundries and cleaning services, such as rug and carpet cleaning plants. 5. Manufacturing: (a) Blacksmith shops. (b) Boat building. (c) Concrete batching plants with mixers up to one cubic yard capacity. (d) Engraving, machine metal engraving. (e) Fabricating. (f) Ice manufacturing, distribution and storage. (g) Lubricating oil canning and packaging, limited to 100 barrels stored aboveground. (h) Lumberyard. (i) Machine shops. (j) Paint mixing, excluding lacquers and synthetic enamels. (k) Presses, hydraulic presses for the molding of plastics. (I) Refrigeration plants. (m) Sand, for sandblasting. (n) Sheet metal shops. (o) Stone, marble and granite. 6. Recycling and Solid Waste uses, including auto dismantling/recycling (indoor operation), scrap metal (indoor operation). 7. Storage: (a) Acetylene and oxygen storage in tanks. (b) Boat storage. (c) Building materials. (d) Bus storage. (e) Car barns for buses and streetcars. (f) Cold storage plants. (g) Contractor's equipment yards, including farm and building trade equipment. (h) Distributing plants. (i) Draying yards or terminals. (j) Fuel yards. (k) Machinery storage yards. (l) Moving van storage or operating yards. (m) Plaster storage. (n) Produce yards and terminals. (o) Storage and rental of plows, tractors, buses, contractor's equipment, and cement mixers. (p) Truck and RV storage, including container storage. (q) Warehouses with a gross floor area of 100,000 square feet or greater. (r) Waste hauler vehicle or waste hauler container storage. (s) Wood yards. 8. Tire retreading or recapping. 9. Valves, storage and repair of; including oil well valves. 10. Welding. 11. Warehouses over 100,000 sq ft. **B. Vehicle-Related Uses:** 1. Automobile washing, automatic, coin-operated, or hand car wash. 2. Vehicle services, automobile body and fender repair, painting or upholstering shops. 3. Vehicle services, automobile impound and tow yards. 4. Vehicle services, any automobile repair garages that have accessory uses. 5. Vehicle services, new automobile service stations, including compressed natural gas filling 6. Vehicle services, automobile supply stores, outdoor. 7. Drive-through establishment, drive-through facility, or drive-through service. C. New development, change of use, or major improvements proposed on a site that is partially or entirely located within a half-mile radius of the boundaries of Superfund **Sites.** For these uses, a Phase 1 Study is also required. PERFORMANCE STANDARDS FOR ALL USES (22.84.040.E) Except for new gas stations. No outdoor operation or activities between 6:00 p.m. and 8:00 a.m., daily, with the exception of **Hours of Outdoor** truck loading and unloading directly into an enclosed building only. Operation

Storage of Materials and

Waste

Site Maintenance

All materials or waste shall be stored in designated receptacles, bins, or pallets, and located on a

Exterior areas of the premises shall be maintained free of garbage, trash, debris, or junk and

salvage except as stored in designated trash collection containers and enclosures.

paved impermeable surface on site, or within an enclosed building.

DEVELOPMENT STANDARDS FOR ALL USES (22.84.040.E)		
Solid Wall Requirements	 The following uses shall provide solid walls along the street frontage and any other lot lines adjoining a lot containing sensitive uses: (a) Boat storage. (b) Bus storage. (c) Organic waste facilities. (d) Pallet yards. (e) Recycling collection facilities. (f) Recycling processing facilities. (g) Truck and RV storage (including container storage). (h) Uses that have accessory uses or secondary, related activities other than parking occurring outdoors. Required solid walls shall meet the following standards: (a) Be of a uniform height between eight and 12 feet; (b) Be of a minimum thickness of six inches; (c) Be a neutral color; and (d) Be constructed in workmanlike manner and consist of materials such as concrete masonry unit (CMU) or masonry, brick, or the like, etc. Note: Also see landscaping and setback requirements for solid walls along street frontages below. 	
	3. Any type of fencing or wire is prohibited, excluding metal gates for the purpose of vehicular access.	
Landscaping Requirements on Street Frontages	Required solid walls along street frontages shall be setback by landscaping of a minimum of five feet in depth, as described below, unless the landscaping encroaches into the required existing parking spaces and associated maneuvering areas, or existing building or structures. The landscaping shall be maintained in a healthy condition with appropriate watering, pruning, weeding, fertilizing, and litter removal. Landscaping shall be verified on a landscaping plan submitted to the Department, consisting of the following:	
	 One 15-gallon tree for every 100 square feet of landscaped area, spaced ten feet apart. The remaining area shall also be landscaped with grass, shrubs, or bushes, etc. Required landscaping shall be drought-tolerant and include only non-invasive plant species. Trees planted in locations that maintain the required lines of sight for safe pedestrian and vehicular movement and will not cause root damage to the sidewalk or other public infrastructure, to the satisfaction of Public Works. Trees planted near buildings or fire lanes are placed in locations that do not adversely impact Fire Department operations or response times, to the satisfaction of the Fire Department. Trees selected from the Tree Species List maintained by the Director. 	
	 5. Landscaping equipment used for maintenance, such as lawn mowers and leaf blowers shall be electric and non-combustion powered. 6. Notwithstanding Chapter 12.84 (Low Impact Development Standards) of the County Code, parcels subject to this Chapter 22.84 (Green Zones) and less than 1 acre in size shall not be exempt from Low Impact Development requirements. 	
Storage of Materials, Vehicles, or Equipment	1. Any materials, vehicles, or equipment stored outdoors shall not be visible beyond the surrounding wall from a line of sight from the public right-of-way or nearby sensitive use, shall be fully contained within the property boundaries, and shall not spillover onto public rights-of-way. 2. Materials shall be set back at least 10 feet from the wall or the length equal to the wall height, whichever is greater. 3. The area between the stored materials and the wall may be landscaped.	
Surfacing	 Areas designated for parking, vehicle circulation, or storage of materials or equipment shall be paved with impervious materials such as an asphalt or an oil and aggregate mixture, use light color pavement, and be maintained to the satisfaction of the Director. Paved areas shall be clustered to maximize pervious area. Alternative paving materials may be permitted to the satisfaction of the Director and Public Works. 	
	3. All areas of broken concrete or asphalt, including divots, cracks, potholes, and spalling of concrete or asphalt in the raw material receiving area of a recycling processing facility, or any portion of the facility where waste materials are unloaded and touch the ground outside of an enclosure shall be patched, repaired, or repaved as necessary to prevent standing water or puddles with a surface area greater than one square foot from accumulating.	
Recycling & Solid Waste Storage	Any trash receptacles or storage areas for recycling and solid waste shall meet the requirements in Chapter 22.132 (Storage Enclosure Requirements for Recycling and Solid Waste).	

	Loading areas shall include signage stating that vehicle idling is limited to five minutes. Graphics
"No Idling" Sign Required	related to the vehicle idle limitation are permitted on the sign. The sign shall be a minimum size of
	12 inches wide by 18 inches in height and be prominently displayed and visible from the loading spaces/area. Sample language: "5-minute idle limit," "spare the air," and "please turn off engine
	when stopped." (See 22.84.040.C.1.h)
	Any area used for storage or handling of hazardous materials, including above-ground storage
Enclosures	tanks, shall be within an enclosure and fully screened from the public right-of-way.
	A completely enclosed building shall be provided for the following unless another regulatory
	agency requires natural ventilation as part of the regulatory code:
	(a) Any area where manufacturing or repair work occurs, such as assembly or disassembly
	of parts, repairs, processing of materials, or operation of equipment that emits or
	generates dust, smoke, gas, fumes, cinder or waste; or
	(b) Recycling processing facilities, including auto dismantling activity, and scrap metal
	crushing and shredding.
	Additionally:
	(a) Auto dismantling activity, and scrap metal crushing and shredding, shall be placed
	furthest away from nearby sensitive uses as possible and be fully enclosed within a
	building.
	(b) The garage door or opening of the enclosed building for auto dismantling activity, and
	scrap metal crushing and shredding, shall face the opposite direction of the nearest
	sensitive use and may be kept open during operation for ventilation.
	Ancillary operations, storage, and parking, aside from auto dismantling activity, and scrap metal
	crushing and shredding, may be conducted outdoors, provided that it is fully contained within the
	property boundaries and no storage or operation occurs on adjacent public rights-of-way or
	neighboring properties.
	1. For new uses, locate driveway entrances and exits as far away from sensitive uses as feasible,
Vehicular access and on-	and on-site vehicular circulation and truck loading and unloading areas, including truck loading
site circulation for cars &	docks, shall be located in the rear or on the side of structures, or as far away from the nearest
trucks	sensitive use as feasible.
3. 3. 3. 3. 3.	2. Locate on-site queuing and check-in points for trucks furthest away from property lines that are
	closest to any nearby sensitive use, when feasible. Where infeasible for uses subject to a
	Conditional Use Permit, an additional finding must be made to justify why this is not possible. In addition to signs permitted by Chapter 22.114 (Signs), and notwithstanding any contrary
Perimeter Identification Sign Requirements	provisions in Division 10 (Community Standards Districts) in Title 22, each facility or site shall provide a perimeter identification sign that complies with the following:
e.gtequirements	
	 Location. Permanently affixed on a building/wall that is visible and with text that is legible to pedestrians from the public right-of-way, and no higher than eight feet from the ground measured vertically from the sign's base.
	vertically from the sign's base.
	2. Size. Has a minimum sign area of four square feet and a maximum of nine square feet. The area for a perimeter identification sign shall not be accounted for in the total area permitted for business signs specified in Chapter 22.114 (Signs).
	 Display. Permanently displays hours of operation, telephone number of the facility representative, and emergency contact information for reporting any problems which may
	occur related to the operation of the facility 24 hours a day, seven days a week. The sign shall
	also include the business name unless the property contains a separate business sign that is
	clearly visible from the public right-of-way. The sign shall include instructions for reporting
	violations to Regional Planning and to AQMD where a use is also regulated by AQMD.
	Information for reporting violations shall include the following text, or appropriate text as
	updated:
	(a) "To report a violation to the Los Angeles County Department of Regional Planning, call
	213-974- 6453 Monday – Thursday, 7am – 6pm, dial 2-1-1 at any time or email
	zoningenforcement@planning.lacounty.gov;" and
	(b) "To report a violation to South Coast Air Quality Management District (SCAQMD), call 1-800- CUTSMOG visit www.aqmd.gov."
	3. Note: Multi-tenant buildings or sites may provide one such sign containing the information listed
	in requirement 3 above, provided that each tenant has its own business identification sign that is
	clearly visible from the public right-of-way.
Requirements for	Any outdoor operation with an office shall permanently affix the building to the ground and provide
Accessory Structures	one toilet that is served by public water and sewer, or otherwise approved by the Director as well
	as by the Departments of Public Health and Public Works.
and Utilities	as by the Bepartmente of Fabric Fredit and Fabric Works.

Hazardous Sites	Any proposed project on a parcel known to be a hazardous property or listed on the Cortese List maintained by the California Environmental Protection Agency	
Hazardous Chos	(https://calepa.ca.gov/sitecleanup/corteselist) shall provide the appropriate federal, state, or local agency clearance letter for the site. In addition, any parcel known to have a previous use that potentially generated hazardous materials shall demonstrate that the site is clear of contamination with a Phase 1 study.	
	with a Phase 1 study.	

FOR NEW DEVELOP	MENT OR PROPOSED EXPANSIONS TO EXISTING, LEGALLY-ESTABLISHED USES ADJACENT TO SENSITIVE USES (22.84.040.C.2)
	Required in addition to Development Standards for all uses above.
Building Setback	a. A minimum 10-foot setback shall be provided along the property lines adjacent to or adjoining
	sensitive uses. Any proposed additions above the ground floor of existing, uses adjacent to or
	adjoining sensitive uses shall also be set back 10 feet from the nearest property line.
Building Height	b. New building or structures, or any proposed for additions, excluding chimneys, rooftop antennas,
	roof-mounted solar panels, or other rooftop equipment including HVAC units, air purifiers, etc.,
	shall be setback one additional foot for every foot above 35 feet in height, up to a maximum
	height of 45 feet.
Require	DARDS AND REQUIREMENTS FOR SPECIFIC USES (22.84.040) d in addition to all Development Standards above, unless otherwise specified.
Automobile & Vehicle	No open vehicle hood is permitted outside of the building.
Repair Shops	
New Automobile	All new automobile service stations, including compressed natural gas filling stations, shall
Service Stations,	comply with the building setback and height requirements above (Section C.2) only, in
Including Compressed	addition to the following:
Natural Gas (CNG)	Locate the gasoline or fuel dispensing areas at least 50 feet from the nearest sensitive uses.
Fueling Stations	
	The following standards apply to new warehouses. For existing warehouses, the following
Warehouse	standards apply, except requirement 6, and shall be met by July 14, 2027:
Requirements	Utilize electric or alternatively fueled sweepers with HEPA filters.
-	2. Utilize Energy Star heating, cooling, and lighting devices, and appliances. 3. All off-road equipment (non-street legal), such as forklifts and other machinery, used onsite
	for warehouse operations shall be powered by alternative fuels, electrical batteries, or other
	alternative/non-diesel fuels (e.g., propane) that do not emit diesel particulate matter, and that
	are zero or low-emission.
	4. All landscaping equipment, such as lawn mowers and leaf blowers used onsite shall be electrically powered.
	5. Warehouses with a minimum gross floor area of 100,000 square feet shall comply with
	AQMD Rule 2305 or current standards for zero-emissions for near zero-emissions.
	6. New warehouses shall have a minimum 100-foot buffer consisting of office space,
	employee parking, and/or landscaping between primary operation and lot lines that are closest to nearby sensitive uses.
	1.A modification may be requested through a Minor Conditional Use Permit (Chapter
Modifications to	22.160) application if the use is subject to a Minor CUP or Site Plan Review (Chapter
Developments	22.186), or through a Conditional Use Permit (Chapter 22.158) application if the use
Standards (22.84.040.D)	requires a CUP, for the development standards listed below:
	a. Solid wall (Requirement 2, listed above)
	b. Landscaping (Requirement 1, listed above) c. Accessory Structures and Utilities
	d. Perimeter Identification Signs (Requirement 2, listed above)
	e. Warehouses. (Requirements 3 through 6, above)
	2. When a modification is requested for any of the five development standards (a-e)
	listed above, the following findings shall apply in addition to the findings required in Section 22.84.040.B (Additional Findings):
	a. Due to topographic or physical features of the site, strict compliance with all the
	required development standards would substantially and unreasonably interfere with
	the establishment of the proposed project or continuation of the existing operation on
	the subject property; and The requested modification provides alternative means to provent adverse effects on anyiranment
	The requested modification provides alternative means to prevent adverse effects on environment and public health of the community.
	and public ricatiff of the confinitinity.