
## WEST CARSON

#### TRANSIT ORIENTED DISTRICT SPECIFIC PLAN Revised May 2024



# County of Los Angeles WESTCARSONTOD SPECIFIC PLAN

Revised May 2024



#### ACKNOWLEDGMENTS

#### BOARD OF SUPERVISORS

Hilda <u>L.</u> Solis, First District <u>Mark Ridley-ThomasHolly J. Mitchell</u>, Second District <u>Sheila KuehlLindsey P. Horvath</u>, Third District Janice Hahn, Fourth District<del>, Chair</del> Kathryn Barger, Fifth District

#### SECOND SUPERVISORIAL DISTRICT Karly Katona, Associate Chief Deputy

David Riccitiello, Senior Deputy for Economic Development Ronald Fisher Jr., Assistant Deputy Charles Turner, Assistant Deputy for Economic Development

#### **REGIONAL PLANNING COMMISSION**

Doug SmithYolanda Duarte-White, First District DavidW.Louie,SecondDistrict Laura ShellPam O'Connor, Third District Elvin W. Moon, Fourth District<del>, Chair</del> Pat ModugnoMichael R. Hastings, Fifth District<del>, Vice Chair</del>

#### DEPARTMENT OF REGIONAL PLANNING (DRP)

Amy J. Bodek, AICP, Director of Regional Planning Dennis Slavin, Chief Deputy Director <u>Connie Chung, AICP, Deputy Director</u> <u>Edward Rojas, AICP, Assistant Director</u> <u>Thomas Dearborn, AICP</u> <u>Patricia L. Hachiya, AICP</u> <u>Daniel Hoffman, GISP</u> <u>Arturo Jacobo</u> <u>Miriam Thompson</u> <u>Christina Tran</u>

#### DRP Past Staff

Mark Child, AICP, Deputy Director Soyeon Choi

#### Connie Chung, AICP

Leon D. Freeman, AICP Nick Franchino, AICP, GISP Anita D. Gutierrez, MPL, AICP DanielHoffman, GISP Maya Saraf

#### OFFICE OF THE COUNTY COUNSEL

Elaine M. Lemke, Assistant County Counsel Jill M. Jones, Senior Deputy County Counsel Starr Coleman, Senior Deputy County Counsel

#### WEST CARSON TOD SPECIFIC PLAN TASK FORCE

Los Angeles County Arts Commission Community Development Commission of the County of Los Angeles Los Angeles County Department of Health Services Los Angeles County Department of Mental Health Los Angeles County Department of Parks and Recreation Los Angeles County Department of Public Health Los Angeles County Department of Public Works Los Angeles County Sheriff's Department Assembly Member David Hadley's Office City of Carson City of Los Angeles Harbor City/Harbor Gateway Chamber of Commerce Harbor City Neighborhood Council LA BioMed Metro South Bay Cities Council of Governments **Torrance Transit** 

#### TABLE OF CONTENTS

Acknowledgement	
ACKNOWLEDGEMENT	8
Chapter 1: Introduction	<u>9</u> 8
INTRODUCTION	9
<u>1.1</u> OVERVIEW	<u>11<del>9</del></u>
1.2 COUNTY FOCUS ONTRANSIT ORIENTED DEVELOPMENT	<u>11</u> 9
1.3 PURPOSE & INTENT	<u>12</u> 11
1.4 VISION	13
	1 <u>4</u> 2
1.6 PROJECTSPECIFIC PLAN SETTING AND BACKGROUND 1.7 RELATIONSHIP TO OTHER RELEVANT PLANS AND PROGRAMS	1 <u>6</u> 4
1.8 COMMUNITY ENGAGEMENT	<u>20</u> 18 2 <u>3</u> 0
1.9 ORGANIZATION OF THE SPECIFIC PLAN	2 <u>5</u> 0 2 <u>6</u> 3
1.10 HOW TO USE THE SPECIFIC PLAN/SPECIFIC PLAN AUTHORITY	2 <u>6</u> 4
Chapter 2: Vision, Goals, and Policies	<u></u>
VISION, GOALS AND POLICIES	<u></u>
VISION STATEMENT	<u></u>
OVERALL GOALS & POLICIES	27

#### Chapter 23: Land Use and Design Guidelines Implementing Zones 2733

<del>3</del>4

LAND USE & URBAN DESIGN FRAMEWORK/REGULATING CODEIMPLEMENTING ZONES

2.1 PURPOSE AND SCOPESPECIFIC PLAN ZONES	<u>29</u> 34
2.2 LAND USE APPLICABILITY URBAN DESIGN GUIDELINES	<u>45</u> 35
SPECIAL REQUIREMENTS	
REGULATING CODE	40
GENERAL DEVELOPMENT STANDARDS	<del></del>
URBAN DESIGN STANDARDS	<u> </u>

Chapter <u>3</u> 4: Mobility and Public Realm	<u>65</u> 133
INTRODUCTION MOBILITY AND PUBLIC REALM	<del>13</del> 4
3.1 INTRODUCTION	67
3.2 GOALS AND POLICIES	<u>67</u> 134
3.3 STREET NETWORK	<u>69</u> 136
TORRANCE BOULEVARD	<del>136</del>
VERMONT AVENUE	<u> </u>
NORMANDIE AVENUE	<del></del>
CARSON STREET	140
223 <sup>RD</sup> STREET	141
3.4 TRANSIT CIRCULATION	<u>75</u> 142
LOCAL BUS SERVICES	<u> </u>
BUS AND BIKE INTERFACE	144
TRANSIT ACCESS, COMFORT AND SAFETY	<u> </u>
3.5 FIRST-LAST MILE STRATEGIES	80 <del>147</del>
PATHWAYS	147
STREETSCAPE IMPROVEMENTS	<u> </u>
3.6 PUBLIC REALM DESIGN AND PARK STRATEGIES	<u>90</u> 157
PEDESTRIAN ENVIRONMENT	158
NEW PARK OPPORTUNITIES	<u> </u>
BICYCLE CIRCULATION	184
3.7 SAFETY AND COMFORT	<u>121<del>191</del></u>
SAFE ROUTES TO SCHOOL	<u>191</u>

PARKING STANDARDS

194

#### Chapter <u>45</u>: Infrastructure

INTRODUCTION INFRASTRUCTURE	<del>199</del>
4.1 INTRODUCTION	129
4.2 WATER SERVICES	1 <u>29</u> 99
WATER SERVICES EXISTING CONDITIONS	<del>199</del>
WATER SERVICES FUTURE CONDITIONS	201
4.3 SEWER SERVICES	<u>135<del>205</del></u>
SEWER SERVICES EXISTING CONDITIONS	206
SEWER SERVICES FUTURE CONDITIONS	207
4.4 STORM-WATER SERVICE	<u>140<del>210</del></u>
STORM DRAINAGE EXISTING CONDITIONS	210
STORM DRAINAGE FUTURE CONDITIONS	210
GREEN INFRASTRUCTURE RECOMMENDATIONS	211
4.5 SOLID WASTE MANAGEMENT	<u>144</u> 214
4.6 ELECTRICAL SERVICES	<u>144</u> 214
4.7 NATURAL GAS SERVICES	<u>145</u> 215
4.8 TELECOMMUNICATIONS AND CABLE SERVICES	<u>145</u> 215
Chapter 6: Economic Development Strategy	<del>216</del>
ECONOMIC DEVELOPMENT STRATEGY	217
INTRODUCTION	217
OPPORTUNITIES FOR ECONOMIC DEVELOPMENT	217
Chapter 7: Implementation and Administration	226
IMPLEMENTATION AND ADMINISTRATION	227
GENERAL ADMINISTRATION	227
PROJECT REVIEW PROCEDURES	231
IMPLEMENTATION AND FINANCING STRATEGY	235
LOCAL TAX INCREMENT AND ASSESSMENT DISTRICTS	236
OTHER LOCAL SOURCES OF FUNDS	237
REGIONAL AND STATE SOURCES OF FUNDS	238
FEDERAL SOURCES	241

#### LIST OF FIGURES

FIGURE 1.1 REGIONAL LOCATION	
FIGURE 1.21 PROJECTSPECIFIC PLANAREA	15 <del>13</del>
	<u>17</u> <del>15</del>
FIGURE 32.1 LAND USE FRAMEWORK PLANSPECIFIC PLAN ZONES	<u>30</u> 36
FIGURE <u>32</u> .2 PROPOSED ZONING: WEST CARSON RESIDENTIAL 1 AREAS	<u>32</u> 41
FIGURE 23.3 PROPOSED ZONING: WEST CARSON RESIDENTIAL 3 AREAS	<u>33</u> 45
FIGURE <u>2</u> 3.4 <del>PROPOSED ZONING:</del> WEST CARSON RESIDENTIAL 4 AREAS	<u>34</u> 51
FIGURE 3.5 STREETS WITH FRONTAGE REQUIREMENTS	<del>52</del>
FIGURE 23.56 PROPOSED ZONING:WEST CARSON RESIDENTIAL PLANNED DEVELOPMENT AREAS	35 <del>59</del>
FIGURE 23.67 PROPOSED ZONING: NEIGHBORHOOD COMMERCIAL AREAS	37 <del>61</del>
FIGURE 23.78 PROPOSED ZONING: UNLIMITED COMMERCIAL AREAS	3866
FIGURE 23.898PROPOSED ZONING: INDUSTRIAL FLEX AREAS	<u>39</u> 71
FIGURE 3.10 ENCROACHMENT PLANE FOR INDUSTRIAL USES ABUTTING RESIDENTIAL USES	<u></u>
FIGURE 23.9401 PROPOSED ZONING: HARBOR- UCLA MEDICAL ZONE AREAS	
	<u>4082</u>
FIGURE 23.102 PROPOSED ZONING: MIXED_USE 1 ZONE AREAS	<u>42</u> 84
FIGURE 23.113 PROPOSED ZONING: MIXED_USE 2 ZONE AREAS	<u>43</u> 94
FIGURE <u>2</u> 3.1 <u>2</u> 4 <del>PROPOSED ZONING:</del> PUBLIC <del>ZONE</del> AREAS	<u>44</u> 102
FIGURE <u>2</u> 3.1 <u>3</u> 6 SHOPFRONT FRONTAGE TYPE	<u>49</u> 114
FIGURE 23.146 FORECOURT FRONTAGE TYPE	<u>51</u> 116
FIGURE 23.157 GALLERY FRONTAGE TYPE	53 <del>118</del>
FIGURE 23.168 ARCADE FRONTAGE TYPE	<u>55</u> 120
FIGURE 32179 TERRACE FRONTAGE TYPE	<u>57</u> 122
FIGURE 23.1820 STOOP FRONTAGE TYPE	<u>58</u> 124
FIGURE 34.1 STREET NETWORK	72 <del>139</del>
FIGURE 34.2 EXISTING TRANSIT NETWORK	<u>76</u> 143
FIGURE 34.3 FLOATING BUS STOP AND BIKE CHANNEL DESIGN	<u>77</u> 144
FIGURE <u>34.4 PROPOSED TRANSIT STOP RELOCATION</u>	<u>78</u> 145
FIGURE <u>3</u> 4.5 FIRST AND LAST MILE PATHWAY NETWORK MAP	<u>81</u> 148
FIGURE <u>3</u> 4.6 PROPOSE <u>S.</u> DVERMONT AVENUE STREETSCAPE IMPROVEMENTS	<u>83</u> 150
FIGURE <u>3</u> 4.7 PROPOSED <u>W.</u> CARSON STREET STREETSCAPE IMPROVEMENTS	<u>84</u> 151
FIGURE <u>34</u> .8 GREEN-BACKED SHARROWS	<u>85</u> 152
FIGURE <u>34.9</u> PROPOSED W. 223RD STREET 82'-ROW STREET SCAPE IMPROVEMENTS	<u>85152</u>
FIGURE <u>34</u> .10 PROPOSED W. 223RD STREET 100'-ROW STREETSCAPE IMPROVEMENTS	86 <del>153</del>
FIGURE 34.11 PROPOSED 220TH STREET STREETSCAPE IMPROVEMENTS (HARBOR-UCLA MEDICAL CENTER)	87 <del>154</del>
FIGURE 34.12 PROPOSED 220TH STREET STREETSCAPE IMPROVEMENTS	87 <del>154</del>
FIGURE 34.13 PROPOSED 220TH STREET PEDESTRIAN BRIDGE IMPROVEMENTS	88155
FIGURE 34.14 PROPOSED NORMANDIE AVENUE STREETSCAPE IMPROVEMENTS	89 <del>156</del>
FIGURE <u>34.15 PEDESTRIAN NETWORK MAP</u>	92 <del>159</del>
FIGURE 34.16 PEDESTRIAN CROSSING MAP	<u>95</u> 162
FIGURE 34.17 STREET TREE PLAN	<u>98</u> 165
FIGURE <u>3</u> 4.18 STREET TREES: <u>W.</u> CARSON STREET	<u>102</u> 169
FIGURE <u>3</u> 4.19 STREET TREES: <u>S.</u> VERMONT AVENUE	1 <u>03</u> 70
FIGURE <u>3</u> 4.20 STREET TREES: 220TH STREET (WEST OF <u>S.</u> VERMONT AVENUE)	1 <u>04</u> 71
FIGURE <u>3</u> 4.21 STREET TREES: 220TH STREET (EAST OF <u>S.</u> VERMONT AVENUE)	1 <u>0572</u>
FIGURE <u>3</u> 4.22 STREET TREES: <u>W.</u> 223RD STREET (WEST OF <u>S.</u> VERMONT AVENUE)	1 <u>06</u> 73
FIGURE 34.23 STREET TREES: W. 223RD STREET (EAST OF S. VERMONT AVENUE)	107 <del>74</del>
FIGURE 34.24 DESIGN RECOMMENDATIONS	1 <u>08</u> 75
FIGURE 34.25 NEW PARK OPPORTUNITIES	1 <u>10</u> 77
FIGURE 34.26 POCKET PARK CONCEPT AT THE CALTRANS PARK-N-RIDE LOT AT W. CARSON STREET AND INTERSTATE 110	11178
FIGURE 34.27 POCKET PARK CONCEPT AT THE EAST END OF 220TH STREET	112 <del>79</del>
FIGURE 34.28 POCKET PARK CONCEPT AT 208TH STREET AND JAVELIN STREET	1112 <del>8(</del>
FIGURE <u>34.29 POCKET PARK CONCEPT FOR THE HARBOR-UCLA KINDERCARE SITE (OPTION 1)</u>	1 <u>14</u> 81
FIGURE <u>34.30 POCKET PARK CONCEPT FOR THE HARBOR-UCLA KINDERCARE SITE (OPTION 2)</u>	1 <u>15</u> 82
FIGURE 34.31 POCKET PARK CONCEPT FOR THE EAST END OF 214TH STREET	1 <u>16</u> 83
FIGURE <u>3</u> 4.32 BIKE FACILITY TYPES	1 <u>17</u> 84
FIGURE <u>3</u> 4.33 BICYCLE NETWORK	1 <u>19</u> 86

FIGURE <u>3</u> 4.34 PROPOSED 208TH STREET WATERDRAIN CHANNEL BIKEWAY	1 <del>88</del> 20
FIGURE 34.35 MEYLER STREET ELEMENTARY SCHOOL SAFE ROUTES TO SCHOOL MAP	1 <u>23<del>92</del></u>
FIGURE <u>3</u> 4.36 VAN DEENE AVENUE ELEMENTARY SCHOOL SAFE ROUTES TO SCHOOL MAP	<del>193<u>124</u></del>
FIGURE <u>3</u> 4.37 PARKING	<u>1</u> 4 <u>25</u> 95
FIGURE <u>4</u> 5.1 WATER SYSTEM- PIPE MATERIAL	2 <mark>03</mark> 0
FIGURE <u>45</u> .2 WATER SYSTEM- PIPE SIZE	<u>123</u> 02
FIGURE 45.3 WATER SERVICES AREA OF CONCERN	<u>134</u> 204
FIGURE <u>45</u> .4 SANITARY UTILITIES	<u>136<del>206</del></u>
FIGURE 45.5 SEWER SERVICES AREA OF CONCERN	<del>209</del> 139
FIGURE <u>45</u> .6 STORM DRAIN SYSTEM	<u>143</u> 213

#### LIST OF TABLES

TABLE 33 SITE CONFIGURATION REGULATIONS: R-1 ZONE43TABLE 34 USE REGULATIONS: R-3 ZONE46TABLE 35 SITE CONFIGURATION REGULATIONS: R-3 ZONE47TABLE 36 USE REGULATIONS: R-4 ZONE53TABLE 37. SITE CONFIGURATION REGULATIONS: R-4 ZONE54TABLE 3.0 USE REGULATIONS: R-4 ZONE64TABLE 3.10 SITE CONFIGURATION REGULATIONS: R-4 ZONE62TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3.12 SITE CONFIGURATION REGULATIONS: NC ZONE68TABLE 3.12 SITE CONFIGURATION REGULATIONS: IC ZONE68TABLE 3.13 USE REGULATIONS: IC ZONE72TABLE 3.14 USE REGULATIONS: IC ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE72TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE74TABLE 3.16 CONFIGURATION REGULATIONS: HE ZONE79TABLE 3.16 STRE CONFIGURATION REGULATIONS: HARBOR-UCLA MEDICAL)84TABLE 3.17 SITE CONFIGURATION REGULATIONS: MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE96TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE96TABLE 3.20 FRONTAGE TYPE100TABLE 3.21 FRONTAGE TYPE100TABLE 3.22 SITE CONFIGURATION REGULATIO	TABLE 3.1 LAND USE SUMMARY	<del>39</del>
TABLE 3.4 USE REGULATIONS: R-3 ZONE46TABLE 3.5 SITE CONFIGURATION REGULATIONS: R-3 ZONE47TABLE 3.6 USE REGULATION REGULATIONS: R-4 ZONE53TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE64TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE63TABLE 3.0 USE REGULATIONS: NC ZONE63TABLE 3.10 SITE CONFIGURATION REGULATIONS: UC ZONE63TABLE 3.10 SITE CONFIGURATION REGULATIONS: UC ZONE63TABLE 3.11 USE REGULATIONS: UC ZONE68TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE72TABLE 3.13 USE REGULATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 STRE CONFIGURATION REGULATIONS (IF ZONE74TABLE 3.15 STRE CONFIGURATION REGULATIONS (IF ZONE74TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.17 SITE CONFIGURATION REGULATIONS. MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.20 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.20 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.20 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.20 FRONTAGE CATEGORIES97TABLE 3.20 FRONTAGE CATEGORIES97TABL	TABLE 3.2 USE REGULATIONS: R-1 ZONE	<del>42</del>
TABLE 3.5 SITE CONFIGURATION REGULATIONS: R-3 ZONE7TABLE 3.6 USE REGULATIONS: R-4 ZONE53TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE54TABLE 3.0 USE REGULATIONS: NC ZONE62TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3.11 USE REGULATIONS: IC ZONE63TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3.13 USE REGULATIONS: IC ZONE68TABLE 3.14 USE REGULATION REGULATIONS: UC ZONE68TABLE 3.12 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.16 VARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS: MU1 ZONE86TABLE 3.19 USE REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.20 SITE CONFIGURATION REGULATIONS: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MU1 ZONE90TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE97TABLE 3.23 SITE CONFIGURATION REGULATIONS: MU2 ZONE97TABLE 3.24 USE REGULATIONS REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)100TABL	TABLE 3.3 SITE CONFIGURATION REGULATIONS: R-1 ZONE	43
TABLE 3.6 USE REGULATIONS: R-4 ZONE53TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE64TABLE 3.9 USE REGULATIONS: NC-ZONE65TABLE 3.0 USE REGULATIONS: NC-ZONE63TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC-ZONE63TABLE 3.11 USE REGULATIONS: UC-ZONE67TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC-ZONE68TABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: UC-ZONE68TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: HIP ZONE74TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.16 STRADCK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.16 STRAD REGULATIONS: MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATION REGULATIONS: MU2 ZONE96TABLE 3.21 USE REGULATION REGULATIONS: MU2 ZONE96TABLE 3.21 USE REGULATION REGULATION SC (P ZONE)97TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)97TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)97TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)96TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)97TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)96TABLE 3.22 SITE CONFIGURATION REGULATIONS (P ZONE)	TABLE 3.4 USE REGULATIONS: R-3 ZONE	4 <del>6</del>
TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE54TABLE 3.8 GRONTAGE CATEGORIES: R-4 ZONE65TABLE 3.0 SITE CONFIGURATION REGULATIONS: NC ZONE62TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3.11 USE REGULATION REGULATIONS: UC ZONE68TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3.13 USE REGULATION REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.16 STRE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)81TABLE 3.17 SITE CONFIGURATION REGULATIONS: MUL 20NE85TABLE 3.19 USE REGULATIONS: MUL 20NE86TABLE 3.20 FRONTAGE CATEGORIES: MUL 20NE87TABLE 3.20 FRONTAGE CATEGORIES: MUL 20NE88TABLE 3.20 FRONTAGE CATEGORIES: MUL 20NE88TABLE 3.21 USE REGULATION REGULATIONS: MUL 20NE96TABLE 3.22 SITE CONFIGURATION REGULATIONS: MUL 20NE97TABLE 3.23 FRONTAGE CATEGORIES: MUL 20NE96TABLE 3.24 USE REGULATION REGULATIONS: MUL 20NE96TABLE 3.24 USE REGULATION REGULATIONS: MUL 20NE97TABLE 3.24 USE REGULATION REGULATIONS (HARBOR-UCLA MEDICAL)92TABLE 3.24 SITE CONFIGURATION REGULATIONS: MUL 20NE96TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)90TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)91TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.26 FRONTAGE CATEGORIES141<	TABLE 3.5 SITE CONFIGURATION REGULATIONS: R-3 ZONE	47
TABLE 3.8 FRONTAGE CATEGORIES: R-4 ZONE62TABLE 3.0 USE REGULATIONS: NC ZONE63TABLE 3.10 USE REGULATIONS: UC ZONE63TABLE 3.11 USE REGULATIONS: UC ZONE68TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 USE REGULATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE79TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.16 SITE CONFIGURATION REGULATIONS: MULZENE79TABLE 3.19 SITE CONFIGURATION REGULATIONS: MULZENE85TABLE 3.10 SITE CONFIGURATION REGULATIONS: MULZENE85TABLE 3.10 SITE CONFIGURATION REGULATIONS: MULZENE88TABLE 3.20 FRONTAGE CATEGORIES: MULZENE88TABLE 3.21 USE REGULATION REGULATIONS: MULZENE88TABLE 3.22 SITE CONFIGURATION REGULATIONS (MUZENE88TABLE 3.23 FRONTAGE CATEGORIES97TABLE 3.24 USE REGULATION REGULATIONS (MUZENE96TABLE 3.25 SITE CONFIGURATION REGULATIONS (MUZENE97TABLE 3.24 USE REGULATIONS (P ZONE)101TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE TYPE1414TABLE 3.26 FRONTAGE TYPE1414TABLE 3.29 GALLERY FRONTAGE TYPE1414TABLE 3.29 GALLERY	TABLE 3.6 USE REGULATIONS: R-4 ZONE	53
TABLE 3:0 USE REGULATIONS: NC ZONE62TABLE 3:10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3:11 USE REGULATION REGULATIONS: UC ZONE68TABLE 3:12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3:13 USE REGULATIONS: IF ZONE72TABLE 3:14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3:14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3:15 FRONTAGE CATEGORIES: IF ZONE74TABLE 3:16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3:17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)81TABLE 3:18 USE REGULATIONS: MU1 ZONE85TABLE 3:19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3:20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3:21 USE REGULATIONS: MU2 ZONE96TABLE 3:22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3:24 USE REGULATION REGULATIONS (P ZONE)100TABLE 3:24 FRONTAGE CATEGORIES97TABLE 3:24 FRONTAGE CATEGORIES92TABLE 3:24 FORDATION REGULATIONS (P ZONE)90TABLE 3:24 FORDATION REGULATIONS (P ZONE)101TABLE 3:24 FORDATION REGULATIONS (P ZONE)101TABLE 3:24 FORDATION REGULATIONS (P ZONE)101TABLE 3:25 SITE CONFIGURATION REGULATIONS (P ZONE)104TABLE 3:26 FRONTAGE TYPE114TABLE 3:26 FRONTAGE TYPE50416TABLE 3:26 FRONTAGE TYPE50416TABLE 3:26 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3:26 SITE CONFIGURATION REGULATIONS (P ZONE)104TABLE 3	TABLE 3.7 SITE CONFIGURATION REGULATIONS: R-4 ZONE	<del>54</del>
TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE63TABLE 3.11 USE REGULATIONS: UC ZONE67TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68ABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE74TABLE 3.16 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.16 STRE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.17 SITE CONFIGURATION REGULATIONS: MU1 ZONE85TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.20 FRONTAGE CATEGORIES: MU2 ZONE96TABLE 3.20 FRONTAGE CATEGORIES97TABLE 3.20 FRONTAGE CATEGORIES90TABLE 3.20 FRONTAGE CATEGORIES90TABLE 3.20 FRONTAGE CATEGORIES90TABLE 3.20 FRONTAGE CATEGORIES91TABLE 3.20 FRONTAGE CATEGORIES92TABLE 3.20 FRONTAGE TYPE90TABLE 3.20 FRONTAGE TYPE91TABLE 3.23 FRONTAGE CATEGORIES91TABLE 3.24 USE REGULATIONS REGULATIONS (P ZONE)91TABLE 3.25 FRE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.24 FRONTAGE TYPE91TABLE 3.23 FRE CONTAGE TYPE91TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)91TABL	TABLE 3.8 FRONTAGE CATEGORIES: R-4 ZONE	<del>55</del>
TABLE 3.11 USE REGULATIONS: UC ZONE67TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE76TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.18 USE REGULATIONS: MU1 ZONE86TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE86TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)400TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)401TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.23 FRONTAGE CATEGORIES4142TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.23 FRONTAGE CATEGORIES4142TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)401TABLE 3.234 GALLERY FRONTAGE TYPE504145TABLE 3.24 SITE CONFIGURATION REGULATIONS (P ZONE)41448TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)41448TA	TABLE 3.9 USE REGULATIONS: NC ZONE	<del>62</del>
TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE68TABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE75TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)81TABLE 3.18 USE REGULATIONS: MU1 ZONE85TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MU2 ZONE92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 SITE CONFIGURATION REGULATIONS (P ZONE)101T	TABLE 3.10 SITE CONFIGURATION REGULATIONS: NC ZONE	63
TABLE 3.13 USE REGULATIONS: IF ZONE72TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.16 STRONTAGE CATEGORIES: IF ZONE76TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)85TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)91TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)91TABLE 3.24 FRONTAGE CATEGORIES92TABLE 3.24 FRONTAGE CATEGORIES92TABLE 3.25 FRONTAGE CATEGORIES92TABLE 3.26 FRONTAGE CATEGORIES92TABLE 3.26 FRONTAGE TYPE91TABLE 3.29 FORCECOURT FRONTAGE TYPE91TABLE 3.29 GALLERY FRONTAGE TYPE91TABLE 3.29 GALLERY FRONTAGE TYPE94TABLE 3.26 STOOP FRONTAGE TYP	TABLE 3.11 USE REGULATIONS: UC ZONE	<del>67</del>
TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE74TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE75TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.19 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)84TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE86TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE87TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE96TABLE 3.24 USE REGULATION REGULATIONS: MU2 ZONE96TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CONTEGORIES112TABLE 3.26 FRONTAGE TYPE114TABLE 3.26 FRONTAGE TYPE114TABLE 3.23 GALLERY FRONTAGE TYPE50416TABLE 3.24 OF RONTAGE TYPE50416TABLE 32.49 ARCADE FRONTAGE TYPE54149TABLE 32.634 TERRACE FRONTAGE TYPE5429TABLE 32.634 TERRACE FRONTAGE TYPE58429TABLE 32.634 TERRACE FRONTAGE TYPE58429TABLE 32.634 TERRACE FRONTAGE TYPE58429TABLE 32.632 STOOP FRONTAGE TYPE58429TABLE 32.632 STOOP FRONTAGE TYPE<	TABLE 3.12 SITE CONFIGURATION REGULATIONS: UC ZONE	<del>68</del>
TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE76TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)81TABLE 3.18 USE REGULATIONS: MU1 ZONE86TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)90TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)90TABLE 3.26 FRONTAGE CATEGORIES91TABLE 3.27 SITE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.26 FRONTAGE CATEGORIES91TABLE 3.27 SITE CONFIGURATION REGULATIONS (P ZONE)91TABLE 3.28 FRONTAGE TYPE91TABLE 3.29 GALLERY FRONTAGE TYPE91TABLE 3.29 FORECOURT FRONTAGE TYPE91TABLE 3.29 GALLERY FRONTAGE TYPE91TABLE 3.29 TERRACE FRONTAGE TYPE91TABLE 32.534 TERRACE FRONTAGE TYPE92TABLE 32.544 TERRACE FRONTAGE TYPE92TABLE 32.534 TERRACE FRONTAGE TYPE92TABLE 32.544 TERRACE FRONTAGE TYPE92TABLE 32.534 TERRACE FRONTAGE TYPE92TABLE 32.544 TERRACE FRONTAGE TYPE92	TABLE 3.13 USE REGULATIONS: IF ZONE	72
TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE79TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)81TABLE 3.18 USE REGULATIONS: MU1 ZONE85TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE87TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE96TABLE 3.24 USE REGULATIONS (P ZONE)97TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)90TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)100TABLE 3.26 FRONTAGE CATEGORIES97TABLE 3.26 FRONTAGE CATEGORIES97TABLE 3.27 USE REGULATION REGULATIONS (P ZONE)100TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.27 IS HOPFRONT FRONTAGE TYPE100TABLE 3.28 FORCECOURT FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE141752TABLE 3.29 GALLERY FRONTAGE TYPE141752TABLE 3.29 TOOP FRONTAGE TYPE141752TABLE 3.29 TOOP FRONTAGE TYPE12156TABLE 3.29 TO	TABLE 3.14 SITE CONFIGURATION REGULATIONS: IF ZONE	74
TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)181TABLE 3.18 USE REGULATIONS: MU1 ZONE85TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.27 IF CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.27 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.28 FRONTAGE CATEGORIES114TABLE 3.29 FORECOURT FRONTAGE TYPE114TABLE 3.29 FORECOURT FRONTAGE TYPE114TABLE 3.29 FORECOURT FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE114TABLE 3.29 STOOP FRONTAGE TYPE124TABLE 3.2949 ARCADE FRONTAGE TYPE124TABLE 3.2934 TERRACE FRONTAGE TYPE124TABLE 3.2935 STOOP FRONTAGE TYPE124TABLE 3.2935 STOOP FRONTAGE TYPE124TABLE 3.2949 CACLE FRONTAGE TYPE124TABLE 3.2949 CACLE FRONTAGE TYPE124TABLE 3.2949 TARACE FRONTAGE TYPE124TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS190TABLE 4	TABLE 3.15 FRONTAGE CATEGORIES: IF ZONE	<del>75</del>
TABLE 3.18 USE REGULATIONS: MU1 ZONE85TABLE 3.10 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATION REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.27 SHOPFRONT FRONTAGE TYPE114TABLE 3.28 FORECOURT FRONTAGE TYPE114TABLE 3.29 GALLERY FRONTAGE TYPE11448TABLE 3.29 GALLERY FRONTAGE TYPE141752TABLE 32.329 GALLERY FRONTAGE TYPE141752TABLE 32.534 TERRACE FRONTAGE TYPE14152TABLE 32.541 TERRACE FRONTAGE TYPE14152TABLE 32.542 STOOP FRONTAGE TYPE58123TABLE 32.642 STOOP FRONTAGE TYPE58123TABLE 32.642 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS190	TABLE 3.16 YARD SETBACK FOR NEW INDUSTRIAL USES ABUTTING A RESIDENTIAL USE	<del>79</del>
TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE87TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES102TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.26 FRONTAGE TYPE101TABLE 3.2.28 FORECOURT FRONTAGE TYPE114TABLE 3.2.29 FORECOURT FRONTAGE TYPE50146TABLE 3.2.329 GALLERY FRONTAGE TYPE50416TABLE 3.2.34 TERRACE FRONTAGE TYPE54149TABLE 3.2.354 TERRACE FRONTAGE TYPE5424TABLE 32.632 STOOP FRONTAGE TYPE58423TABLE 32.632 STOOP FRONTAGE TYPE58423TABLE 32.632 STOOP FRONTAGE TYPE58423TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS190	TABLE 3.17 SITE CONFIGURATION REGULATIONS (HARBOR-UCLA MEDICAL)	81
TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE88TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.26 FRONTAGE CATEGORIES114TABLE 3.29 FORECOURT FRONTAGE TYPE11448TABLE 32.298 FORECOURT FRONTAGE TYPE50146TABLE 32.399 GALLERY FRONTAGE TYPE50146TABLE 32.430 ARCADE FRONTAGE TYPE54149TABLE 32.534 TERRACE FRONTAGE TYPE54149TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.18 USE REGULATIONS: MU1 ZONE	<del>85</del>
TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)92TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.29 FORECOURT FRONTAGE TYPE50116TABLE 32.298 FORECOURT FRONTAGE TYPE50115TABLE 32.399 GALLERY FRONTAGE TYPE50116TABLE 32.534 TERRACE FRONTAGE TYPE54119TABLE 32.534 TERRACE FRONTAGE TYPE54125TABLE 32.692 STOOP FRONTAGE TYPE58123TABLE 32.692 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.19 SITE CONFIGURATION REGULATIONS: MU1 ZONE	<del>87</del>
TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE96TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES112TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE11752TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE12456TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.20 FRONTAGE CATEGORIES: MU1 ZONE	<del>88</del>
TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE97TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 3.26 FRONTAGE CATEGORIES112TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE50115TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE54119TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.21 USE REGULATIONS: MIXED USE 2 (MU2)	<del>92</del>
TABLE 3.24 USE REGULATIONS (P ZONE)100TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE50115TABLE 32.440 ARCADE FRONTAGE TYPE514119TABLE 32.531 TERRACE FRONTAGE TYPE54119TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.22 SITE CONFIGURATION REGULATIONS: MU2 ZONE	<del>96</del>
TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)101TABLE 3.26 FRONTAGE CATEGORIES112TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE11752TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE12156TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.23 FRONTAGE CATEGORIES: MU2 ZONE	<del>97</del>
TABLE 3.26 FRONTAGE CATEGORIES112TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE11752TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE12156TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.24 USE REGULATIONS (P ZONE)	<del>100</del>
TABLE 32.217 SHOPFRONT FRONTAGE TYPE11448TABLE 32.228 FORECOURT FRONTAGE TYPE50115TABLE 32.329 GALLERY FRONTAGE TYPE11752TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE12156TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 3.25 SITE CONFIGURATION REGULATIONS (P ZONE)	<del>101</del>
TABLE 32.228FORECOURT FRONTAGE TYPE50145TABLE 32.329GALLERY FRONTAGE TYPE11752TABLE 32.430ARCADE FRONTAGE TYPE54119TABLE 32.531TERRACE FRONTAGE TYPE12156TABLE 32.632STOOP FRONTAGE TYPE58123TABLE 4.1MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2PARKING REQUIREMENTS196	TABLE 3.26 FRONTAGE CATEGORIES	<del>112</del>
TABLE 32.329 GALLERY FRONTAGE TYPE11752TABLE 32.430 ARCADE FRONTAGE TYPE54119TABLE 32.531 TERRACE FRONTAGE TYPE12156TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE <u>32.21</u> 7 SHOPFRONT FRONTAGE TYPE	<del>114<u>48</u></del>
TABLE 32.430ARCADE FRONTAGE TYPE54119TABLE 32.531TERRACE FRONTAGE TYPE12156TABLE 32.632STOOP FRONTAGE TYPE58123TABLE 4.1MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2PARKING REQUIREMENTS196	TABLE 32.228 FORECOURT FRONTAGE TYPE	<u>50</u> 115
TABLE 32.531 TERRACE FRONTAGE TYPE12156TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 32.329 GALLERY FRONTAGE TYPE	<del>117<u>52</u></del>
TABLE 32.632 STOOP FRONTAGE TYPE58123TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 32.430 ARCADE FRONTAGE TYPE	<u>54</u> 119
TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS190TABLE 4.2 PARKING REQUIREMENTS196	TABLE 32.531 TERRACE FRONTAGE TYPE	<del>121<u>56</u></del>
TABLE 4.2 PARKING REQUIREMENTS 196	TABLE 32.632 STOOP FRONTAGE TYPE	<u>58</u> 123
	TABLE 4.1 MINIMUM BICYCLE PARKING REQUIREMENTS	<del>190</del>
TABLE 7.1 MODIFICATIONS 232	TABLE 4.2 PARKING REQUIREMENTS	
	TABLE 7.1 MODIFICATIONS	<del>232</del>



#### INTRODUCTION

HOA.103086245.1

1

#### INTRODUCTION

#### 1.1\_OVERVIEW

The West Carson Transit Oriented District (TOD) Specific Plan offers an incredible opportunity to create more engaging and vibrant places by leveraging the community's assets, connecting uses and activities, and attracting future investment. <u>The proximity of the</u> Los Angeles County Metropolitan Transportation Authority's (Metro) Carson Station's proximity to numerous community facilities, including the Harbor-UCLA Medical Center (Harbor-UCLA) campus, creates opportunities for improving the built environment and overall community livability<sub>7</sub>. However, but there are also challenges that must be addressed as part of a successful require careful consideration in the planning process.

The West Carson TOD Specific Plan (Specific Plan) will guide future transit-oriented development to create a distinct identity; improve connections and access for all users; and improveenhance the safety, economic vitality, and overall quality of life for the West Carson community.

The Specific Plan will be used in conjunction with the Los Angeles County 2035 General Plan (General Plan) and Los Angeles County Code (County Code) to provide more detailed design and development criteria for individual project proposals and public improvements. -The plan defines the proposed land use plan, development standards, infrastructure improvements, design guidelines, and implementation programs for any proposed project in the Specific Plan area.

### 1.2 COUNTY FOCUS ON TRANSIT--ORIENTED DEVELOPMENT

The County of Los Angeles (County) adopted a strong policy framework in its General Plan for implementing smart growth and providing healthy, livable, and equitable communities. As part of the The General Plan update, the County identifiesd several urban and suburban areas with access to major transit and commercial corridors as priority policy areas for infill development. These transit-oriented district priority areas are recognized as areas well suited for higher density housing and mixed-uses\_developments surrounding existing major commercial, employment, and civic activity nodes. To spur this type of such development, the General Plan establishes the TOD Program, which provides guidance for the preparation of TOD specific plans (or similar mechanisms) tailored to address


#### What is a Specific Plan?

A specific plan is one of several policy or regulatory tools used local governments by to effectively guide community development. While a general plan sets forth goals, objectives, policies, and programs for the entire jurisdiction, the specific plan does so for a localized area and in greater detail. The authority for preparing to create a specific plan is established in California the Government Code sections 65450 through 65457. The law allows, but does not require, the planning agencyies to prepare and adopt specific plans for the systematic execution of the general plan. According to State law, all specific plans must be consistent with the adopted general plan, and all subdivision and development activity must be consistent with the specific plan.

the unique characteristics and needs of each community with regard to access, connectivity, pedestrian improvements, and safety.

#### [10]





The West Carson TOD Specific Plan applies to a portion of the unincorporated area in the Second District known as "West Carson." Throughout the planning process several stakeholders expressed а general disagreement with the area being identified as "West Carson."

Use of the name "West to identify the unincorporated area this TOD Specific Plan isis not intended to establish a precedent. Should the this name of unincorporated area be changed at some tim in future, this the TOD Specific Plan would be updated to reflect any

These plans are to be used<u>serve</u> as policy and implementation tools towith the following objectives:

- »» Increase walking, bicycling, and transit ridership and reduce vehicle miles traveled.
- »» Facilitate compact, mixed-use development.
- »» Increase economic activity.
- »» Facilitate the public investment of infrastructure improvements.
- »» Streamline the environmental review process for future infill development projects.

While the term "transit--oriented development" is used to commonly refers to individual development projects, buildings, or other improvements in proximity to near transit stations (often as public/private partnerships), it does not accurately capture the important relationship between transit stations and their surrounding communities. "Transit--oriented district" (sometimes referred toalso known as transit--oriented community) is a more appropriate fitting term for referring to areas, neighborhoods, or communities with concentrated residential, commercial, and mixeduse development served by high-quality transit. The provision of a variety of Providing diverse transportation options forin these districts or communities will help tocan reduce greenhouse gas (GHG) emissions, increase transit ridership, promote walking and biking, reduce vehicle miles traveled, and facilitate housing and employmentopportunities for all residents in the region. It will can also improve the performance of the region's street, highway, and freeway system. Given the presence of the Harbor-UCLA Medical Center, Carson Station functions as both an origin and destination station that could benefit from the type of development and improvements that are characteristic of transit-oriented communities can provide.

#### 1.3 PURPOSE & INTENT

The overall purpose of the Specific Plan is to provide comprehensive for development directionguidance the and facilitate implementation of the goals and policies of the General Plan, includingparticularly the vision for the TOD priority areas. Thelts intent of the Specific Plan is to expand opportunities for compact, infill development that is compatible with complements and supports the intensification of Harbor-UCLA, vet is sensitive to while respecting the existing single-family neighborhoods. The Specific Plan facilitates By fostering increased housing opportunities and employment-generating uses proximate to the options near Carson Street (rapid bus transitway) station, the plan leverages existing to take advantage of the significant local and regional transit services already provided in the area. The Specific Plan lays the

[11]

foundation to for createing a more walkable, transit-oriented area with a mix of diverse land uses that is accessible by all modes of multiple transportation modes, including transit, walking, and bicycling. The Specific Plan will not only establish<u>articulates</u> a vision for the West Carson community, but will<u>also provide the regulatory</u> framework which includes policies, development standards, presents design standardsguidelines, and recommended capital improvement projects that will help to achieve that vision. An implementation and financing strategy is also included to support future implementation of the plan.

#### 1.4 VISION

The West Carson TOD Specific Plan is shaped by the community's vision for the area's future, leveraging underutilized land as well as the community's desire for a new identity, streetscape and façade improvements, and enhanced pedestrian and bicycle connections. Situated near transportation hubs and major employment centers, West Carson is an ideal candidate for reinvestment and future development opportunities. The Specific Plan establishes the foundation for a vibrant, accessible, and sustainable community by:

- »» Changing zoning to accommodate new housing and mixed-use development opportunities and provide diverse housing options for residents.
- »» Focusing on a multimodal transportation approach that prioritizes walking, cycling, and public transit to reduce reliance on personal vehicles and improve overall mobility within the community.
- »» Creating a distinct identity for the West Carson community that fosters a sense of place and belonging among residents, employees, businesses, visitors, and other stakeholders.
- <u>»» Providing development flexibility to accommodate</u> <u>changing market demands to ensure long-term viability</u> <u>and resilience in the community.</u>

The following vision statement outlines the anticipated appearance of the Specific Plan area 20 years from now as future development decisions and public improvements are guided by the Specific Plan:

The vision for the Specific Plan area in 20 years reflects a vibrant, accessible, and sustainable community at the heart of the unincorporated area known as West Carson. Harbor-UCLA Medical Center and Lundquist Institute serve as key employment and health care hubs for the area, with new campus expansion and improvements seamlessly integrated into the surrounding neighborhood. A diverse mix of commercial establishments caters to the needs of residents and employees



of the area. Enhanced street infrastructure facilitates convenient and safe access to transit stations, employment hubs, shopping centers, and schools. Improved transit service and facilities in the area encourages increased transit ridership and reduces car dependency. New high-quality housing and mixed-use developments replacing aging and obsolete buildings along W. Carson Street and S. Vermont Avenue, inject new energy and activity along these key corridors. This new housing supports local businesses, provides a range of multi-family housing options, increases property values, and addresses the community's housing needs. Additionally, the incorporation of public open space, such as pocket parks and multi-purpose paths within the Specific Plan area provides much needed green spaces and outdoor recreation areas. The presence of long-time residents and prevalence of home ownership exemplify the community's identity and resilience. By prioritizing sustainability, accessibility, and community well-being, the Specific Plan area flourishes as a dynamic and inclusive place to live, work, and play. This thriving community offers safety, attractiveness, and economic prosperity.

#### **1.5** SPECIFIC PLAN LOCATION

The unincorporated territory of West Carson encompasses about 2.3 square miles of land between the cities of Torrance to the north, Harbor City (City of Los Angeles neighborhood) to the south, Carson to the east, and the cities of Los Angeles and Torrance to the west. The Specific Plan covers approximately 319 acres in West Carson within a half-mile radius of Metro's Carson Station, a bus rapid transit stop along a designated bus lane adjacent to Interstate 110. The <u>projectSpecific Plan</u> area is generally bounded by the 208th Street flood control channel to West Torrance Boulevard to the north, 223rd Street to the south, Interstate 110 to the east, and Normandie Avenue to the west as seen in Figure 1.<u>12</u>, <u>ProjectSpecific Plan</u> Area.

A notable portion (22 percent) of the projectSpecific Plan area contains occupied by the Harbor-UCLA Medical Center, a major employment center that draws people from across the entire Los Angeles region. The projectSpecific Plan area is also lies just south of the Harbor Gateway Transit Center, which is a regional transit hub that connectslinking the South Bay area to Downtown Los Angeles and other locationsdestinations throughout the County. To the west of the projectplan area is the community planning area known as Harbor Gateway in the City of Los Angeles, and to the east is the City of Carson.

Interstate 110, which runs along the eastern edge of the projectSpecific Plan area, travels north-south for about 32 miles, connecting Pasadena and Downtown Los Angeles into the north with San Pedro and the Port of Los Angeles into the south. Interstate 110This freeway is a principale route for freight travelingtransportation from the port of Los Angeles to rail yards






and warehouses further inland, which has resulted in a high numberconcentration of industrial land uses adjacent to the highway.

The plan area's relation to its regional vicinity is displayed in Figure 1.32, Local Context.

#### Figure 1.2 Project Area



750 1500

o

HQA.103086245.1


I

0

750

1500

[15]



#### Figure 1.1 Specific Plan Area

HQA.103086245.1

#### [14]

#### 1.6 PROJECTSPECIFIC PLAN SETTING AND BACKGROUND

Currently, the Carson Street corridor through the West Carson community is crowded and full of activity—it is a high traffic thoroughfare serving travel needs to Interstate 110, adjacent<u>neighboring</u> cities, surrounding neighborhoods, and the Harbor-UCLA Medical Center.

#### <u>1.6.1</u> Land Use and Urban Design Character

Central to the Specific Plan project area is the Harbor-UCLA Medical Center-campus, which is the activity hub of the West Carson community. Surrounding the campus, particularly along the north side of Carson Street and east side of Vermont Avenue, are mainlypredominantly low-density strip malls and auto-centric businesses.—such as This includes chain fast-food establishments, supermarkets, pharmacies, gas stations, and healthcare-related offices. Commercial development in the projectSpecific Plan area is characterized by a mix of large community-serving retailers interspersed withand smaller stores and services that with varying in scale, architectural styles, orientation, lot coverage, and setback from the sidewalks and property lines. On-site parking is generally provided located either at the front or side of a building and is typically underutilized. Many of the commercial structures are older, poorly maintained, and lack architectural design quality-of design.

Beyond this commercial core, the projectplan area is made up of residential development in the northern and southern portions, including two public elementary schools. Land uses a long Vermont Avenue, the primary north-south arterial running through the community, land uses consists of several multi-family housing projects and small areas of light industrial properties, many of which are used for warehousing, distribution, and storage, and small equipment-manufacturing facilities. Very few parcels are vacant in the projectplan area, and there are no designated public parks.


#### 1.6.2 Mobility and Parking

West Carson is well served by benefits from extensive bus transit services, regional arterial roadways, and the adjacent Interstate 110 freeway. Roadways function well overall, with congestion occurring primarily along Carson Street and Vermont Avenue in proximity tonear W. Carson Street. It has main bus transit corridors with multiple bus routes from various local transit agencies and a bus rapid transit station at Interstate 110 and W. Carson Street. On-street parking is sufficient overall toadequately serves the area's residential and commercial usesneeds, but is constrained along roadways surrounding the Harbor-UCLA Medical Center. Bus


shelters lack shading and seating and are perceived as being unsafe due to their proximity to the streets.

Though there is a completed sidewalk network, the overall pedestrian and bikeway network is limited and somewhat disconnected.

#### Figure 1.3 Local Context









Example photo TOD adjacent to Emeryville, CA transit station.

The current environment is not friendly or attractive and feels unsafe to users and therefore does not promote bicycleing and walking.

#### 1.6.3 Infrastructure

Current water supply, sanitary systems, and drainage systems in West Carson are in good condition, and capacities are sufficient to serve the existing community. <u>However</u>, <u>So</u>lidwaste-processing facilities serving West Carson and the <u>wider</u> Los Angeles metropolitan area <u>as a whole</u> lack capacity to <u>adequately</u> handle expected future volumes of <u>solid</u> waste.

#### 1.6.4 Economic Market Conditions

West Carson differs in several key ways from the County <u>unincorporated area</u> as a whole in several key aspects: It features a proportionally large Health Care sector, slightly faster <u>a lower unemployment growthrate</u>, and <u>a</u> higher rate of homeownership.

Within West Carson, in 2015, the four largest sectors by number of jobs: Health Care (19.8 percent), Construction (10.9 percent), Wholesale Trade (10.8 percent), and Accommodation and Food Services (9.8 percent) accounted for 51.3 percent of all jobs in the area. The Harbor- UCLA Medical Center isserves as the largest employer in the Study AreaSpecific Plan area, and is also home to the Los Angeles Biomedical Research Institute (LA BioMed)Lundquist Institute for Biomedical Innovation (Lundquist Institute), one of the largest independent, not-for-profit biomedical research institutes in the United States.

Between 2010 and 2015, the total number of jobs in West Carson grew from 14,866 to 17,014, an increase of



14.4 percent, indicating that the local economy has begun to recover from the Great Recession. In addition, this pace of



job growth has been significantly faster than the County, where the number of jobs increased 8.8 percent over the same time period. Passage of the Affordable Care Act is likely responsible for a portion of the increase in healthcare jobs, while the expansion of the medical center and new residential development are primarily responsible for new construction jobs.

#### **Unemployment Rate**

In 2022, West Carson has reported a lower unemployment rate than compared to the County at large. In August 2015, the The unemployment rate in West Carson was 5.96.0 percent, lower than the County's rate of 7.08.0 percent. Moreover, homeownership in West Carson in 2022 reached 72%, significantly higher than the County's rate of 46%.

#### <u>1.6.5</u> Major Employment Generators

The Harbor-UCLA Medical Center campus is a key economic driver for the West Carson economy and wider South Bay region. <u>ItsWith</u> 70 primary and specialty-care clinics, <u>the campus employs are staffed</u> by more thanaround 4,0004,300 employees, and <u>operates with</u> supported by an annual operating budget of approximately <u>\$677 million</u>\$1.3 billion.

TheIn 2016, the County approved the Harbor-UCLA Medical Center Campus Master Plan (Campus Master Plan) to modernize and enhance the facilities and services offered at the medical center. It includes plans for proposes to addexpanding the campus with nearly 1.1.2 million square feet<sup>1</sup> of new medical space, augmenting the existing footprint of 1.1 million square feet. This major renovation represents a crucial investment in the Healthcare sector, a significant growth industry within the County.

The Biotechnology industry is also expected to grow as a result of the Campus Master Plan. LA BiomedLundquist Institute already attracts millions of research dollars each year; vaccines and other medical discoveries originating at Lundquist InstituteLA BioMed have already resulted in a number of spin-off companies—including several based in Southern California. Once the Campus Master Plan implementation is complete, Lundquist Institute's LA BioMed's aging research facilities will be consolidated into a thriving, incubator space with 202,000225,000 square feet of new facilities.

In addition to <u>Lundquist Institute's LA BioMed's</u> research facilities, the County approved the creation of a new 250,000 square foot Bioscience Tech Park to be located on the Harbor-UCLA Medical Center campus. This will be a public/private partnership to develop a \$110-125 million facility that would create between 800 and 900

jobs.<sup>2</sup> Until now, however, the lack of a larger "hub" of biomedical research facilities has been a detriment to this sector's growth.

On February 8, 2022, the County approved the Harbor-UCLA Replacement Program, which is designed to implement key components of the Campus Master Plan. This \$1.7 billion project is the largest capital improvement initiative undertaken by the County, aimed at introducing state-of-the-art facilities to the Harbor-UCLA campus. The new facilities and their current development status include the following:

- »» A 9-story, 560,000 square-foot Hospital Building with 347 patient beds is scheduled to commence construction in early 2024.
- »» A 6-story, 374,000 square-foot Clinic Building that will consolidate existing outpatient care with teaching facilities is currently under construction and is scheduled to open in late 2026.
- »» A 7-story above-ground parking structure that will add 1,500 parking spaces to the campus is scheduled to open in mid-2024.
- <u>»» A 29,000 square-foot, full-service regional</u> <u>laboratory is scheduled to commence</u> <u>construction in early 2024.</u>
- <u>»» A 2-story, 25,000 square-foot support services</u> <u>building with construction substantially complete.</u>
- »» A 1-story 12,200 square-foot Central Utility Plant is currently in design and is scheduled for completion in mid-2026.
- »» A 3,000 square-foot east campus 12kV distribution switchgear building is currently in design and is scheduled for completion in early-2026.
- <u>»» A 1-story 2,900 square-foot 12kV electrical</u> substation building with construction substantially complete.

<sup>1</sup> County Department of Public Works. Notice of Preparation of an Final Environmental Impact Report and Notice of Public Scoping Meeting. June 29, 2015 December 2016.

<sup>2</sup> MyLAnews.com. "LA County Lays Groundwork for Biotech Park at Harbor-UCLA Medical Center." April 28, 2015.

#### 1.7 RELATIONSHIP TO OTHER RELEVANT PLANS AND PROGRAMS

This section describes outlines how existing County or applicable agency plans and programs have influenced helped set the discussion and regulatory framework for the development of the Specific Planarea.

#### 1.7.1 Los Angeles County 2035 General Plan

The General Plan identifies 11 Planning Areas and provides goals and objectives for all of the unincorporated areas in the County.<u>It</u> <u>designates</u>- West Carson is identified in the General Plan as an Opportunity Area for TOD redevelopment and infill, with significant portions of the project area designated as Industrial Flex District, Neighborhood Center, or Corridor. This Specific Plan shall be aligns with the goals and objectives of consistent with the General Plan.

#### 1.7.2 Los Angeles County Code

Since the project area is in unincorporated territory, the The development standards and regulations defined in this applicable to the Specific Plan area are in addition to the provisions of incorporated into Title 22 (Planning and Zoning) and others as noted byof the County Code. The provisions of regulations established for the Specific Plan shall prevail and supersede take precedence over conflicting the applicable provisions of the County Code Title 22. In instances where the Specific Plan regulations do not address certain matters, the applicable provisions of Title 22 will govern.

#### 1.7.3 Los Angeles County TOD Access Study

In February 2013, the Department of Regional Planning (RegionalLA County Planning) conducted a TOD Access Study as part of the General Plan in consultation with the Department of Public Works (Public Works) and Metro. The purpose of the This study was to assessed station access capacity and needs within nine proposed TODs throughout the County, including Carson Station. Several recommendations regarding bike facilities were made for the area surrounding Carson Station, and RegionalLA County Planning has been working in conjunction with Public Works to incorporate many of those recommended facilities, including Class IV bike lanes and a cycle track.

#### 1.7.4 Harbor-UCLA Medical Center Master Plan

In 2016, the County proposed the <u>The</u> Harbor-UCLA Campus Master Plan, <u>approved in 2016, aims</u> to <u>enhance the unique</u>, <u>transform the</u> <u>existing campus</u> interactive relationship between the to better integrate its clinical, educational, and research components of the Harbor-UCLA Medical Center campus. The Harbor-UCLA Campus Master Plan envisions a significantly different campus from what exists today changes, including improved engagement with. The new campus design is intended to better engage <u>W</u>. Carson Street and the surrounding community. <u>One notable feature is</u> thethrough creation of -a new pedestrian trail along <u>W</u>. Carson Street and a landscape design that opens the campus more to the street. <u>TheMoreover</u>, the master plan <u>also</u> presents an opportunity to addresses certain various community issues concerns that affect the surrounding community, such as crime, safety, and sanitation concerns issues related to with the homelessness population. To inform guide the campus planning efforts, the master plan considers the quality of the built environment of the Harbor-UCLA Medical Center and incorporates the following built-environment principles:

- » Createing a more friendlierwelcoming and, more easily accessible environment-place for patients.
- >>> Enhanceing the integration of the campus's integration with activity along W. Carson Street activity.
- >>> Enhanceing the campus integration of the campus with transit-oriented development along <u>S</u>. Vermont Avenue and <u>W</u>. Carson Street.
- >>> Improveing the physical relationships between Harbor-UCLA and LA BioMed Lundquist Institute to enhance the operational efficiency of the campus.

#### 1.7.5 Other Relevant Regulatory Plans and Programs

Below is a list of other <u>relevant</u> regulatory agencies or documentsplans and programs that will need to be consulted as the Specific Plan is developed, for any type of development in the plan area-or project area.

First-Last Mile Strategic Plan (Metro). –This plan contains guidelines and outlines a specific infrastructure improvement strategy, the Metro Pathway, to facilitate easy, safe, and efficient access to Metro transit facilities, including the Carson Street Bus Rapid Transit station. It is intended to serves as a resource tofor agencies in the region working to update programs, land-use plans, planning guidelines, business models, entitlement processes, and other tools that take advantage of leverage the County's significant investment in the public transportation network. Relevant strategies from the First-Last Mile plan were applied to shape the mobility recommendations for this Specific Plan.





- >>> Harbor Gateway Community Plan (City of Los Angeles). This plan contains the land use, circulation, and service systems goals, policies, and programs for <u>the</u> incorporated Harbor Gateway community planning area of the City of Los Angeles, adjacent to the project Specific Plan area to the west.<u>.</u><u>It</u> and guides the<u>informs</u> land use decisions regarding development.
- >>> Carson Master Plan of Bikeways (City of Carson). This plan contains goals, policies, and actions; proposed bicycle infrastructure improvements and programs; funding sources; and design guidelines to comprehensively plan for bicycle transportation throughout the city of Carson, including Carson Street adjacent to the Specific Plan area. This<u>It</u> plan was used utilized in identifying appropriate bikeway connections from West Carson into Carson.
- >>> Carson Street Mixed-Use District Master Plan (City of Carson). This plan contains development standards and design guidelines; public improvement objectives, concepts, and design proposals; and implementation strategies for the proposed mixed-use district on a 1.75-mile section of Carson Street in the City of Carson. The development regulations and streetscape improvements from this plan were considered in preparing the standards for this Specific Plan.

#### 1.8 COMMUNITY ENGAGEMENT

As part of During the planning process for the Specific Plan, <u>LA</u> County <u>Planning</u> staff from Regional Planning</u> facilitated community outreach events that helpedto gather input and shape the Specific Plan.

#### 1.8.1 West Carson TOD Specific Plan Task Force

The West Carson TOD Specific Plan Task Force was convened by Regional Planning for the express purpose of played a crucial role in guiding the preparation of this plan. The task force consisted of representatives from various County agencies, including Regional LA County Planning-staff; representatives from other County agencies, including the Departments of Public Health, Parks and Recreation, Public Works, the Community Development CommissionLos Angeles County Development Authority, and the Department of Arts CommissionCulture, as well as ; and other key stakeholders, including such as the Cities of Carson and Los Angeles, and Metro. Task Force members met quarterly throughout the Specific Plan preparation process to review key project products and provide input at major milestones, and offer of the project and feedback on draft documents.

- » Harbor City/Harbor Gateway Chamber of Commerce
- »» South Bay Cities Council of Governments
- »» Harbor City Neighborhood Council
- »» South Bay Coalition to End Homelessness
- »» Harbor-UCLA Medical Center
- »» Van Deene Avenue Elementary School
- >>> Second District Board Office
- >>>> Del Amo Action Committee
- >>>> Torrance Transit
- » Developers: Equassure, Inc., Blackwood Real Estate, Abode Communities
- >>> West Carson residents
- >>> Prevention Institute
- >>> LA BioMed (now Lundquist Institute)
- >>> California Department of Transportation (Caltrans)

This collaborative engagement ensured that the Specific Plan incorporated diverse perspectives and addressed the needs and priorities of the West Carson community.



# 1.8.2 Community Workshops

OnLA County Planning conducted two workshops on November 17, 2015, and February 6, 2016, Regional Planning hosted two public workshops to solicit community input regarding the Specific Plan-project. Attendees included residents, business owners, County staff, and property owners. KeyThe following key themes emerged from the workshops-included:

- **AsS**trongdesire for pedestrian and bicycle improvements and street beautification.
- »» ImprovedCall for improved access and amenities.
- »» LimitedPrefer limited-density mixed-use development along main corridors.
- >>> BeautificationInterest in beautification of existing commercial development.

- »» Measures Explore measures to reduce traffic speeds along Vermont Avenue.
- **Better**<u>Design better</u> gateway and entryway monuments that define the community.
- »» ImprovedImprove \_\_pedestrian \_\_safety and access in proximity to elementary schools.
- »» Address great need for parks and community space.
- » Open parts of the Harbor-UCLA <u>Medical Center</u> campus to the community.
- » Redesign Carson Metro J (formerly Silver) Line Station to improve safety and access.
- » Address issues related to homeless population surrounding the Harbor-UCLA Medical Center campus.

### 1.8.3 Developer Surveys

The County distributed a survey to developers in the County-South Bay-West Carson area to solicit information regardinggather insights on market the strength of the commercial and residential markets, potential redevelopment opportunity sites, and incentives that would better to attract development in West Carson. The surveys were distributed in written format and had yielded a small but valuable number of respondents feedback. Key findings from the Rrespondent feedback noted the following findings include:

- The <u>demand</u> residential market for high\_density residential housing, (at up to 200 dwelling units per acre (du/ac), is very strong based on very low amount of <u>due</u> to limited multi-family housing stock, <u>though it but</u> would require parcel assembly.
- The commercial market in the area is likely overserved and contributes to low rental rates and vacancies.
- The mixed-use areaszones identified in the Specific Plan along <u>W.</u> Carson Street presentoffer good <u>development</u> opportunityies sites.
- » Affordable housing projects are likely to score very competitivelyreceive strong consideration for cap-andtrade funding and special needs/affordable housing subsidies.
- »» Developers are mostexpress keen interested in a streamlined entitlement process incentive.







# 1.8.4 Harbor-UCLA Medical Center Surveys

In May 2016, surveys were distributed to employees at the Harbor-UCLA-Medical Center employees participated in surveys focusing on to collect information on employee their commutesing patterns, housing options, and suggestions for enhancing amenity and improvement suggestions for the Specific Planarea. The survey was distributed both in written and online formats and had oOver 180 employees respondednts, providing valuable insights. Key findings from the survey include:-

<u>»»</u> The average commute for mMost employees <u>commute to the</u> medical center was between two and 10 miles to the medical center, and the majority of those predominantly driveing alone.

<u>>>></u> Factors that eEmployees <u>cite</u> noted would encourage them to use public transit included improved safety at and around the stations, accessibility to the stations, <u>moreincreased</u> frequencyt/later\_and extended service <u>hours</u>, and fewer transfers between transit lines as factors that would encourage public transit use.

<u>>></u> -Employees <u>also noted expressed</u> that a larger supply of <u>more decent</u>, affordable, <u>and primarily</u> single-family housing and improved safety in West Carson would encourage them to <u>live reside</u> closer to the hospital campus.

<u>»»</u> Suggested improvements for the Specific Plan area included: a wider variety of places to eat and drink, improved landscaping and open spaces, a farmers' market, improved<u>nighttime</u> lighting<del>at</del> night, control of<u>measures</u> to address the transient population homelessness, a shuttle service, and pedestrian<u>infrastructure</u> improvements<u>enhancements</u>.

# 1.9 ORGANIZATION OF THE SPECIFIC PLAN

The Specific Plan covers the is organized into the following topics chapters:

- Introduction. Covers the Provides an overview of the Specific Plan's purpose and context for the Specific Plan, vision for the community, an overview of the planning process, and the plan's relationship to other relevant plans and programs.
- 2. Vision & Goals. Outlines the vision for the community and the overarching goals and policies for achieving that vision.
- 3.2. Land Use and Urban Design FrameworkImplementing Zones. Identifies the land use and urban design framework, including permitted uses and regulations and development

standards for each of the Specific Plan zones, including building height, density, parking, site configuration, building design, open space and landscaping requirements, and other design standards and outlines design guidelines that offer recommendations for achieving the desired built environment for the community.

- 4.3. Mobility and Public Realm. Provides a summarySummarizes of the proposed mobility plan, including the vehicular, pedestrian, bicycle, transit, and parking networks.
- 5.4. Infrastructure. Addresses the critical infrastructure requirements associated with future development in the Specific Plan area, including water, sewer, stormwater management, solid waste disposal, and public services.


- 6. Economic Development. Highlights opportunities for economic development in the plan area and associated community benefits.
- **7. Capital Improvement Plan.** Details the capital improvement recommendations and phasing for the plan.
- 8. Implementation and Administration. Provides specific implementation and financial strategies for realizing the goals of the Specific Plan as well as describing project review and administrative procedures required for amendments and/or modifications to the plan.

# 1.10 HOW TO USE THE SPECIFIC PLAN/SPECIFIC PLAN AUTHORITY

Under California Law (Government Code §§ 65450 et seq.), cities and counties may adopt specific plans to develop policies, programs, and regulations to implement the jurisdiction's adopted general plan. The specific plan, therefore, serves as a bridge between the general plan and individual development projects.

Specific plans are similar to development zoning ordinances in that they establish implementation through the use of development regulations. However, unlike the County Code, the West Carson TOD Specific Plan is targeted to a specific planning area to allow for greater flexibility and specificity.

ThisThe West Carson TOD Specific Plan was adopted by ordinance and is intended designed to beguide used by residents. business and property owners, developers. designers, County staff, and elected officials in the reviewing of proposed development projects within the projectSpecific Plan area. The Specific PlanIt should be used in conjunction with the goals, policies, and regulations in the General Plan, South Bay Area Plan, and County Code to guide users through the development review process. It is important to note that the Specific Plan only establishes land use zones, land use regulations, and development standards. Any particular development proposals would occur through private investment following the adoption of the Specific Plan.





# VISION, GOALS, AND POLICIES

HOA 103086245 1

The Specific Plan is shaped by the community's vision for the area in the future. A combination of underutilized land; a community's desire for a new identity, streetscape and façade improvements, and enhanced pedestrian and bicycle connections; and the project area's proximity to a freeway, Metro transit stop, and a major employment center make West Carson an ideal candidate for reinvestment and future development opportunities. The Specific Plan will establish the foundation for a more livable, accessible, and sustainable community by:

- Changing zoning to allow for new housing and mixeduse development opportunities
- Focus on a multimodal approach to transportation
- Create a strong identity for the project area
- Allow for development flexibility to meet market demands

The Specific Plan develops a land use and development framework that could ultimately support 3,574 new residential units and 4,602,660 new square feet of commercial and employment space. This chapter will provide a detailed summary of that vision, and describe specific goals and policies to help guide this Specific Plan in achieving that vision.

# **VISION STATEMENT**

This is a vision for how the Specific Plan area will look 20 years from now as future development decisions and public improvements are guided by the Specific Plan.

The West Carson TOD area is the heart of the unincorporated area known as West Carson. HarborUCLA Medical Center and LA BioMed are the employment and health care hubs for the area, with the new campus expansion and improvements being well integrated with the adjacent community. The Specific Plan area is safe, attractive, and economically thriving. The area has a unique blend of commercial uses that serve the well-established neighborhoods of West Carson, as well as the employees of the area. Street improvements have made it easier and safer to access transit stations, employment, shopping areas, and schools. Improved transit service and facilities in the area have increased ridership, and reduced commuting by car. New highquality housing and mixed-use development has replaced aging and obsolete buildings along Carson Street and Vermont, adding new life and activity along these key corridors. This new housing supports local businesses, provides a range of multi-family housing types, increases property

values, and helps to meet the demand for housing in the community. Public open space in the form of pocket parks and a multi-purpose path has been developed within the Specific Plan area, helping to address the need for green spaces and outdoor recreation areas. Long-time residents and high levels of home ownership continue to be a hallmark of this community.


# **OVERALL GOALS & POLICIES**

The overarching goals and policies for the Specific Plan are intended to provide structure to the plan, and will be used to evaluate future development proposals.

The following goals and policies were developed based on input from the community members, stakeholders, County Task Force, and County staff:

Goal 1: Create a distinct identity in the West Carson community.

- Policy 1.1. Promote a strong and authentic sense of place through community collaboration, compact and walkable building design, a range of housing choices and employment, and enhancement of open space opportunities.
- Policy 1.2. Activate the public realm through the addition of appropriately scaled mixed-use development and attractive streetscape.
- Policy 1.3. Locate defining gateway features at focal entry points.
- Policy 1.4. Address the community's park needs and deficiencies by constructing pocket parks on underutilized parcels, roadway segments, and other spaces that may be repurposed for recreational use.
- Policy 1.5. Preserve the character of residential neighborhoods.
- Policy 1.6. Require proposed development to contribute to a pedestrian-friendly walking environment and neighborhood character.
- Policy 1.7. Design buildings with entrances and windows oriented to the street to emphasize a community, pedestrian atmosphere. Where possible, on-site parking should not be located in front of a building.



Policy 1.8. Activate school campuses through programming, such as farmer's markets, sports classes, etc.

<u>[ 28 ]</u>

- Policy 1.9. Incorporate new development that increases density along corridors and in proximity to transit while respecting the character of surrounding neighborhoods
- Policy 1.10. The expansion and renovation of the Harbor-UCLA Medical campus should integrate into and support the activity of the surrounding community.

**Goal 2:** Improve connections within the community and increase access to transit.

- Policy 2.1. Implement complete streets design that contributes to a multi-modal transportation system in collaboration with Caltrans, Metro, and the City of Carson.
- Policy 2.2. Implement streetscape features such as street lighting, landscaping, and wayfinding to create safer and attractive bike/pedestrian connections and linkages throughout the community.
- Policy 2.3. Improve and prioritize access to local bus stops and the Metro's Silver Line Station in new roadway development and design.
- Policy 2.4. Establish a connected pedestrian and bicycle network that links the Metro's Silver Line Station, Harbor-UCLA Medical Center, residential neighborhoods, local schools, and retail corridors.



Example photo illustrating pedestrian scaled mixed-use development, as described in Policy 1.2.



Example photo illustrating a pedestrain friendly plaza with street lighting, landscaping, and wayfinding that creates a safe and attractive connection to transit, as described in Policy 2.2.

- Policy 2.5. Collaborate with Harbor-UCLA Medical Center to provide enhanced bike and pedestrian facilities on campus property along Carson Street.
- Policy 2.6. Pursue the feasibility of constructing a multipurpose trail along the 208th Street flood control drain.

**Goal 3:** Ensure the health and safety of residents, visitors, and employees.

- Policy 3.1. Engage with the surrounding jurisdictions, including Caltrans, to incorporate better lighting and visibility of pedestrian bridges and other public facilities within the projectarea.
- Policy 3.2. Implement traffic calming features along main corridors to improve safety and flow and discourage vehicular travel through residential neighborhoods.
- Policy 3.3. Create safer routes to schools and parks through increased signage, lighting, landscaping, and pedestrian connections around schools.
- Policy 3.4. Improve visibility and access to the Metro's Silver Line Station and local bus stops through increased lighting, signage, and crosswalks.

[29]



Example whoto illustrating signage at alocal pus stop as described in Policy 3.4.



Example rendering illustrating a new residential development with ground-floor retail.

- Policy 3.5. Incorporate open space, parks, plazas, and/ or recreational facilities as part of new developments to address the community's deficiencies.
- Policy 3.6. Address long-term over-sized vehicle parking violations through code revisions to improve the safety and aesthetics of the residential neighborhoods and multimodal transportation.
- Policy 3.7. Work with service providers to support the transient population affiliated with the Harbor-UCLA Center.

Goal 4: Ensure economic vitality of the project area.

- Continue active engagement and partnership with the Harbor-UCLA Medical Center.
  - Policy 4.1. Take advantage of the nearby Harbor-UCLA Medical Center and provide workforce development and healthcare related employment resources for local residents.
  - Policy 4.2. Encourage the expansion and retention of high- performing industry clusters within West Carson, including healthcare, biomed, and biotech.
  - Policy 4.3. Leverage new County Biomed Economic Development initiatives to ensure success of private uses on the Harbor-UCLA Medical Center campus and help catalyzenew investments in the Plan Area.
- Encourage employment-generating uses where possible.
  - Policy 4.4. Continue to allow employment-generating uses along Vermont Avenue, with the flexibility to incorporate new residential development where feasible.
  - Policy 4.5. Incorporate adequate buffering and other land use practices to improve the compatibility between industrial and non-industrial uses.
- Leverage existing strong demand for new residential development.
  - Policy 4.6. Support a broader mix of uses and development along both Carson Street and Vermont Avenue.
  - Policy 4.7. Preserve existing stock of affordable housing and promote diversification of housing choices for various income groups.

[-30]

- Policy 4.8. Consider development proposals with unique financing that unbundle the cost of parking from the cost of housing.
- Spur a revitalized retail sector along Carson Street.
  - Policy 4.9. Activate street frontages to encourage retail activity with aesthetic improvements to commercial development.
  - Policy 4.10. Improve access to shopping centers for pedestrians, vehicles, transitusers, and bicyclists.

**Goal 5:** Encourage a diverse mix of land uses and transitoriented development.

- Policy 5.1. Provide a variety of housing choices within a half- mile distance to the Metro's Silver Line Station.
- Policy 5.2. Incentivize mixed uses in specific areas to encourage employment-generating uses near the Metro Silver Line Station.
- Policy 5.3. Reduce parking standards and incorporate parking garages along major corridors to increase the viability of development.

**Goal 6:** Improve the quality of life for existing residents with improvements to the public realm.

- Policy 6.1. Make the community a more pleasant place to walk and bike.
- Policy 6.2. Provide secure bicycle parking adjacent to the Metro Silver Line Station and ensure new development provides bicycle parking.
- Policy 6.3. Enhance the public realm with street trees, street furniture, bicycle lanes, improved sidewalks, lighting, and pedestrian paths.
- Policy 6.4. Improve underutilized sites such as parking lots and vacant property with community gardens, farmers markets, pocket parks.
- Policy 6.5. Increase public amenities, such as a community pool, multi-purpose path along the 208th Street drainage channel, recreation center, library, fitness studio, and others.

- Policy 6.6. Encourage outdoor dining and seating areas in mixed-use areas.
- Policy 6.7. Seek out opportunities to enhance the Caltrans park-and-ride lot, to activate the space so that it is an asset to the community.
- Policy 6.8. Increase the supply of different housing types affordable to the community.
- Policy 6.9. Streamline and expedite affordable housing developments through the project and environmental review process and coordinate with private and non-profit organizations.
- Policy 6.10. Ensure that there is no net loss of affordable housing units in the community.

**Goal 7:** Maximize the use of sustainable development practices.

- Policy 7.1. Encourage resource-efficient building techniques, materials, and other principles of green building design in new construction, renovation, and landscaping.
- Policy 7.2. Incorporate "green" building practices into the planning, design, construction, and operation of Countyowned facilities.
- Policy 7.3. Promote tree planting in the public and private realm for shade, cooling, and aesthetic benefits.



Example photo illustrating an enhanced public realm along a street, as described in Policy 6.3.

<del>[32]</del>





LAND USE AND DESIGN GUIDELINESIMPLEMENTING ZONES

HOA.103086245.1

# LAND USE AND URBAN DESIGN FRAMEWORK/REGULATING CODEIMPLEMENTING ZONES

### 3.1 PURPOSE AND SCOPE

This Land Use and Urban Design Framework is intended to achieve a specific pattern of development in accordance with the envisioned future of the West Carson community. The standards in this section regulate the development of buildings, streets, and public spaces with a focus on the physical, built environment and the relationship between the private and public realms. Certain standards may apply onlytospecificplanningareas, and are indicated assuch in this section.

Development standards established in this Specific Plan are tailored and summarized to each zoning designation based on its location, adjacent streets, and intended use, as shown in Figure 3.1, Land Use Framework Plan. The Regulating Code below includes development standards for each applicable planning area, as follows:

- Solution of the Director are appealable to the Regional Planning Commission (RPC).
- Built form standards, which address specific aspects of site development, including building mass and placement adjacent to streets and other buildings.
- Building frontage standards, which identify permitted frontage types per applicable street.
- » Open space standards, which address the required amount of private and public open space for residential and non-residential developments.
- Parking standards, which address the placement and number of required vehicle and bicycle parking spaces for residential and non-residential developments.
- Landscape standards, which address the placement and type of vegetation, for residential and non-residential developments.

- Signage standards, which address placement, type, and design for different signs.
- Definition of the standards, which address other streetscape elements such as lighting, furnishings, public art, outdoor dining, etc.

# 3.2 2.1 LAND USE APPLICABILITY SPECIFIC PLAN ZONES

The provisions of this **<u>Regulating Code</u>** are applicable to all lots in the Specific Plan area and shall supersede the provisions in the County Code. The County shall administer the provisions of this Regulating Code in conjunction with the State of California Government Code and the General Plan and County Code. Where this Regulating Code differs from provisions in the County Code, the provisions herein shall prevail. If the Specific Plan is silent on an issue, the provisions of the County Code shall prevail. The West Carson TOD Specific Plan establishes zoning for parcels situated within the Specific Plan boundary as identified in Figure 2.1. The zones for the Specific Plan area are as follows:

- »» West Carson Residential 1 (WC R-1)
- »» West Carson Residential 3 (WC R-3)
  - »» West Carson Residential 4 (WC R-4)
  - »» West Carson Residential Planned Development (WC RPD)
  - »» Neighborhood Commercial (NC)
  - »» Unlimited Commercial (UC)
  - »» Industrial Flex (IF)
  - »» Harbor-UCLA Medical
  - »» Mixed-Use 1 (MU-1)
  - »» Mixed-Use 2 (MU-2)
  - »» Public (P)

Please refer to Title 22, Planning and Zoning, Chapter 22.414 for land use regulations and development standards for each Specific Plan zone. Design standards and guidelines are contained in Section **32.26**, Urban Design Guidelines, of this Specific Plan shall be used in concert with the development standards in the Regulating Codechapter. While the design guidelines offer guidance and recommendations for achieving desired outcomes, it is the Regulating Code that ultimately governs the development process and ensures compliance with established standards. Note: Figure 2.1, Specific Plan Zones, is included herein for illustrative purposes only. No construction, modification, addition, placement, or installation of any building

HOA.103086245.1

or structure shall occur, nor shall any new use commence on any lot, on or after the effective date of this Specific Plan, except in conformity with the provisions of this Specific Plan.

# 3.3 SPECIAL REQUIREMENTS

The following requirements shall be required for all zoning designations where applicable.

### 3.3.1 Housing Element Requirements

California law requires that cities and counties zone land to encourage and facilitate their fair share of housing growth referred to as the regional housing needs assessment (RHNA). The preparation of this Specific Plan provides the County with the opportunity to create new affordable units to accommodate the needs of the residents.





Figure 3.1 Land Use Framework Plan





### 3.3.2 Existing Structures

Reuse of existing structures shall comply with applicable codes, including, but not limited to, Title 26 of the County Code (Building Code), Title 24 of the California Code of Regulations (physical access regulations), and requirements of the Americans with Disabilities Act (ADA).

Prior to issuance of use and occupancy permits, existing buildings, open space areas, and other site improvements shall be aesthetically upgraded through architectural and landscape improvements. Such improvements may include, but are not limited to:

- Description of the second s
- **»»** Upgraded window types and treatments.
- Description of the second s
- **»»** Upgraded roofing materials and roof overhangs.
- **»»** Updated color scheme for buildings.
- **»»** Decorative treatment of all exposed site walls.
- **»»** Enhancement of private patios and balconies.
- Extensive planting of trees and shrubs throughout the site, including parking areas and common open space areas.
- Improved landscape design of front yards and common areas.
- >>>> Improved landscape design along building perimeters and entries.
- Improvements to common recreational areas including provision of shelters, lighting, and refurbishing of facilities.
- Addition of pedestrian amenities including paths, benches, shade trees, trash receptacles, drinking fountains, lighting, and decorative paving.
- **»»** Addition of bicycle facilities including bike racks.
- Solution of project entryways through signage and landscape design, as applicable.

- **\*\*** Creation of signage program for building identification and directional signs.
- **»»** Upgraded and consistent signage, including project identification, addressing, and directional signs.

- **\*\*** Enhanced lighting scheme for building entrances, common areas, paths, and parking areas.
- Application of defensible space techniques in landscaping and lighting.

### 3.3.3 Accessory Dwelling Units

An Accessory Dwelling Unit (ADU) is a secondary dwelling unit with complete independent living facilities for one or more persons and generally takes three forms: detached (separate from the primary structure), attached (connected to the primary structure), and repurposed existing space (space such as a master bedroom within the primary residence converted into an independent living unit).

### 3.3.4 Transitional Housing

"Transitional housing," as defined in California Government Code Section 65582(h), is housing configured as rental housing developments, but operated under program requirements that call for the termination of assistance and recirculation of the assisted unit to another eligible program recipient at some predetermined future point in time, which shall be no less than six months from beginning of assistance. Transitional housing shall be considered a residential use of property, and may be subject only to those restrictions that apply to other residential dwellings of the same type (single-family, multi-family) in the same zone.

#### 3.3.5 Alternative Financial Service

"Alternative Financial Service" means a use that charges a percentage fee to provide a loan or cash a check. This term includes, but is not limited to, deferred deposit transaction (payday) lender, check casher, and motor vehicle (auto) title lenders. This term shall not include a check cashing service or any state or federally chartered bank, credit union, mortgage lender, savings and loan association, industrial loan company, or non-profit financial institution. Alternative Financial Services are prohibited within the Specific Plan area.

# Table 3.1 Land Use Summary

			ESTIMATED BUILDOUT		
ZONING DESCRIPTION	ACRES	PERCENT	RESIDENTIAL	<del>non-</del> Residential	
RESIDENTIAL	RESIDENTIAL				
West Carson Residential 1	<del>118</del>	<del>37.0%</del>	851 units	-	
West Carson Residential 3	7	<del>2.2%</del>	<del>171 units</del>	-	
West Carson Residential 4	<del>12</del>	<del>3.8%</del>	484 units	-	
Residential Planned Development	5	<del>1.7%</del>	<del>88 units</del>	-	
NON-RESIDENTIAL					
Neighborhood Commercial	4	<del>0.4%</del>	-	<del>14,787 sq. ft.</del>	
Unlimited Commercial	4	<del>1.3%</del>	<del>30 units</del>	<del>50,620 sq. ft.</del>	
Industrial Flex	<del>22</del>	<del>6.8%</del>	4 <del>86 units</del>	<del>1,133,779 sq. f</del>	
Harbor UCLA Medical	71	<del>22.4%</del>	<del>100 units</del>	<del>1,941,339 sq. 1</del>	
Mixed Use Development 1	<del>20</del>	<del>6.2%</del>	<del>143 units</del>	4 <del>83,460 sq. ft</del>	
Mixed Use Development 2	31	<del>9.8%</del>	<del>1,223 units</del>	<del>978,675 sq. ft</del>	
Public	<del>27</del>	<del>8.5%</del>	-	-	
TOTAL	<del>319</del>	<del>100%</del>	<del>3,57</del> 4*	4 <del>,602,660 sq. f</del>	

# 3.4 REGULATING CODE

# 3.4.1 2.1.1 West Carson Residential 1 Zone (R-1)

#### 3.4.1.1 Purpose and Intent

The West Carson Residential 1 (<u>WC</u>\_R-1)\_Zone is intendeddesignated to preserve the scale and form of the area's existing single-family residential neighborhoods. The <u>WC</u> R-1 Zone provides primarily for single-family detached homes, up to nine dwelling units per acre. Please refer to Figure 2.2 for areas designated as WC R-1 Zone.

#### **Development Potential Summary**

- **\*\*** Total Developable Area: 118 acres
- **»»** Residential: Max. 851 units

#### 3.4.1.2 Use Regulations

The land use regulations define permitted, conditionally permitted, and prohibited uses in R-1 Zone, as shown in Table 3.2, Use Regulations: R-1 Zone. Use regulations shall remain consistent with Chapter 22.18, R-1 Single-Family Residence Zone, unless otherwise specified in this section.

Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site, and would include:

- **»**» Carport
- **>>>** Accessory dwelling units
- Home occupation subject to provisions of Chapter 22.18
- **»»** Patio cover/trellis
- »» Swimming pool, spa, and jacuzzi

[41]





Figure 3.2 Proposed Zoning: West Carson Residential 1 Areas



# Figure 2.2 West Carson Residential 1 Areas

### Table 3.2 Use Regulations: R-1 Zone

USE			
RESIDENTIAL			
Single-family dwelling units, attached/detached; residential planned unit developments.	Permitted		
Multi-family dwelling unit (including apartment houses)	Prohibited		
PUBLIC/INSTITUTIONAL			
School	Conditional		
Parks and playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted		
COMMERCIAL			
Juvenile halls	Prohibited		

#### 3.4.1.3 Development Standards

Standards for the R-1 Zone shall remain consistent with Chapter 22.18 (R-1 Single Family Residential Zone) in Title 22 of the County Code unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate newsite and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the single-family residential uses anticipated. They are intended to preserve established single-family neighborhoods, improve connectivity, and provide screening and landscape design along roadways.

Table 3 3	Sito	<b>Configuration</b>	Pogulations:	P-17ono
1000.0	One	Comguration	Tregulations.	

TYPE	MINIMUM	MAXIMUM	
DENSITY			
Single-family	<del>1 du/ac</del>	<del>9 du/ac</del>	
BUILDING SETBACK			
Front Setback	<del>15 ft.</del>	None	
Side Setback	<del>5 ft.<sup>1</sup></del>	None	
Rear Setback	<del>10 ft.</del>	None	
BUILDING HEIGHT			
<del>Floors</del>	None	2 stories	
Building Height	None	<del>35 ft. <sup>2</sup></del>	

1. Where a lot or parcel of land is less than 50 feet in width, such lot or parcel of land may have interior side yards equal to 10 percent of the average width, but in no event less than three feet in width.

2. Building height shall excludechimneys and rooftop antennas.

#### a. Landscaping

- Drought-tolerant landscaping requirements shall be consistent with Section 4.106.5 of Title 31 (Green Building Standards) of the County Code.
- Front Yard Landscaping
  - With the exception of the required paved driveway and walkway, all areas within the street-fronting yard shall be landscaped and maintained.
- Wherever possible, existing trees shall be maintained.
- Fences
  - If perimeter fencing is required for security reasons, a Ministerial Site Plan Review (MSRP) application shall be required.

- »» Barbed wire and chain-link fencing are prohibited.
- Utility and mechanical equipment
  - All utility and mechanical equipment shall be placed in locations that are not exposed to view from the street or shall be screened from view. Satellite dishes shall be located away from public view.
  - Screening elements shall be an integral part of the building's design.

# 3.4.2. <u>2.1.2</u> West Carson Residential 3 Zone (R-3)

#### 3.4.2.1 Purpose and Intent

The West Carson Residential 3 (WC\_R-3)\_Zone is intended designated to provide opportunities for medium\_density developments containing multiple\_housing units, such as\_like townhomes and stacked flats-up to 30 dwelling units per acre. The development standards for this designation promote a variety of attached products types, including courtyard housing, row homes, garden apartments, and podium developments intent is to provide a variety of attached housing\_optionstypes, including courtyard housing, row homes, garden apartments, to serve the needs of the West Carson community. Please refer to Figure 2.3 for areas designated as WC R-3 Zone.

a. Development Potential Summary


\*\* Total Developable Area: 7 acres

#### 3.4.2.2 Use Regulations


The land use regulations define permitted uses within the R-3 Zone as shown in Table 3.5, Use Regulations: R-3. Use regulations shall remain consistent with Chapter 22.18, R-3 Limited Density Residence Zone, unless otherwise specified in this section.

Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site.

[45]



# Figure 3.3 Proposed Zoning: West Carson Residential 3 Areas



# Figure 2.3 West Carson Residential 3 Areas

# Table 3.4 Use Regulations: R-3Zone

USE	
RESIDENTIAL	
Single-family dwelling units, attached/detached; residential planned unit developments.	Permitted
Multi-family dwelling units (including apartment houses)	Permitted
PUBLIC/INSTITUTIONAL	
School	Conditional
Churches, temples, and other places of worship	Conditional
Childcare Center	Conditional
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted
SERVICE COMMERCIAL	
Hospital (including convalescent home, nursing home, and maternity home)	Conditional
Golf courses	Prohibited
Juvenile halls	Prohibited

#### 3.4.2.3 Development Standards

Standards for the R-3 Zone shall remain consistent with Chapter 22.18, R-3 Limited Density Multiple Residence Zone, unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the single- and multi-family residential uses anticipated. They are intended to buffer established single-family neighborhoods from non-residential uses, improve connectivity, and provide screening and landscape design along roadways.

### Table 3.5 Site Configuration Regulations: R-3 Zone

TYPE	MINIMUM	MAXIMUM		
DENSITY				
Multi-family	<del>18 du/ac</del>	<del>30 du/ac</del>		
BUILDING SETBACK				
Front Setback	<del>10 ft.</del>	None		
Side Setback	<del>5 ft.</del>	None		
Rear Setback	<del>10 ft.</del>	None		
BUILDING HEIGHT				
<del>Floors</del>	None	<del>3 stories</del>		
Building Height	None	40-ft <sup>1</sup>		

1. Building height shall exclude chimneys and rooftop antennas.

#### a. Landscaping

- Drought-tolerant landscaping requirements shall be consistent with Section 4.106.5 in Title 31 (Green Building Standards) of the County Code.
- Required Open Space: 200 square feet per dwelling unit for multifamily developments for common recreational-leisure areas, private areas, or a combination of both as follows:
  - **\*\*** Minimum dimension for private areas is seven-feet.
  - »» Minimum dimension for common areas is 20-feet.
  - Side and rear yards may be included in the calculation of open space, but not required front yard setback area.
  - »» Open space areas shall have no parking, driveway, or right- ofway encroachments.
  - All common areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project. All common areas shall be developed and professionally maintained in accordance with approved landscape and irrigation plans.
  - Pedestrian walkways within a project shall be a minimum of four feet in width.
  - Private useable open space shall be contiguous to the residential units served and screened for privacy.
  - Courtyard internal to a project, or enclosed on at least three sides, shall have a minimum width of 40-feet.
- Front Yard Landscaping
  - With the exception of the required paved driveway and walkway, all areas within the street-fronting yard shall be landscaped and maintained.
  - **\*\*** Where possible, existing trees shall be maintained.
- Fences
  - If perimeter fencing is required for security reasons, a MSPR application shall be required. The Director may approve wrought-iron style fences up to five-feet high that do not obscure views.
  - **\*\*** Barbed wire and chain-link fencing are prohibited.

- Utility and Mechanical Equipment
  - All utility and mechanical equipment shall be placed in locations that are not exposed to view from the street or shall be screened from view. Satellite dishes shall be located away from public view.
  - Screening elements shall be an integral part of the building's design.

#### b. Circulation and Parking

- Bicycle and pedestrian circulation facilities shall provide connections to surrounding uses in the plan area and to regional bicycle facilities where applicable.
- On-site parking shall not occupy more than 30 percent of any street frontage.
- Parking shall not be located in any required front or side yard area.
- Carports shall be architecturally compatible with the design of the main structures in the project.
- Parking structures shall be architecturally integrated with the project design and shall be screened from view at street level by architectural detailing, façade treatment, artwork, landscaping, or similar visual features to enhance the street façade.
- Use of asphalt for paving driveways and walkways is prohibited.

# 3.4.3 <u>2.1.3</u> West Carson Residential 4 Zone (R-4)

#### 3.4.3.1 Purpose and Intent

The West Carson Residential 4 (<u>WC</u>R-4) Zone is <u>established</u> <u>designated</u> to provide opportunities for development of highdensity multiple units <u>housing</u>, <u>including as either</u> apartments or condominiums<del>, up to 50 dwelling units per acre</del>. The intent is to promote <u>desirable appealing</u> high-density projects <u>close tonear</u> transit and other services. The <u>development standards</u> for this <u>designation promote a variety of product types given the range</u> <u>of lot sizes and configurations</u>. This <u>zoning</u> designation is also intended to encourage the development of affordable and workforce housing, to <u>serve meet</u> the needs of the West Carson community, <u>and especially associated</u> with <u>a focus on</u> <u>supporting</u> Harbor- UCLA Medical Center. <u>Please refer to</u> <u>Figure 2.4 for areas designated as WC R-4 Zone</u>.

- <u>a. Development Potential Summary</u>
  - \*\* Total Developable Area: 12 acres

»» Residential: Max. 484 units


#### 3.4.3.2 Use Regulations

The land use regulations that define permitted, conditionally permitted, and prohibited uses within R-4 Medium Density Multiple Residence Zone are consistent with Chapter 22.18 except as noted in Table 3.6, Use Regulations: R-4 Zone, or as noted below under Accessory Uses.


Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site, and would include:

- **\*\*\*** Maintenance/storage facility and structure

- Tenniscourt, basketball courts, and other multi-purpose courts, recreation and community buildings.








# Figure 2.4 West Carson Residential 4 Areas

[52]

WEST CARSON TOD SPECIFIC PLAN

# Figure 3.5 Streets with Frontage Requirements



# \_Table 3.6 Use Regulations: R-4Zone

USE		
RESIDENTIAL		
Multi-family dwelling units (including apartment houses)	Permitted	
PUBLIC/INSTITUTIONAL		
Churches, temples and other places of worship	Conditional	
School	Conditional	
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted	
SERVICE COMMERCIAL		
Hospital (including convalescent home, nursing home, and maternity home.)	Conditional	
Golf courses	Prohibited	
Hotel	Prohibited	

]

### 3.4.3.3 Development Standards

Standards for the R-4 Zone shall remain consistent with Chapter 22.18, R-4 Medium Density Multiple Residence Zone, unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the multi-family residential uses anticipated.

### Table 3.7 Site Configuration Regulations: R-4Zone

TYPE	MINIMUM	MAXIMUM
DENSITY		
Multi-family	<del>30 du/ac</del>	<del>50 du/ac</del>
BUILDING SETBACK		
Front Setback	<del>10 ft.</del>	None
BUILDING HEIGHT		
Floors	None	4 stories
Building Height	None	<del>50 ft</del> <sup>1</sup>

1. Building height shall exclude chimneys and rooftop antennas.

#### a. Frontages

All new development within the R-4 Zone adjacent to a street with frontage requirements, as shown in Figure 3.5, Streets with Frontage Requirements, shall have a primary building façade and entry from the identified street and shall adhere to the following building frontage requirements. These frontages dictate the relationship between the street (back of right-of-way) and the façade of the ground floor of the building (see Section 3.6.2, Building Design, for building frontage design standards and guidelines).

- Building orientation shall be determined by the location of the primary entrance, which shall indicate the front of the building.
- Where not a designated frontage, all building sides abutting major public rights-of-way shall require architectural treatment.

- Pedestrian access to public right-of-way is required either through common corridors or courtyards from buildings adjacent to the road.
- Open fencing is allowed, but a solid wall higher than three-feet is not allowed.

#### Table 3.8 Frontage Categories: R-4Zone

TYPE	VERMONT AVENUE
Shopfront	Permitted
Forecourt	Permitted
<b>Gallery</b>	Permitted
Arcade	Permitted
Terrace	Permitted
<b>Stoop</b>	Permitted

See Section 3.6.2, Building Design, for building frontage design standards and guidelines.

#### b. Built Form & Landscaping

- Residential development shall provide adequate private or common laundry facilities reserved for the exclusive use of the residents residing in the development.
- Use of asphalt for paving driveways and walkways is prohibited.
- Required Open Space: 200 square feet per dwelling unit for multi-family developments for common recreational-leisure areas, private areas, or a combination of both as follows:
  - »» Minimum dimension for private areas is seven-feet.
  - »» Minimum dimension for common areas is 20-feet.
  - Side and rear yards may be included in the calculation of open space, but not the required front yard setback area.
  - »» Open space areas shall have no parking, driveway, or rightof-way encroachments.
  - All common space areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project, and should have strong connections to building entries and pedestrian paseos.

WEST CARSON TOD SPECIFIC PLAN

- All common areas shall be developed and professionally maintained in accordance with approved landscape and irrigation plans.
- Pedestrian walkways within a project shall be a minimum or four-feet in width.
- Private useable open space shall be contiguous to the residential units served and screened for privacy.
- Courtyard internal to a project, or enclosed on at least three sides, shall have a minimum width of 40-feet.
- Site Landscaping
  - A minimum of 20 percent of the project site shall be landscaped or hardscaped with open, useable outdoor space.
  - With the exception of the required paved driveway and walkway, all areas within the street-fronting setback area shall be landscaped and maintained.
  - **\*\*** Where possible, existing trees shall be maintained.
  - Post-construction landscape designs shall comply with all Green Building Landscape Design standards per Section 4.106.5 in Title 31 (Green Building Standards) of the County Code. Specifically:
    - O» Turf areas shall not exceed 25 percent of the total landscaped area.
    - Non-invasive drought-tolerant plant and tree species appropriate for the climate zone region shall be utilized in at least 75 percent of the total landscaped area.
    - ⊖ » Hydrozoningirrigation techniques shall be incorporated into the landscape design.
- Fences
  - If perimeter fencing is required for security reasons, a MSPR application shall be required. The Director may approve wrought-iron style fences up to five feet high that do not obscure views.

- »» Barbed wire and chain-link fencing are prohibited.
- Utility and Mechanical Equipment
  - All utility and mechanical equipment shall be placed in locations that are not exposed to view from the street or shall be screened from view. Satellite dishes shall be located away from public view.
  - Screening elements shall be an integral part of the building's design.

#### c. Circulation and Parking

- Bicycle and pedestrian circulation facilities shall provide connections to surrounding uses and to the plan area networks.
- On-site parking shall not occupy more than 30 percent of the total frontage on any linear front or side street.
- Parking shall not be located in the street-fronting yard area.
- Carports shall be architecturally compatible with the design of the main structures in the project.
- Parking structures shall be architecturally integrated with the project design and shall be screened from view at street level by architectural detailing, façade treatment, artwork, landscaping, or similar visual features to enhance the street façade.

### <u>3.4.4.2.1.4 West Carson Residential Planned Development Zone</u>

#### 3.4.4.1 Purpose and Intent

The <u>West Carson</u> Residential Planned Development (WC RPD) Zone is <u>established designated</u>, <u>consistent with Section 22.18</u>, <u>Residential Planned Development (RPD) in Title 22</u>, to <u>allow</u> <u>flexibility in design and development of residential properties</u>. <u>The intent is to</u> promote residential amenities beyond those expected under conventional <u>single-family</u> development, to achieve greater flexibility in design, to encourage well-planned neighborhoods through creative and imaginative planning as a unit, and to provide for appropriate use of land to accommodate that is sufficiently</u> unique in its physical characteristics or other circumstances <u>of the land</u> to warrant special methods of development. <u>Please refer to Figure 2.5 for areas designated</u> <u>as WC RPD Zone</u>.

- <u>a. Development Potential Summary</u>
  - \*\* Total Developable Area: 5 acres
  - »» Residential: 88 dwelling units


#### 3.4.4.2 Use Regulations

The land use regulations that define permitted, conditionally permitted, and prohibited uses within RPD Zone shall remain consistent with Chapter 22.18 in Title 22.


Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site.

### **3.4.4.3 Development Standards**

Standards for the RPD Zone shall remain consistent with Chapter 22.18 (RPD Zone) in Title 22 of the County Code.



### Figure 3.6 Proposed Zoning: Residential Planned Development Areas



### Figure 2.5 West Carson Residential Planned Development Areas

# 3.4.5 2.1.5 Neighborhood Commercial Zone(NC)

### 3.4.5.1 Purpose and Intent

The Neighborhood Commercial (NC) Zone (NC Zone) is established designated to provide a range of neighborhood-servinge the local retailandservice establishments to meet the needs of the residents in West Carson. This zone is ideally suited for the two- to five-acre shopping centers, often anchored by a grocery store, with ancillary goods, services, and restaurants that serve the daily needs of nearby residents. The intent is to maintain and promote the continuation of the neighborhood-service commercial center along the northern edge of the Study Area at Vermont Avenue. The NC Zone allows for the development of a range of neighborhood- serving retail and service uses. Please refer to Figure 2.6 for areas designated as NC Zone.


#### a. Development Potential Summary

\*\* Total Developable Area: 1 acre


#### 3.4.5.2 Use Regulations: NC Zone

The land use regulations define permitted, conditionally permitted, and prohibited uses within the NC Zone, as shown in Table 3.9, Use Regulations: NC Zone. Use regulations for the NC Zone shall remain consistent with Chapter 22.18, C-2 Neighborhood Business, unless otherwise specified in this section.

Accessory uses are permitted within a detached subordinate building or structure, the use of which is customarily identical to that of the main building or the main use of the land, and which is located in the same or a less restrictive zone on the same lot or parcel of land with the main building or use. A MSPR application shall be required for any proposed accessory uses. The Director may approve accessory uses that are consistent with the use regulations and development standards of the NC Zone.







# Figure 2.6 Neighborhood Commercial Areas

# Table 3.9 Use Regulations: NC Zone

USE		
RESIDENTIAL		
Single-family dwelling units, attached/detached; residential planned unit developments.	Prohibited	
Mixed use developments (commercial/residential)	Conditional	
Multi-family dwelling units (including apartment houses)	Conditional	
PUBLIC/INSTITUTIONAL		
Schools	Conditional	
-Fire station	<b>Conditional</b>	
SERVICE COMMERCIAL		
Acute care/rehabilitation uses	Conditional	
Alternative Financial Service	Prohibited	
Automobile service station	Conditional	
Automobile battery and repair shops, painting/auto body, muffler, washing, or sales.	Prohibited	
Amusement rides and devices	Prohibited	
Bulk recycling vending	Prohibited	
Car wash	Prohibited	
Drive-through establishments and drive- through lanes	Prohibited	
Smoking-oriented, tobacco, pipe, and vape shops	Prohibited	
Pawn shops	Prohibited	
Union halls	Prohibited	

### [63]

#### 3.4.5.3 Development Standards

Standards for the NC Zone shall remain consistent with Chapter 22.20 (C-2 Neighborhood Business Zone) in Title 22 of the County Code unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the neighborhood-serving retail and service uses anticipated. They are intended to maintain and promote the continuation of the neighborhood-service commercial center along the northern edge of the study area at Vermont Ave.

TYPE	MINIMUM	MAXIMUM	
FLOOR AREA RATIO (FAR)	FLOOR AREA RATIO (FAR)		
	None	<del>.35</del>	
BUILDING SETBACK			
Carson Street	<del>10 ft.</del>	None	
Torrance Boulevard	<del>10 ft.</del>	None	
Interior Yard (Side or Rear)	<del>0 ft.</del>	None	
Interior Yard Adjacent to Residential (Side or Rear)	<del>15 ft.</del>	None	
BUILDING HEIGHT			
Building Height	None	4 <del>5 ft.</del> <sup>1</sup>	

### Table 3.10 Site Configuration Regulations: NC Zone

1. Building height shall exclude chimneys and rooftop antennas.

a. Landscaping

- Site Landscaping

A minimum of 20 percent of the lot shall be landscaped with trees, shrubs, ground cover, flowering perennials and biennials, and shall be continuously maintained in good condition. Parking lot landscaping does not count toward this requirement. Pedestrian walkways, plazas, and outdoor dining areas may be developed in the landscape area.

Setback areas may be included in this requirement.

# \*\* Chapter 22.126 establishes site tree requirements, including those for surface parking lots.

WEST CARSON TOD SPECIFIC PLAN

- Sites with multiple buildings shall be clustered to the extent possible with shared outdoor spaces and with direct pedestrian access between uses, from parking areas, and from the street.
- Buildings shall be oriented to the street.

#### b. Circulation & Parking

 Bicycle and pedestrian circulation facilities shall provide connections to surrounding uses and to the plan area networks.

### 3.4.6 2.1.6 Unlimited Commercial Zone(UC)

#### 3.4.6.1 Purpose and Intent

The Unlimited Commercial (UC) Zone (UC Zone) is established designated to promote -a diverse range of retail, personal, and professional services, as well as multi-family residential development within a well-designed and walkable environmentmeet the commerce and service needs of the resident and business community of West Carson, while ensuring compatibility with adjacent land uses. Given its proximity to the elementary school and single-family neighborhoods, multi-family residential development is also allowed in a stand-alone or mixed-use configuration up to 30 dwelling units per acre. The intent is to encourage a range of retail, personal, and professional services, as well as multi-family residential in a well-designed, walkable environment.Please refer to Figure 2.7 for areas designated as UC Zone.

- a. Development Potential Summary
- **\*\*** Total Developable Area: 4 acres
- »» Non-residential: 50,620 square feet
- **»»** Residential: 30 units

#### 3.4.6.2 Use Regulations: UC Zone


The land use regulations define permitted, conditionally permitted, and prohibited uses within the UC Zone, as shown in Table 3.11, Use Regulations: UC Zone. Use regulations for the Unlimited Commercial Zone shall remain consistent with Chapter 22.20, Part 4 (C-3 General Commercial Zone) in Title 22 of the County Code unless otherwise specified in this section.

Accessory uses and structure are permitted when customarily associated with, and subordinate to, a permitted use on the same site.


[64]

# Table 3.11 Use Regulations: UC Zone

USE		
RESIDENTIAL		
Single-family dwelling units, attached/detached; residential planned unit developments.	Prohibited	
Mixed use developments (commercial/residential)	Permitted	
Multi-family dwelling units (including apartment houses)	Permitted	
PUBLIC/INSTITUTIONAL		
Schools	Permitted	
Preschool or childcare facility	Conditional	



### Figure 3.8 Proposed Zoning: Unlimited Commercial Areas



# Figure 2.7 Unlimited Commercial Areas

### Table 3.11 Use Regulations: UC Zone

USE		
COMMERCIAL SALES		
Auction houses	Prohibited	
Boat and other marine sales	Prohibited	
Mobilehome sales	Prohibited	
Recreational vehicle sales	Prohibited	
Trailer sales, box, and utility	Prohibited	
SERVICE COMMERCIAL		
Automobile related uses including repair, battery, painting/auto body, muffler, service, washing, sales, or rental.	Prohibited	
Alternative Financial Service	Prohibited	
Recreational vehicle/Truck rentals	Prohibited	
Pawn Shops	Prohibited	

#### 3.4.6.3 Development Standards

Standards for the UC Zone shall remain consistent with Chapter 22.20, C-3 General Commercial Zone, unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the retail, personal and professional services, and multi-family residential uses anticipated.

#### a. Built Form & Landscaping

- Drought-tolerant landscaping requirements shall be consistent with Section 4.106.5 in Title 31 (Green Building Standards) of the County Code.
- When sharing an interior property line with an existing singlefamily zone, the following requirements shall apply:
  - Windows, balconies, or similar openings shall be oriented to minimize any direct line-of-sight into adjacent units or onto private patios or backyards adjoining the property line.
  - \*\* The third floor shall be stepped back by a minimum of 10-feet.

### Table 3.12 Site Configuration Regulations: UC Zone

TYPE	MINIMUM	MAXIMUM	
DENSITY			
Multi-family	None	<del>30 du/ac</del>	
FLOOR AREA RATIO (FAR)			
All Buildings	None	<del>0.5</del>	
BUILDING SETBACK			
West 223rd Street	<del>10 ft.</del>	<del>25 ft</del> <sup>1</sup>	
Meyler Street	<del>10 ft.</del>	<del>25 ft</del>	
Interior Yard (Side or Rear)	<del>0 ft.</del>	None	
Interior Yard Adjacent to Residential (Side or Rear)	<del>15 ft.</del>	None	
BUILDING HEIGHT			
Floors		3 stories <sup>2</sup>	
Building Height	None	40-ft <sup>3,4</sup>	

- 1. For 60% of the property frontage.
- 2. Building height shall exclude chimneys, rooftop antennas, and rooftop recreational spaces.
- 3. Excluding signs which are permitted by Part 10 of Chapter 22.114, chimneys and rooftop antennas.
- 4. Minimum floor-to-ceiling height of the ground floor for a retail use in a mixed- use development shall be 15 feet.
- New development fronting 223rd Street shall not exceed 40-feet and three stories in height. In addition, new development, including setbacks and stepbacks, will be a maximum of 50 feet in depth from the property line along the street.
- Site Landscaping:
  - A minimum of 20 percent of the lot shall be landscaped with trees, shrubs, ground cover, flowering perennials and biennials, and shall be continuously maintained in good condition.
    - Parking lot landscaping does not count towardthis requirement.

- Pedestrian walkways, plazas, and outdoor dining areas may be developed in the landscape area.
- Tree planting and maintenance requirements shall be consistent with Chapter 22.126, Tree Requirements, except as follows:
  - A minimum of three trees shall be planted for every 10,000 square feet of developed lot area regardless of number of parking spaces.
- With the exception of the required paved driveway and walkway, all areas within the street-fronting setback area shall be landscaped and maintained.
- Required Open Space: 200 square feet per dwelling unit for multi-family developments for common recreational-leisure areas, private areas, or a combination of both.
  - »» Minimum dimension for private areas is seven-feet.
  - **>>>** Minimum dimension for common areas is 20-feet.
  - Side and rear yards may be included in the calculation of open space, but not the required front yard setback area.
  - »» Open space areas shall have no parking, driveway, or right- of-way encroachments.
  - All common space areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project and should have strong connections to building entries and pedestrian paseos.

b. Circulation & Parking

 Bicycle and pedestrian circulation facilities shall provide connections to surrounding uses and to the plan area networks.

### 3.4.7 2.1.7 Industrial Flex Zone(IF)

#### 3.4.7.1 Purpose and Intent

The Industrial Flex (IF) Zone District is intended designated to allow opportunities for accommodate non-industrial and nonresidential uses, including commercial and, office, and multifamily residential uses, where appropriate, to occur within the light industrial areas south of 220th Street. The This zone Industrial Flex District recognizes acknowledges the transition that is occurring in the West Carson community area from traditional, small-scale light industrial uses, to a broader range of uses to serve the community., These includeing service commercial usesestablishments, professional and medical offices, and multi-family residential. Over time, the Industrial Flex District IF Zone will provide facilitate a more compatible transition to the existing single-family and multi-family residential areas. Residential uses are intended to provide for housing options and affordability, particularly workforce housing and dwelling units in proximity to both employment uses and transit. The development standards for this designation include conditions for allowing multi-family residential, including minimum project size and adjacency requirements to address potential compatibility concerns. Please refer to Figure 2.8 for areas designated as IF Zone.

- a. Development Potential Summary
  - \*\* Total Developable Area: 22 acres
  - »» Non-Residential: 1,133,779 sq. ft.
  - **»»** Residential: Max. 486 units

#### 3.4.7.2 Use Regulations: IF Zone

The land use regulations define permitted, conditionally permitted, and prohibited uses in the Industrial Flex zone, as shown in Table 3.13, Regulations (IF). Standards for the Industrial Flex Zone shall remain consistent with Chapter 22.22 (M-1 Light Manufacturing Zone) in Title 22 of the County Code unless otherwise specified in this section.


Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site, and would include:

- **\*\*\*** Administrative office
- **»»** Assembly/multi-purpose building
- \*\* Caretaker's quarter
- »» Enclosed, screened, outdoor storage

Maintenance/storage facility and structure


**»»** Patio cover/trellis

[71] GUIDELINESIMPLEMENTING ZONES



# Figure 3.9 Proposed Zoning: Industrial Flex Areas

# Figure 2.8 Industrial Flex Areas



#### WEST CARSON TOD SPECIFIC PLAN

\*\* Tennis court, basketball courts, and other multi-purpose courts, recreation and community buildings

Table 3.13 Use Regulations: IF Zone

USE	
RESIDENTIAL	
Mixed use developments (commercial/residential)	Permitted
Multi-family dwelling units (including apartment houses)	Permitted
Single-family dwelling units, attached/detached; residential planned unit developments.	Prohibited
PUBLIC/INSTITUTIONAL	
Churches, temples and other places of worship	Permitted
Hospital (including convalescent home, nursing home, and maternity home.)	Conditional
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted
School	Conditional
SERVICE COMMERCIAL	
Acute care/rehabilitation uses	Conditional
Alternative Financial Service	Prohibited
Automobile service station	Prohibited
Automobile related uses including repair,	
battery, painting/auto body, muffler, service, washing, sales, or rental.	<b>Prohibited</b>
Amusement rides and devices	Prohibited
Health club/gymnasium	Permitted
Hotel	Permitted
Movie theater	Permitted
Alcoholic beverage sales	<b>Conditional</b>

# Table 3.13 Use Regulations: IF Zone

USE	
Restaurant, family, specialty, and food hall	Permitted
Theater, including live performance	Permitted
Drive-through establishments and drive-through lanes	Prohibited
Pawn Shops	Prohibited
Smoking-oriented including tobacco, pipe, and vape shops	Prohibited
INDUSTRIAL	
Assembly plants	Prohibited
Auction houses	Prohibited
Concrete batching	Prohibited
Heavy industrial uses, including distribution	Prohibited
Light industrial use, general (including fabrication, manufacturing, and assembly) directly adjacent to residential.	Conditional
Meat markets/slaughter	Prohibited
Moving van/operations yards	Prohibited
Oil wells and accessory facilities	Prohibited
Recreational vehicle sales and rentals	Prohibited
Refrigeration plants	Prohibited
Technology exchange/transfer service	Permitted
OFFICE	
General office	Permitted
Medical office/healthcare center	Permitted
Professional office	Permitted

#### 3.4.7.3 3.4.7.1 Development Standards

Standards for the Industrial Flex Zone shall remain consistent with Chapter 22.22 (M-1 Light Manufacturing Zone) in Title 22 of the County Code, unless otherwise specified in this section and Section 3.6, Urban Design Standards, below. The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the light industrial, limited commercial retail, and multi-family residential uses anticipated.

#### a. Frontages

All new development adjacent to a street with frontage requirements as shown in Figure 3.5, Streets with Frontage Requirements, shall have a primary building façade and entry from the identified street and shall adhere to the following

### Table 3.14 Site Configuration Regulations: IF Zone

TYPE	MINIMUM	MAXIMUM
DENSITY		
Multi-family	<del>30 du/ac</del>	<del>70 du/ac</del>
FLOOR AREA RATIO (FAI	<del>२)</del>	
All Buildings	0.25	<del>2.5</del>
BUILDING SETBACK		
West 223rd Street	<del>10 ft.</del>	<del>25 ft.</del> ⁺
Interior Yard (Side or Rear)	<del>0 ft.</del>	None
Interior Yard Adjacent to Residential (Side or Rear)	<del>15 ft.</del>	None
BUILDING HEIGHT		
Floors		4 stories <sup>2</sup>
Building Height	None	<del>50 ft.<sup>3</sup></del>
1 For COUL of the property if		

1. For 60% of the property frontage.

- 2. Building height shall exclude chimneys, rooftop antennas, and rooftop recreational spaces.
- 3. Minimum floor-to-ceiling height of the ground floor for a retail use in a mixed- use development shall be 15 feet.

building frontage requirements. These frontages dictate the relationship between the street (back of right-of-way) and the façade of the ground floor of the building (see Section 3.6.2, Building Design, for building frontage design standards and guidelines).

- Building orientation shall be determined by the location of the primary entrance, which shall indicate the front of the building.
- All building sides abutting major public rights-of-way shall require architectural treatment.
- Pedestrian access to public right-of-way is required either through common corridors or courtyards from buildings adjacent to the road.
- Den fencing is allowed, but a solid wall greater than three-feet high shall not be allowed.

### Table 3.15 Frontage Categories: IF Zone

TYPE	VERMONT AVENUE	223 <sup>RD-</sup> STREET
Shopfront	Permitted	Permitted
Forecourt	Permitted	Permitted
Gallery	Permitted	Permitted
Arcade	Permitted	Not permitted
Terrace	Permitted	Permitted
<b>Stoop</b>	Not permitted	Permitted

See Section 3.6.2, Building Design, for building frontage design standards and guidelines.

- b. Built Form & Landscaping
  - Multi-family residential units shall only be allowed under specific conditions to address potential compatibility concerns as follows:
    - Minimum project size of two-acres whichever is greater.
    - Adjacency uses are non-industrial or light industrial uses that do not emit excessive emissions, odor, noise, or vibration.
    - **»»** Environmental remediation of the land if required.
  - Site Landscaping
    - Drought-tolerant landscaping requirements shall be consistent with Section 4.106.5 in Title 31 (Green Building Standards) of the County Code.
    - A minimum of 20 percent of the lot shall be landscaped with trees, shrubs, ground cover, flowering perennials and biennials, and shall be continuously maintained in good condition.
      - Parking lot landscaping does not count toward this requirement.
      - Set the set of the
    - Tree planting and maintenance requirements shall be consistent with Chapter 22.126, Tree Requirements, except as follows:
      - A minimum of three trees shall be planted for every10,000 square feet of developed lot area regardless of number of parking spaces.
      - Wherever possible, existing trees shall be maintained.
      - With the exception of the required paved driveway and walkway, all areas within the street-fronting setback area shall be landscaped and maintained.
      - Required Open Space: 200 square feet per dwelling unit for multi-family developments for common recreational-leisure areas, private areas, or a combination of both.
        - Minimum dimension for private areas is sevenfeet.

CHAPTER 3. LAND USE AND DESIGN

[77] GUIDELINESIMPLEMENTING ZONES

- → Minimum dimension for common areas is 20-feet.
- Side and rear yards may be included in the calculation of open space, but not the required front yard setback area.
- Open space areas shall have no parking, driveway, or rightof-way encroachments.
- All common space areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project and should have strong connections to building entries andpedestrian paseos.

#### Lighting

\*\* All outdoor lighting systems shall be directed away from the window of a residential uses.

#### c. Circulation & Parking

- Bicycle and pedestrian circulation facilities shall provide connections to surrounding uses and to the plan area networks.
- Provisions for common vehicular access points and shared parking shall be encouraged and coordinated with any adjacent/proximate development plans where practical.

#### d. Special Requirements

- When sharing an interior property line with an existing singlefamily zone, the following requirements shall apply:
  - Windows, balconies, or similar openings shall be oriented to minimize any direct line-of-sight into adjacent units or onto private patios or backyards adjoining the property line.
  - The third and fourth floor shall be stepped back by a minimum of 10-feet.
- Residential units may not be located within 500-feet of the edge of the freeway right-of-way. Other uses such as parking are allowed.
- Developments greater than 100 units will be conditioned to provide public benefit to serve the greater community, including public open space, street trees, public art, community/entrance monument, public open space furnishings, or other features needed within the plan area and approved by the Director.


 An application for new construction or expansion of development within the IF Zone shall be subject to the requirements included in Section 22.26.020 for review of the project's impacts on infrastructure.

Special Requirements: Adjacency to Residential Use

If an industrial use is next to a residential use, then these additional standards apply:

Building Height: Any new industrial building or structure shall be within an encroachment plane sloping upward and inward at a 45 degree angle commencing 20-feet above the existing grade at the inside line of the side yard setback as illustrated in Figure 3.10.

### Figure 3.10 Encroachment Plane for Industrial Uses Abutting Residential Uses



- Enclosures: Materials and equipment that emit dust, smoke, gas, fumes, cinder, or refuse matter shall be completely enclosed and mechanically ventilated to prevent fugitive emissions unless another regulatory agency requires natural ventilation. Stacks, vents, and flares are exempt from the enclosure requirement.
- Yard Setback: A new industrial building, structure, or addition shall provide the yard setbacks identified in Table 3.16 when abutting a residential use.

[78]

Table 3.16	Yard Setback for New Industrial Uses
	Abutting a Residential Use

TYPE	FRONT	SIDE	REAR
MINIMUM REQUIRED SETBACK			
Lot depth > 100 ft	<del>15 ft.</del>	-	<del>15 ft.</del>
Lot depth ≤ 100 ft	<del>5 ft.</del>	-	<del>5 ft.</del>
Lot width ≥ 50 ft	-	<del>15 ft.</del>	-
Lot width > 30 ft <del>&lt; 50 feet</del>	-	<del>5 ft.</del>	-
<del>Lot width ≤ 30 ft</del>	-	<del>3 ft.</del>	-

- Noise generating uses or activities such as fabrication, manufacturing, and assembly, shall not exceed the presumed ambient noise level specified in Chapter 12.08 of Title 12 of the County Code.
  - Applicants shall submit to Regional Planning an acoustic evaluation report issued by a licensed noise consulting professional which identifies compliance options for noise mitigation. Applicants shall comply with the stated performance-based mitigation measures.
  - Baseline and other ambient noise levels shall be measured at the property line. If the ambient sound levels at the site exceed the allowable ambient levels, the existing site's ambient level becomes the new allowable baseline and no increase in that level shall be allowed.
- For new residential development next to industrial use, required common open space shall be fully buffered from an industrial use by a building on the same project site.

## 3.4.8 <u>2.1.8</u> Harbor-UCLA Medical Zone

### **3.4.8.1 Purpose and Intent**

The Harbor-UCLA Medical Zone is established designated to support the existing and future needs of the Harbor-UCLA Medical Center campus while ensuring compatibility with adjacent land uses. The intentIts purpose is to accommodate the Harbor-UCLA Campus Master Plan, which seeks to maintain, improveenhance, and expand various facilities such as the hospitals facilities; clinics facilities; medical offices; research and development centers; community-serving uses and facilities amenities; and associated supportive uses such as transitional housing, incidental retail, parking, and public open spaces. It is also intended to Additionally, the Campus Master Plan incorporates transportation infrastructure enhancements encourage expanded pedestrian walkways to improve mobility and connectivity within the campus and surrounding between the Harbor-UCLA Medical Center, LA BioMed research and development facility, Carson Street uses, Carson Street Station, and the West Carson community. Please refer to Figure 2.9 for areas designated as Harbor-UCLA Medical Zone.

### a. Development Potential Summary

- \*\* Total Developable Area: 71 acres
- »» Non-Residential: 1,941,339 sq. ft.
- »» Residential: Max. 100 units

### 3.3.8.2 Use Regulations (Harbor-UCLA Medical)

 Uses shall be consistent with the Harbor-UCLA Medical Center Campus Master Plan.

#### 3.4.8.3 Development Standards

The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the mix of commercial, office, and other hospital-supportive uses anticipated.

#### b. Built Form & Landscaping

- Site, building, and landscaping design shall be consistent with the Harbor-UCLA Medical Center Campus Master Plan and as follows:
- Landscaping
  - Large facades/walls of structures within 20-feet of a roadway, such as parking structures, operations plant, or other buildings, shall be screened with trees, large


shrubs, and other vegetation to soften and buffer massing from the surrounding community.

Landscaping along Carson Street shall be permeable and open to the street to allow visibility; encourage access and connectivity to/from the walking path along Carson Street and hospital campus; and create an attractive, inviting pedestrian experience.

Table 3.17 Site Configuration Regulations (Harbor-UCLA Medical)

TYPE	MINIMUM	MAXIMUM		
DENSITY				
Residential	None	<del>30 du/ac</del>		
FLOOR AREA RATIO (	FAR) <sup>±</sup>			
Non-residential	None	<del>.78</del>		
BUILDING SETBACK	BUILDING SETBACK			
South Vermont Avenue	<del>5 ft.</del>	None		
Carson Street	<del>5 ft.</del>	None		
Local Road	<del>15 ft.</del>	None		
BUILDING HEIGHT				
Floors				
Building Height	None	None <sup>1</sup>		

<sup>1</sup>-Building height will be consistent with the Harbor-UCLA Medical Center Campus Master Plan.



# Figure 3.11 Proposed Zoning: Harbor- UCLA Medical Zone Areas



# Figure 2.9 Harbor – UCLA Medical Zone Areas

# 3.4.9 <u>2.1.9</u> Mixed\_Use 1 (MU1)-Zone

### 3.4.9.1 Purpose and Intent

The Mixed-Use 1 (MU-1) Zone (MU1 Zone) is located primarily along Carson Street and is intendeddesignated to promote mixed-use developments that integrate of a mix of commercial, office, and residential, office, and commercial spaces, with an emphasis ona focus on serving the neighborhood and the medical campus serving with retail, restaurants and services uses. Uses can either be developed in a stand-alone or vertical mixed-use configuration. Thise MU1 Zzone providesallows for developments a range of small to largevarious scales, including retail or mixed-use centers, multi-family residential uses-unitsup to 30 dwelling units per acre, and private/public open spaces components,. Additionally, it prioritizes with strong bicycle and pedestrian connections to the Carson Street Station, medical campus to the south, and the broader West Carson community. Please refer to Figure 2.10 for areas designated as MU-1 Zone.

a. Development Potential Summary

\*\* Non-Residential: 483,460 sq. ft.


»» Residential: Max. 143 units

### 3.4.9.2 Use Regulations: MU1 Zone

The land use regulations define permitted, conditionally permitted, and prohibited uses in the Mixed Use 1 Zone, as shown in Table 3.18, Use Regulations: MU1 Zone.

Accessory uses and structures are permitted when customarily associated with, and subordinate to, a permitted use on the same site, and would include:

- **\*\*** Assembly/multi-purpose building
- »» Enclosed, screened, and outdoor storage
- **\*\*** Maintenance/storage facility and structure
- »» Patio cover/trellis
- **»»** Swimming pool, spa, and jacuzzi
- Tennis court, basketball courts, and other multi-purpose courts, recreation and community buildings



# Figure 3.12 Proposed Zoning: Mixed Use 1 Zone Areas

# Figure 2.10 Mixed-Use 1 Areas



Jay Pl.

# Table 3.18 Use Regulations: MU1 Zone

USE		
RESIDENTIAL		
Mixed use developments (commercial residential)	Permitted	
Multi-family dwelling units (including apartment houses)	Permitted	
PUBLIC/INSTITUTIONAL		
Art and cultural facility	Permitted	
Churches, temples, and other places of worship	Permitted	
Fire station	<b>Conditional</b>	
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted	
School	<b>Conditional</b>	
SERVICE/RETAIL COMMERCIAL		
Acute care/rehabilitation uses	<b>Conditional</b>	
Automobile service station	Prohibited	
Automobile related uses including repair, battery, painting/auto body, muffler, service, washing, sales, or rental.	Prohibited	
Amusement rides and devices	Prohibited	
Alternative Financial Service	Prohibited	
Bakery, coffee house/café, delicatessen/cafeteria	Permitted	
Bank and financial institution	Permitted	
childcare Center	<b>Conditional</b>	
Commercial recreational facility	Permitted	
Entertainment uses, including restaurants, non- adult- only theaters, and other similar venues	Permitted	
Grocery/market	Permitted	
Health club/gymnasium	Permitted	
Hotel	Permitted	
Movie theater	Permitted	
On-site alcoholic beverage sales establishment	Conditional	

## Table 3.18 Use Regulations: MU1Zone

USE		
Drive-through establishments and drive- through lanes	Prohibited	
Pawn Shops	Prohibited	
Theater, including live performance	Permitted	
Smoking-oriented including tobacco, pipe, and vape shops	Prohibited	
OFFICE		
General office	Permitted	
Medical office	Permitted	
Professional office	Permitted	

### 3.4.9.2 Development Standards

The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the mix of commercial, office, and residential uses anticipated. The standards are intended to encourage the development of medium density housing as well as daily retail and service commercial uses to serve the needs of the West Carson community. Development standards include street-based frontage standards regulating building frontages along existing and new streets to form adequate and pedestrian-friendly building faces. The following development standards apply in conjunction with Section 3.6, Urban Design Standards, below.

## Table 3.19 Site Configuration Regulations: MU1 Zone

MINIMUM	MAXIMUM		
<del>18 du/ac</del>	<del>30 du/ac</del>		
<del>0.5</del>	<del>1.0</del>		
BUILDING SETBACK			
<del>5 ft.</del>	<del>15 ft.</del>		
<del>5 ft.</del>	<del>15 ft.</del>		
<del>15 ft.</del>	None		
<del>0 ft.</del>	None		
<del>15 ft.</del>	None		
BUILDING HEIGHT			
	<del>3 stories</del>		
None	4 <del>0 ft</del> ⁴		
	18 du/ac 0.5 5 ft. 5 ft. 15 ft. 0 ft. 15 ft.		

1. Building height shall exclude chimneys, rooftop antennas, and rooftop recreation spaces.

#### a. Frontages

All new development adjacent to a street with frontage requirements, as shown in Figure 3.5, Streets with Frontage Requirements, shall have a primary building façade and entry from the identified street and shall adhere to the following building frontage requirements. These frontages dictate the relationship between the street (back of right-of-way) and the façade of the ground-floor of the building (see Section 3.6.2, Building Design, for building frontage design standards and guidelines).

- Building orientation shall be determined by the location of the primary entrance, which shall indicate the front of the building.
- All building sides abutting major public rights-of-way shall require architectural treatment.

"> Open fencing is allowed, but a solid wall greater than threefeet high shall not be allowed.

### Table 3.20 Frontage Categories: MU1 Zone

TYPE	CARSON STREET	VERMONT AVENUE
<b>Shopfront</b>	Permitted	Permitted
Forecourt	Permitted	Permitted
Gallery	Permitted	Permitted
Arcade	Permitted	Permitted
Terrace	Permitted	Permitted
<b>Stoop</b>	Not permitted	Permitted

See Section 3.6.2, Building Design, for building frontage design standards and guidelines.

### b. Built Form & Landscaping

- When sharing a property line with an existing single-family zone, the following requirements shall apply:
  - Windows, balconies, or similar openings shall be oriented to minimize any direct line-of-sight into adjacent units or onto private patios or backyards adjoining the property line.
  - Required interior yards (side or rear) shall feature a landscaped buffer designed and continuously maintained to maximize the privacy of adjoining single-family homes. At the time of planting, plant materials shall be of a size that maturity and maximum privacy will be achieved within five years.
  - The third floor shall be stepped back by a minimum of 10feet.
  - New development fronting Vermont Avenue or 214th Street shall not exceed 40-feet and three stories in height. In addition, new development, including setbacks and stepbacks, will be a maximum of 50-feet in depth from the property line along the street.

- Any development that includes dwelling units shall provide adequate private or common laundry facilities reserved for the exclusive use of the residents of the development.
- Any development that includes dwelling units shall be set back a minimum of 100-feet from Interstate 110.
- An increase in FAR is allowed to encourage lot consolidation in the MU1 Zone as follows:
  - \*\* 0.5 acre to 1.0 acre = 0.10 increase in FAR
  - \*\* 1.1 acre to 2 acres = 0.25 increase in FAR, and fivefeet increase in height
  - 2.1 acre or more = 0.50 increase in FAR, and 10feet increase in height
- Facades
  - Street wall facades shall be architecturally enhanced. This may be accomplished through the use of arcades, colonnades, recessed entrances, window details, bays, and variation in building materials, color, and other details. The maximum total blank wall area (without windows or entrances) shall not exceed 30 percent of the first-story wall for non-residential and 50 percent for residential.
  - The façade detailing of mixed-use buildings shall visually differentiate ground-floor uses from upper-story uses. The base shall visibly anchor the building to the ground with a treatment of higher quality materials.
  - The façade detailing of commercial or retail entries shall be differentiated from residential entries.
- Design Features
  - Projecting features, such as balconies, porches, bays, and dormer windows, are encouraged to create distinction between units and to provide "eyes" on the street.
  - Private balconies shall be screened by translucent materials that shield visibility of personal items from public view.
  - All primary ground-floor common entries or individual dwelling unit or commercial entries fronting on streets shall be or oriented to the street, not to the interior or to a parking lot.
  - Buildings having 100-feet or more of street frontage shall be designed to provide roofs of varying heights.

- All glass in windows or entrances on the first two stories shall be either clear or lightly tinted to maximize pedestrian visibility of building interiors from the sidewalk area. Mirrored, highly reflective, or densely tinted glass shall be prohibited for use in windows and entrances.
- »» Operable windows that front Interstate 110 should be avoided.
- Utility and Mechanical Equipment
  - All utility and mechanical equipment shall be placed in locations that are not exposed to view from the street or shall be screened from view. Satellite dishes shall be located away from public view.
  - Screening elements shall be an integral part of the building's design.
- Required Residential Open Space
  - \*\* 100 square feet per dwelling unit for common recreational-leisure areas, private areas, or a combination of both.
  - »» Minimum dimension for private areas is seven-feet.
  - »» Minimum dimension for common areas is 20-feet.
  - Side and rear yards may be included in the calculation of open space, but not the required front yard setback area.
  - »» Open space areas shall have no parking, driveway, or rightof-way encroachments.
  - All common areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project. All common areas shall be developed and professionally maintained in accordance with approved landscape and irrigation plans.
  - Some of all space shall be located on the same property as the residential it serves and shall be available exclusively for the use of all residents of the development.
  - Where a rooftop is used for common recreational space, the rooftop shall incorporate landscaping, decorative paving and materials, and amenities. Mechanical equipment storage areas shall not be counted toward meeting the requirement.
  - Pedestrian walkways within a project shall be a minimum or four-feet in width.

- Private useable open space shall be contiguous to the residential units served and screened for privacy.
- Sourtyard internal to a project, or enclosed on at least three sides, shall have a minimum width of 40-feet.

### Required Non-residential Open Space

- >>> 500 square feet of non-residential open space requirement for projects less than two acres.
- *x* 2,500 square feet of non-residential open space requirement for projects greater than two acres.
- Non-residential open space requirement may be satisfied by outdoor dining areas, plazas, or other useable outdoor use as approved by the Director.
- Public plazas, urban pocket parks, outdoor dining, promenades, public art, and other outdoor public amenities shall be designed to activate ground-floor uses, engage residents and visitors.
- Open spaces shall be appropriately landscaped and provide adequate shade through the placement of trees or other shade devices, including umbrellas, awnings, trellises, and canopies that are integrated into the building or over the open space.

### c. Special Requirements

 An application for new construction or expansion of development within the MU1 Zone shall be subject to the requirements included in Section 22.26.020 for review of the project's impacts on infrastructure.

## 3.4.10 <u>2.1.10</u> Mixed\_Use 2 (MU2) Zone

### **3.4.10.1 Purpose and Intent**

The Mixed\_Use 2 (MU-2) Zone (MU2 Zone) is intended designated to be developed over time facilitate the development of as a transit-supportive environment characterized by providing a diverse-higher-intensity mix of higher-intensity retail, office, restaurant-uses, and residential developments in a compact, walkable layoutsetting. This zoning designation encourages a range of various types of multiple-family residential housing, products in either as a stand-alone or mixed-use configuration, up to 70 dwelling units per acre. The standards development and design requirements addressprioritize vital private/public open spaces-components, bicycle and pedestrian connections to the Carson Street Station and medical campus to the west, and proximity to the Interstate 110 freeway. The MU-2 Zone is intended to promote community redevelopment through higher higher-intensity, transitsupportiveng infill development. Please refer to Figure 2.11 for areas designated as MU-2 Zone.

- a. Development Potential Summary
  - \*\* Total Developable Area: 31 acres
  - **\*\*** Non-residential: 978,675 sq. ft.
  - **»»** Residential: Max. 1,223 units

### 3.4.10.2 Use Regulations: MU2 Zone

The land use regulations define permitted uses within the Mixed Use 2 zone, as shown in Table 3.21, Use Regulations: MU2 Zone.


### Table 3.21 Use Regulations: MU2Zone

USE		
RESIDENTIAL		
Mixed use developments (commercial/residential)	Permitted	
Multi-family dwelling units (including apartment houses)	Permitted	
PUBLIC/INSTITUTIONAL		
Art and cultural facility	Permitted	
Churches, temples, and other places of worship	Permitted	

# Table 3.21 Use Regulations: MU2 Zone


USE	
Fire station	Conditional
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted
School	Conditional
SERVICE/RETAIL COMMERCIAL	
Acute care/rehabilitation uses	Conditional
Alternative Financial Service	Prohibited
Automobile service station	Prohibited
Automobile related uses including repair, battery, painting/auto body, muffler, service, washing, sales, or rental.	Prohibited
Amusement rides and devices	Prohibited
Bakery, coffee house/café, and delicatessen/ cafeteria	Permitted
Bank and financial institution	Permitted
Preschool or childcare center	Conditional
Commercial recreational facility	Permitted
Entertainment uses, including restaurants, non-adult-only theaters, and other similar venues	Permitted
Grocery/market	Permitted
Health club/gymnasium	Permitted
Hotel	Permitted
Movie theater	Permitted
Alcoholic beverage sales	Conditional
Drive-through establishments and drive- through lanes	Prohibited
Theater, including live performance	Permitted





[94]

# Figure 2.11 Mixed-Use 2 Areas



# Table 3.21 Use Regulations: MU2 Zone

USE	
General office	Permitted
Medical office	Permitted
Professional office	Permitted

### 3.4.10.3 Development Standards

The following development standards regulate new site and building development by establishing standards for intensity, building height, open space, and other elements. They have been developed to accommodate the mix of retail, office, restaurant, and residential uses anticipated. The standards are intended to encourage the development of high density housing and retail and service commercial uses to serve the needs of the West Carson community. Development standards include street-based frontage standards regulating buildings frontages along existing and new streets to form adequate and pedestrianfriendly building faces. The following development standards apply in conjunction with Section 3.6, Urban Design Standards, below.

TYPE	MINIMUM	MAXIMUM	
DENSITY			
Residential	<del>31 du/ac</del>	<del>70 du/ac</del>	
FLOOR AREA RATIO (FAR) <sup>±</sup>			
Non-residential	None	<del>3.0</del>	
BUILDING SETBACK			
West 223rd Street/Meyler Street	<del>10 ft.</del>	<del>25 ft.</del>	
Interior Yard Adjacent to Residential (Side or Rear)	<del>15 ft.</del>	None	
BUILDING HEIGHT			
Floors	None	5 stories	
Building Height		<del>60 ft.</del> ⁴	

# Table 3.22 Site Configuration Regulations: MU2 Zone

<sup>+</sup>Height excluding signs that are permitted by Chapter 22.114, chimneys, and rooftop antennas.

### a. Frontages

All new development adjacent to a street with frontage requirements, as shown in Figure 3.5, Streets with Frontage Requirements, shall have a primary building façade and entry from the identified street and shall adhere to the following building frontage requirements. These frontages dictate the relationship between the street (back of right-of-way) and the façade of the ground floor of the building (see Section 3.6.2, Building Design, for building frontage design standards and guidelines).

- Building orientation shall be determined by the location of the primary entrance, which shall indicate the front of the building.
- All building sides abutting major public rights-of-way shall require architectural treatment.
- Pedestrian access to public right-of-way is required either through common corridors or courtyards from buildings adjacent to the road.
- "> Open fencing is allowed, but a solid wall greater than threefeet high shall not be allowed.

# Table 3.23 Frontage Categories: MU2 Zone

TYPE	CARSON STREET	VERMONT AVENUE
Shopfront	Permitted	Permitted
Forecourt	Permitted	Permitted
Gallery	Permitted	Permitted
Arcade	Permitted	Permitted
Terrace	Permitted	Permitted
<b>Stoop</b>	Not permitted	Not permitted

See Section 3.6.2, Building Design, for building frontage design standards and guidelines.

#### b. Built Form & Landscaping

- Development at the corner of the intersection of Carson Street and Vermont Avenue shall provide the following:
  - A corner entrance or an entrance oriented toward each street.
  - Architectural style and detail of buildings that create interest, including display windows, façade materials, colors, art features, rooftop elements, and stepbacks.
- Any development that includes dwelling units shall provide adequate private or common laundry facilities reserved for the exclusive use of the residents of the development.
- Façades
  - Street wall façades shall be architecturally enhanced. This may be accomplished through the use of arcades, colonnades, recessed entrances, window details, bays, and variation in building materials, color, and other details. The maximum total blank wall area (without windows or entrances) shall not exceed 30 percent of the first story wall for non-residential and 50 percent for residential.
  - The façade detailing of mixed-use buildings shall visually differentiate ground-floor uses from upper-story uses. The base shall visibly anchor the building to the ground with a treatment of higher quality materials.

- Design Features
  - Projectingfeatures, such as balconies, porches, bays, and dormer windows shall be used to create distinction between units and provide "eyes" on the street.
  - Private balconies shall be screened by translucent materials that shield visibility of personal items from public view.
  - All primary ground-floor common entries or individual dwelling unit or commercial entries fronting on streets shall be oriented to the street, not to the interior or to a parking lot.
  - Buildings having 100-feet or more of street frontage shall be designed to provide façade articulation and roofs of varying heights.
  - All glass in windows or entrances on the first two stories shall be either clear or lightly tinted to maximize pedestrian visibility of building interiors from the sidewalk area.
  - Mirrored, highly reflective, or densely tinted glass shall be prohibited for use in windows and entrances.
- Utility and Mechanical Equipment
  - All utility and mechanical equipment shall be placed in locations that are not exposed to view from the street or shall be screened from view. Satellite dishes shall be located away from public view.
  - Screening elements shall be an integral part of the building's design.
- Required Residential Open Space
  - \*\* 100-square feet per dwelling unit for common recreationalleisure areas, private areas, or a combination of both.
  - »» Minimum dimension for private areas is seven-feet.
  - \*\* Minimum dimension for common areas is 20-feet.
  - Side and rear yards may be included in the calculation of open space, but not the required front-yard setback area.
  - »» Openspace areas shall have no parking, driveway, or rightof-way encroachments.
  - All common areas shall be improved as either active or passive facilities, with landscaping or hardscape elements designed to serve the residents of the project. All common areas shall be developed and professionally maintained

in accordance with approved landscape and irrigation plans.

- Common recreational space shall be located on the same property as the residential it serves and shall be available exclusively for the use of all residents of the development.
- Where a rooftop is used for common recreational space, the rooftop shall incorporate landscaping, decorative paving and materials, and amenities. Mechanical equipment storage areas shall not be counted toward meeting the requirement.
- Pedestrian walkways within a project shall be a minimum of four-feet in width.
- Private useable open space shall be contiguous to the residential units served and screened for privacy.
- Sides, shall have a minimum width of 40-feet.
- Required Non-residential OpenSpace
  - >>> 500 square feet non-residential open space requirement for projects less than two acres.
  - 2,500 square feet non-residential open space requirement for projects greater than two acres.
  - Non-residential open space requirement may be satisfied by outdoor dining areas, plazas, or other useable outdoor use, as approved by the Director.
  - Public plazas, urban pocket parks, outdoor dining, promenades, public art, and other outdoor public amenities shall be designed to activate ground-floor uses, engage residents and visitors.
  - Open spaces shall be appropriately landscaped and provide adequate shade through the placement of trees or other shade devices, including umbrellas, awnings, trellises, and canopies that are integrated into the building or over the open space.
- c. Special Requirements
- An application for new construction or expansion of development within the MU2 Zone shall be subject to the requirements included in Section 22.26.020 for review of the project's impacts on infrastructure.

# 3.4.11 <u>2.1.11</u> Public Zone (P Zone)

### **3.4.11.1 Purpose and Intent**

The West Carson Public (P) Zone\_provides is designated to accommodate various for established public uses, including schools, parks, 208th Street Drain channel, the Carson Street Transit Station park-and-ride, and other public usesfacilities. This designation is intended to promote the use of publicly owned land for the purposes of community open space, connection, and recreational activitiesy. Please refer to Figure 2.12 for areas designated as P Zone.

a. Development Potential Summary

**»»** Total Developable Area: 27 acres

### 3.4.11.2 Use Regulations: P Zone

The land use regulations define permitted uses within the Public zone, as shown in Table 3.24, Use Regulations: P Zone.

### Table 3.24 Use Regulations: P Zone


USE		
PUBLIC/INSTITUTIONAL		
Parks, playgrounds with appurtenant facilities customarily found in conjunction therewith	Permitted	
School	Permitted	

### 3.4.11.3 Development Standards

The following development standards regulate new site development by establishing standards for intensity, open space, and other elements. The development standards for Public Zone have been tailored to its future use as additional recreational opportunities in the community occur and should be used in conjunction with Section 3.6, Urban Design Standards, below.


# Table 3.25 Site Configuration Regulations: PZone

TYPE	MINIMUM	MAXIMUM
FLOOR AREA RATIO (FAR) <sup>1</sup>		
All areas	None	<del>.10</del>
BUILDING SETBACK		
Front	None	<del>15</del> <del>ft.</del>
Rear	<del>10 ft.</del>	None
Side	<del>10 ft.</del>	None
BUILDING HEIGHT		
Floors		2 stories
Building Height	None	<del>30</del> <del>ft.</del>



# Figure 3.14 Proposed Zoning: Public Zone Areas

# Figure 2.12 Public Areas



# 3.5 GENERAL DEVELOPMENT STANDARDS

The following general regulations shall apply to new development and the reuse of existing structures and facilities, unless specific exceptions are described elsewhere in the Specific Plan.

### **Use Regulations**

### **Alcohol Beverage Sales**

The County established standards for all on- and off-site alcoholic beverage sales establishments to promote and protect the public health, safety, and general welfare and preserve and enhance the quality of the community. Applicants shall refer to Chapter 22.158 for standards and guidelines relating to establishments that include the sales of alcoholic beverages for on- and off-site consumption. Alcohol beverage sales require a conditional use permit, as identified in the use regulations of the zone in which the establishment is located.

### **Outside Storage**

All uses shall be conducted within a completely enclosed building, except for off-street parking, loading, approved horticultural nursery accessory uses, approved temporary uses, and any outdoor dining specifically permitted in conjunction with eating establishments. Minor ancillary outdoor storage (service vehicle parking, materials storage, or limited equipment assembly associated with a permitted use) may be located outside a building in certain planning areas as an accessory use, provided that there is solid screening and no negative noise or aesthetic impacts on adjacent properties.

### **Interim and Temporary Uses**

Interim uses on County-owned properties shall require approval of a special event permit pursuant to Title 22 of the County Code, as applicable. Temporary uses shall be regulated pursuant to Title 22 of the County Code, as applicable.

### **Utilities**

All utility lines serving a new development, with the exception of interim uses, shall be placed underground by the developer in accordance with the County's policies for locating utilities underground.

Solution with development, where feasible and as required by the County.

- »» No structures shall be permitted to be developed over active pipelines, abandoned lines, or utility easements, except where approved by the Director of Public Works.
- All utility line and connection costs to the backbone infrastructure/utility system (water supply, sanitary sewer facilities, reclaimed water supply, storm drainage, and other utilities) needed to serve individual projects shall be the responsibility of the new user/owner, or as otherwise determined as a result of a negotiated development agreement or lease.
- All water supply, sanitary sewer facilities, reclaimed water supply, storm drainage, and other facilities shall be provided in accordance with adopted master plans of the respective service providers. Costs shall be assigned to each development lot or parcel in accordance with a cost-benefit formula established by the County, based on estimated engineering construction costs, or as otherwise determined as a result of a negotiated development agreement.

### **Antennae and Satellite Dish Standards**

All provisions of the County Code, as applicable, shall apply.

### **Mechanical Equipment**

Compressors, air conditioning units, vents, exhausts, or similar mechanical equipment located outside a building shall comply with the following:

- All such equipment shall be screened from view from any abutting street or adjacent use. Screening shall be an integral part of the overall architectural design of the project. The top of any screening shall be a minimum of six inches above the top of any mechanical equipment.
- All mechanical equipment shall be maintained in a clean and proper condition to prevent breakdown.

### **Roof-Mounted Solar Collector Panels**

Roof-mounted solar collector panels shall be mounted flush with the surface where possible. Where panels cannot effectively perform if flush mounted, justification in the form of efficiency calculations may be submitted to Regional Planning for consideration of alternative mounting configurations.

### **Refuse Collection Facilities**

All outdoor refuse collection facilities shall be screened visually from streets and highways. Collection areas shall be shielded from view in all directions, either within a building or within a solid masonry wall of sufficient height to conceal materials temporarily accumulated for collection. The enclosure shall be designed to complement the main building materials.

### **Encroachments and Site Development**

### **Encroachments**

The following encroachments into setback areas are allowed, subject to Title 26 (Building Code) of the County Code:

- **\*\*** Architectural features
- \*\* Eaves
- **\*\*** Mechanical equipment
- **»»** Steps and staircases (open)
- Source of the second second

### **Park Provisions**

Requirements and standards in the Title 21 (Subdivisions) of the County Code will be utilized in reviewing public or private park proposals per parkland dedication requirement.

### Environmental

### Grading

All earthwork shall be conducted in accordance with the grading regulations found in Title 26 of the County Code and manual and grading requirements in Los Angeles County. Grading permits shall consider consistency with the urban design concept. Compliance with National Pollutant Discharge Elimination System (NPDES) regulations related to storm drain runoff from construction sites, as implemented in the County, shall be required.

### **Vibration**

No vibration associated with any use shall be permitted that is discernible beyond the boundary line of the property, unless the vibration does not negatively impact an adjacent property.

#### Fumes, Odors, and Other Forms of Air Pollution

If any use produces odors, toxic gases, or noxious matter in such quantities as may be readily detectable at any point outside the property lines of the premises, and/or may become a public nuisance or hazard, the use shall be modified to prevent such emissions. Emissions shall be in compliance with the South Coast Air Quality Management District standards.

### Hazardous Materials

Ensure that the use, handling, storage, and transportation of hazardous materials comply with the California Government codes and Health and Safety Codes, and all provisions of Titles 11 (Health and Safety), 12 (Environmental Protection), and 32 (Fire Code) of the County Code.

#### **Noise Control**

Plans for noise attenuation of residential units near arterial highways and the freeway, which ensure that interior and exterior noise levels do not exceed state requirements and the Noise Control Ordinance in Title 12 (Environmental Protection) of the County Code, shall be submitted for review and approval prior to building permits being issued to accommodate reuse and/or subdivision approval for residential development, whichever occurs first.

All uses shall be subject to provisions of the Noise Control Ordinance in Title 12 (Environmental Protection) of the County Code.

#### Enforcement of EIS/EIR Mitigation Measures

Amendments to section 21081.6 of the California Public Resources Code, as applicable, shall apply. The amendments provide that measures to mitigate or avoid significant effects on the environment shall be fully enforceable through permit conditions, agreements, or other measures.

# 3.6 2.2 URBAN DESIGN STANDARDSGUIDELINES

Design will plays a crucial role in implementingbringing the vision for West Carson to life. The layout of thethe blocks, site design, architectural character, outdoor spaces, landscaping, and views willcollectively contribute to a "sense of place" that is unique to West Carson.

General development design standards provide a regulatory framework for the physical design of the Specific Plan area to ensure the creation of a livable, accessible, and sustainable community. It is important to establish a strong set of design criteria that will create a strong identity for the project area while allowing for flexibility to meet market demands.

The purpose of these guidelines and standards is to provide direction that will createfor a comprehensive approach to high high-quality design as it relates specific to West Carson. These are provided in addition to the development standards underoutlined in Section 3.4Chapter 22.414, of Title 22 of the County Code Regulating Code, above. These standards and guidelines are not meant to dictate do not impose a particular architectural style in the area; rather, they encourage but to foster innovative design features and site-appropriate architecture that is constructed with quality materials and complemented by landscape, open spaces, and connectivity between uses. These guidelines are recommendations that are advisory in nature.

The terms "should" and "shall" are used throughout the Urban Design Standards and are used purposefully to indicate required and suggested standards. The use of shall indicates that a requirement is mandatory and the standards and specifications are applicable without deviation. The use of should indicates that a requirement is a recommendation and the standards and specifications are advisory.



Example photo illustrating buildings in relation to the public realm.

### 3.6.1 2.2.1 SITE DESIGN

Site design is an important process critical to any development that may occur in the Specific Plan area. The resulting <del>outcome,</del> <del>conveyed in a project's</del> site plan<del>, will</del> determine<u>s the placement</u> how<u>of buildings</u> buildings are placed on a site, where access will occurpoints, and how<u>the overall layout of</u> structures and spaces are located in relation to each other and to adjacent offsite uses. The following standards and guidelines shall be integrated in the site design of a<u>A</u>II new projects<u>should</u> incorporate the following recommended guidelines into their site design. Alternatives will be permitted only if the intent of the design standard is met.

#### 3.6.1.1 2.2.1.1 Building Placement and Orientation

Building placement and orientation have a large impact onsignificantly influence the way people experienceperceive a developed site and on the building's relationship interaction with local conditions such as views, wind <u>patterns</u>, and sun movements. <u>VisuallyBuildings that are visually interesting</u> <u>appealing buildings that and</u> are oriented towards the street shape the area's character of the area and enhance the visitor's experience. LocatingPlacing parking behind buildings, placing positioning buildings closer to the public street edge, and placinglocating a majority of active ground-floor uses along the same frontage all contribute to making thecreating an public street frontage more inviting environment tofor pedestrians.

- Buildings shall be oriented toward public street, pedestrian pathways, or public open spaces to create a strong presence and encourage activity along the street frontage.
- Solution 3.6, 2000 Street Street frontage requirements (see Figure 3.5, Streets with Frontage Requirements), and buildings shall comply with the frontage type requirement specified for the applicable planning area in Section 3.4. Furthermore, the design of the frontage shall comply with the frontage type standards provided in Section 3.6.2, Building Design.



Example photo illustrating a public space created as part of adjacent development.

I


- »» Buildings should be oriented to maximizefor energy efficiency, (e.g., to capturinge day-lighting, minimizinge heat gain, takeing advantage of prevailing breezes, and for natural ventilation).
- There shall be an accessible, well-marked, and well-lit travel path of a minimum of four-feet in width provided between parking, buildings, and sidewalks.

#### 3.6.1.2 2.2.1.2. Site Access

- >> Vehicular access points shall be designed to minimize conflicts with pedestrians through the consideration of curb-cut locations and widths, sight lines, and lighting. Entrance and exit points shall be well marked and lit.
- To slow traffic and enhance the overall site design, site entry and edge design features shall be incorporated, such as colored or textured paving treatments, landscaping, signage, and monuments.
- Areas between buildings and open spaces shall be linked to and connected by safe, convenient, and accessible pedestrian and bicycle facilities.
- >>> Dead-end driving aisles should be avoided.
- »» Non-residential uses—especially multi-building development projects—shall use shared driveways to reduce conflicts with pedestrians.

#### 3.6.1.3 2.2.1.3. Parking Structures

- » Above-ground parking structures shall be internalized, screened, or wrapped with other active ground-floor uses (e.g., retail, office, or residential) along public streets so they are only visible at access points for vehicles and less visible from major streets.
- The façades of parking structures that are not lined with active uses shall be screened using architectural solutions and/or landscaping that is integrated into the structure's design (e.g., perforated panels, landscape/vine screens, columnar trees, or public art elements).
- Parking structures shall be designed with materials, color, and detail compatible with the principle building.
- Parking structures should have incorporate shaded structures <u>or</u> photovoltaic arrays on the top deck to reduce heat island effects.



Example photo illustrating a parking structure with architectural and screening features.

- »» Parking structures shall screen night lighting to avoid spillover and glare on nearby properties.
- »» Parking structures should incorporate usage technology to assist visitors and minimize the time spent searching for a space.

#### 3.6.1.4 Parking (Access)

- »» Parking shall be located behind, at the side, or at the rear of buildings (away from the street) and can be provided in underground garages, above-ground garages, or interior parking courts.
- »» The perimeter of parking areas and driveways adjacent to streets and pedestrian pathways shall be screened from street views with a low street wall, berms, fences, or landscaping. Screening shall be low enough to ensure that parking remains visible to passerby views.
- »» New developments shall provide accessible, well-lit, and secure bicycle parking visible from buildings, right-ofway, or public open spaces.
- »» Surface parking lots shall take advantage of adjacent building shade where feasible, or provide sufficient tree coverage to reduce the urban heat island effect and provide shade for vehicles and pedestrians.

#### 3.6.1.5 2.2.1.4. Service & Loading Areas

- >>> Where feasible, access to service and loading areas should be provided from a secondary or service road.
- »-Service and loading areas shall be located behind primary structures or properly shielded through fences, gates, landscaping, berms, etc.
- Access to service and loading areas shall be clearly marked and not block adjacent vehicular or pedestrian circulation.
- >>> To consider<u>minimize</u> noise impacts on adjacent properties, service and loading areas should be located away from residential properties or have restricted hours of use.

#### 3.6.1.6 Utility, Storage, Trash, and Recycling Facilities

Where feasible, utility lines should be undergrounded.

#### 3.6.2 2.2.2 BUILDING DESIGN

This section addresses provides guidelines for the design elements of a building that helpcontribute to createing an interesting engaging public realm, including building frontage treatment, façade design and composition, colors and materials, windows and doors, and roofs. New buildings shall contribute to defining the character of the street and shall represent a single architectural style that all materials and details are true to. Architects are encouraged to innovate, but with full while maintaining awareness of and respect for appropriate height, massing, variety, and quality of materials to ensure that result in a building with architectural integrity. It is important to note that specific design standards related to building design are detailed in Title 22 of the County Code. Architects should consider the guidelines and incorporate the recommendations presented in this section alongside the requirements specified in Title 22 to ensure compliance and enhance the overall quality and cohesiveness of the built environment.



Example photo illustrating primary and secondary building frontages.

#### 3.6.2.1 2.2.2.1. Frontages

This Specific Plan identifies permitted ground-floor frontage types per applicable street type along <u>W</u>. Carson Street, <u>S</u>. Vermont Avenue, and <u>W</u>. 223rd Street. <u>This sectionTitle 22</u> provides design standards for each frontage type to ensure that proposed development relates to the street and meets community design objectives. These frontages dictate the relationship between the street (back of right-of-way) and the façade of the ground floor of the building. <u>Along each applicable roadway</u>, <u>buildings shall be</u> <u>designed with at least one of the permitted frontage types based</u> on the street it fronts, per Table 3.26 Frontage Categories, Figure 3.5, Streets with Frontage Requirements.

All new development adjacent to a street with frontage requirements shall have a primary building façade and entry from the identified street and shall adhere to the following building frontage requirements.

These frontage standards shall be used along with other development and design standards herein. While this Specific Plan provides for a variety of frontage types, the actual choice, design, and architectural style are the decision of the property owner based on the proposed uses, site plan, and building design.

Guidelines for all frontage types that are established for the <u>Specific Plan area</u> are provided below. Tables <u>32.127</u> to <u>2.6</u> on the <u>following subsequent</u> pages <u>describeoutline</u> the



Example photo illustrating a building aligned with the right-of-way.

intentpurpose of each frontage type and provideoffer guidelines for their application to the building façade and street front.

- Primary building façades shall align with the right-ofway, property lines, or easement line unless setbacks are allowed.
- »» Non-primary building walls shall be consistent in design with the primary building front to the extent possible. Non-primary building walls are not required to use frontage types provided in this Specific Plan.

- \*\* The term "clear" means that the identified area is free of encroachments.
- »» Canopies, awnings, signs, balconies, and other architectural projections shall clear eight-feet above the adjacent sidewalk and may encroach into the pedestrian zone up to a maximum of four-feet provided a minimum six-foot-wide clear and unobstructed path is provided, unless approved by the Director or the Director of Public Works (see also Section 3.19.3).
- »» Building orientation shall be determined by the location of the primary entrance, which shall indicate the front of the building.
- »» Modification of design standards due to site specific, utility conflicts, or other unforeseen factors shall require approval from the Director.

## Table 3.26 Frontage Categories

TYPE	CARSON STREET	VERMONT AVENUE	223 <sup>RD</sup> STREET
Shopfront	Permitted	Permitted	Permitted
Forecourt	Permitted	Permitted	Permitted
<b>Gallery</b>	Permitted	Permitted	Permitted
Arcade	Permitted	Permitted	Not permitted
Terrace	Permitted	Permitted	Permitted
<b>Stoop</b>	Not permitted	Permitted	Permitted

See Section 3.6.2, Building Design, for building frontage design standards and guidelines.

## Table 23.127 Shopfront Frontage Type

#### SHOPFRONT FRONTAGE

#### DESCRIPTION

A shopfront is a <u>type of</u> frontage wherein the building façade and entrance are at sidewalk<u>grade\_level</u>, and \_close to the pedestrian zone. <u>Typically</u>, <u>Ss</u>hopfronts <u>includefeature</u> large areas of transparent openings and doors and are commonly equipped with cantilevered roof(s) or awning(s). <u>Shopfronts</u> typicallyThey are designed to provide <u>direct</u> access <del>directly</del> from sidewalks and are oriented to <del>displayshowcase</del> groundlevel commercial uses.

This frontage type is conventional for commercial use. This frontage typeIt can be used in conjunction with terrace and/or forecourt to createenhance a more engagingthe street environment.

#### GUIDELINES

A great variety While a wide range of shopfront designs are possible, but the following guidelines should apply are recommended:

- a. Desirable shopfront façade area is at least 15-feet tall, as measured from the adjacent walk, and minimum 10feet wide.
- b. Shopfronts may be recessed from the primary building façade by up to five-feet.
- c.a. The shopfront should provide clear views of merchandise displays.
- d.b. A base of similar or visually "heavier" materials than the walls is recommended below display windows.
- e.c. Doors should be substantial, well detailed, and match the materials, design, and character of the display windows.
- f. Canopies and awnings should be integrated to shopfront openings.
- g. Remaining open areas within the frontage zone shall be landscaped per Section 3.6, Public Realm Design.



Example photo illustrating shopfront frontage type.



Example photo illustrating shopfront frontage type.



Example photo illustrating shopfront frontage type.

# Figure 23.135 Shopfront Frontage Type





Images for illustrative purposes only.

## Table 23.28 Forecourt Frontage Type

#### FORECOURT FRONTAGE

#### DESCRIPTION

A forecourt is a frontage wherein a <u>portion\_section</u> of the building façade is recessed from the primary building façade. <u>The forecourt This space</u> may be used as an entry court and open space for residential uses, or as additional shopping or seating areas for commercial uses. Forecourts with large trees and lush landscaping offer visual and environmental variety to the urban streetscape.

This frontage type is <u>appropriate suitable</u> for <u>eitherboth</u> residential and/or commercial uses. Alt allows for a combination of both uses, such as using can be achieved by using the forecourt as a residential entrance while commercial usesspaces occupy the street adjacent building space. This typeForecourts can also be used in conjunctionpaired with shopfronts and stoops to create as a transition into residential frontages.

#### GUIDELINES

A great variety While a wide range of forecourt designs are possible, but the following guidelines should apply are recommended:

- a. A minimum of 10 feet and maximum of 40-feet deep.
- b. A minimum of 20-feet and maximum of 50-feet wide or 50 percent of the lot width, whichever is less.
- c. One building entry shall front onto the forecourt.
- d. The forecourt may also be raised from the sidewalk, creating a small retaining wall at the property line with entry steps to the forecourt, but shall not exceed threefeet in height from the adjacent sidewalk grade, so long as ADA compliant.
- e.a. The proportions and solar orientation of the forecourt should be carefully considered for user comfort. Canopies of large trees placed within the forecourt may overhang into the pedestrian zone.
- f.b. A fence or wall at the property line may be used to<u>can</u> define the private space of the court and <u>shall should</u> comply with <u>Section 3.6Section C</u>, Public Realm Design, <u>below</u>.
- <u>g.c.</u> Entrances and pedestrian "gateways" may be announced bywith posts or pilasters, and may be

combined with trellises, special landscaping, decorative lighting, public art, or other special features. h. Remaining open areas within the frontage zone shall be landscaped per Section 3.6.3, Public Realm Design.

[116]



Example photo illustrating forecourt frontage type.



Example photo illustrating forecourt frontage type.

# Figure <u>2</u>3.1<u>4</u>6 Forecourt FrontageType





Images for illustrative purposes only.

# Table <u>2</u>3.<u>3</u>29 Gallery Frontage Type

#### **GALLERY FRONTAGE**

DESCRIPTION


A gallery is a frontage wherein the building façade <u>hasfeatures</u> an attached, cantilevered shed or a lightweight colonnade overlapping the sidewalk. The colonnade may support a roof or balcony above, <u>with</u> <u>Bb</u>alconies <u>potentially</u> <u>may be</u> used for outdoor dining. The gallery covering the sidewalk provides pedestrian shelter and <u>creates</u> opportunities for covered outdoor dining.

This frontage type is conventional for commercial use.

#### GUIDELINES

A great variety While a wide range of gallery designs are possible, but the following guidelines should apply are recommended:

- a. A minimum of 10-feet and maximum of 15-feet deep. Galleries may overlap the whole width of the sidewalk within the pedestrian zone but may not encroach into the landscape area.
- b. Galleries should be no less than 12-feet wide and 10-feet tall.
- c.a. Galleries should align with adjacent galleries and/or arcades to the extent possible.
- d. Spacing between openings and/or columns should be a minimum of 10-feet.
- e. Shopfront openings within galleries should be at least 10-feet tall and shall provide clear views of merchandise displays within the space.
- f.b. The height and the proportions of the gallery should correspond to storefront openings and the building façade consistent with the architectural style of the building.
- <u>g.c.</u> Soffits, columns/arches should be treated consistent with the architecture of the building.
- h.d. Entrances should be at sidewalk grade.
- i.e. The pedestrian zone sidewalk and gallery frontage portions in the frontage zone should be consistent in design and material.



[118]

# Figure <u>2</u>3.1<u>5</u>7 Gallery FrontageType





type.

Images for illustrative purposes only.

# Table <u>2</u>3.<u>4</u>30 Arcade Frontage Type

#### ARCADE FRONTAGE

DESCRIPTION

An arcade is a frontage wherein the building façade is aligned close to the pedestrian zone with a colonnade recessed into the building. The colonnade supports habitable commercial or residential space above. The colonnade covering the sidewalk provides pedestrian shelter and opportunities for covered outdoor dining.

This frontage type is conventional for commercial use.

#### GUIDELINES

A great variety While a wide range of arcade designs are possible, but the following guidelines are recommended should apply:

- a. A minimum of 10-feet and maximum of 15-feet deep.
- b. Arcades should be no less than 12-feet wide and 10feet tall.
- c.a. Arcades should align with adjacent galleries and/or arcades to the extent possible.
- d. Spacing between openings and/or columns should be a minimum of 10-feet.
- e. Shopfront openings within arcades should be at least 10 feet tall and **shall** provide clear views of merchandise displays within the space.
- f.<u>b.</u> The height and the proportions of the arcade should correspond to storefront openings and the façade consistent with the architectural style of the building.
- g.c. Soffits, columns/arches should be treated consistent with the architecture of the building.
- h.d. Entrances should be at sidewalk grade.
- Remaining open areas within the frontage zone shall be landscaped per Section 3.6.3, Public Realm Design.

# Figure <u>2</u>3.<u>16</u>18 Arcade Frontage Type



Images for illustrative purposes only.



Images for illustrative purposes only.

# Table 23.531 Terrace Frontage Type

#### TERRACE FRONTAGE

DESCRIPTION

A terrace is a frontage wherein the building façade is set back from the street, paseo, or open space, by an elevated open area that is paved or planted. This frontage type can effectively buffer building uses from the sidewalk.

This type is recommended for residential and commercial use as it allows for semi-private use of frontage areas.

#### GUIDELINES

A great variety While a wide range of terrace designs are possible, but the following guidelines are recommended should apply:

- a. A minimum of five-feet to maximum of eight-feet deep. Terrace design should take into consideration landscape areas, where adjacent to public landscape easement, to the extent possible.
- b. Terraces should be raised to transition into the building but maintain ADA access.
- c. A minimum of six-feet wide clear for entry landing.
- d. Fences defining the terrace should not exceed threefeet in height from the highest adjacent grade of the terrace and comply with Section 3.6.3, Public Realm Design.
- e. Planted terraces and remaining open areas within the frontage zone shall be landscaped per Section 3.6.3, Public Realm Design.

# Figure <u>2</u>3.1<u>7</u>9 Terrace Frontage Type



Example photo illustrating terrace frontage type.



Example photo illustrating terrace frontage type.



Images for illustrative purposes only.

## Table <u>2</u>3.<u>6</u>32 Stoop Frontage Type

#### **STOOP FRONTAGE**

DESCRIPTION

A stoop is a frontage wherein the building façade is separated from the street, paseo, or open space by an entrance to the elevated ground floor of the building. The entrance is usually an exterior stair and landing and may be covered.

This type is recommended for ground-floor residential use as it facilitates a transition onto more residential frontage.

#### GUIDELINES

A great variety While a wide range of stoop designs are possible, but the following guidelines should applyare recommended:

- a. A minimum of three-feet and maximum of five-feet deep.
- b. Fences or walls defining the stoop should not exceed three-feet from the highest adjacent grade of the stoop and shall comply with Section 3.6.3, Public Realm Design.
- c.a. Stoops should be raised to transition into the building. The ground- story entry should not be elevated more than three-feet above the adjacent sidewalk.
- d. Stoops should correspond directly with the building entry(s) and be at least three-feet wide (perpendicular to or parallel with the adjacent walk).
- e.b. Building façade may be set back the depth of the entry stair from the sidewalk.
- f.<u>c.</u> The stoop may include a covered roof, awning, or door inset within the building front.
- g. Remaining open areas within the frontage zone shall be landscaped per Section 3.6.3, Public Realm Design.

# Figure <u>2</u>3.<u>18</u>20 Stoop FrontageType



Images for illustrative purposes only.

#### 3.6.2.2 <u>2.2.2.2</u> Corner Treatment

- Buildings at the corner of prominent intersections should have a corner entrance or an entrance oriented toward each adjacent street.
- Special attention should be paid to the architectural style and detail of buildings at prominent intersections, including display windows, façade materials, colors, art features, rooftop elements, and stepbacks.
- Source Street, and Normandie Avenue, W. Carson Street, Torrance Boulevard, W. 223rd Street, and Normandie Avenue, should incorporate vertical elements such aslike towers, spires, domes, etc., to actserve as a landmark and orientation point.

#### 3.6.2.3 2.2.2.3. Building Entrances

- Primary building entrances shall be located along major corridors and corners (Vermont Avenue, Carson Street, Torrance Boulevard, 223rd Street, and Normandie Avenue).
- Secondary building entrances shall be treated similarly in style and material as primary entrances to the extent possible.
- >>> Each individual storefront entrance should be clearly defined and distinct from others.
- »»—In mixed-use buildings, entrances to residential units shall use a separate main entrance located on the primary street.
- \*\* Residential uses shall have secured entrance areas that are separate from non-residential uses, but accessible from pedestrian pathways and residential parking areas.
- Incorporate Crime Prevention Through Environmental Design (CPTED) measures by creating well-lit and active entryways. Intimidating security features such as window grills or spiked gates are prohibited.

#### 3.6.2.4 2.2.2.4. Scale, Mass, and Articulation

Building massing refers to the overall shape and form of a building, including its size, scale, orientation. It encompasses how the development program is shaped into a structure that gives a various building components are organized and articulated to create its architectural form. This includes considerations of height, width, depth, volume, and the arrangement of elements such as floors, wings, and towers. For example, a building can have a taller mass in one wing, step



Example photo illustrating a corner architectural treatment.



Example photo illustrating clearly defined and distinct building entrances.



Example photo illustrating a building with massing that creates architectural variety.

down in another wing, and have a tower that emphasizes its entrance—all of which is achieved by modeling its massing. Building massing can be used to frame public spaces, step down to adjacent uses, and provide architectural variety. It is generally more interesting to see multiple buildings with a variety of heights and massing rather than a uniform large building block.



Example photo illustrating a building façade with a distinct base and varying treatment to breakup building mass.



Example photo illustrating a building with a highlighted entryway.

- Building design shall avoid sprawling, monotonous façades, long straight-line building fronts, box shapes, and lackluster exterior treatments.
- For single-family residential, entrances and windows, not garages, should be the dominant elements of the front façades. Window and door placement, size, material, and style shall help define a building's architectural style.
- >> Multiple buildings on the same site shall be designed and grouped, to the extent possible, to provide a cohesive, visual relationship among buildings, while at the same time provide for pedestrian plazas, open space, and views.
- »» Massing breaks, such as entry courts and stepped-back corners, are required to promote visibility and allow block transparency.
- » Buildings shall reflect the human scale both vertically and horizontally using inset windows, prominent rooflines, articulation, and highlighted entryways.
- » A variety of roof forms and heights can be used to alleviate theenhance the visual appeal of the building and reduce its overall mass of the building and add to its aesthetic quality. Roof forms shall should match the overall architectural style of the building.

#### 3.6.2.5 2.2.2.5. Façades

Façade generally refers to a building's external wall that faces a public street or open space. The design and composition of façades involves the arrangement of architectural elements, such as doors, windows, balconies, caps, and pilasters, on the walls of buildings. The façade and ground floor of a building are the most visible components seen by pedestrians, bicyclists, and motorists.

- Building façades shall be well defined with a distinct base, body, and roof or parapet.
- »» Façade elements such as materials, textures, patterns, colors, and detailing shall be used to lessen the perceived mass of larger buildings.

- The highest level of architectural detailing should be focused along the building's ground-floor façade or any area visible from the public realm.
- » Along major corridors such as Vermont Avenue and Carson Street, breaks in the street wall should be restricted to activate the pedestrian realm.

#### 3.6.2.6 2.2.2.6. Awnings, Canopies, and Marquee

Encroachments such as awnings, canopies, and marquees are encouraged, but it is important to ensure shall be that they are well designed and proportioned so they do not to minimize adversely impacts on the sidewalk environment, as required by <u>Title 22</u>. Canopies and awnings are encouraged along all retail street frontages.

- The minimum vertical clearance between the ground or street level and the encroachment shall be eight-feet. In areas of zero setback, awnings, canopies, and marquees should not project more than two-thirds the width of the sidewalk, subject to the California Building Code. At least two-feet of clearance shall be maintained between the encroachment and the street curb line.
- Awnings or canopies that are designed to require ground support are prohibited on sidewalks. In areas where setbacks are required, awnings, canopies, and marquees should not project past the setback line.
- »»—For awnings and canopies, the materials, shape, dimensions, rigidity, reflectance, color, lighting, and signage shall relate to the architectural design of the building.

#### 3.6.2.7 2.2.2.7. Architectural Lighting

- »» Lighting <u>shall</u> <u>should</u> enhance a building's form and enhancethe pedestrian experience at night.
- »—Lighting shall not aim directly at the open sky or project offsite or onto adjacent uses.
- > Architectural lighting shall highlight main building entrances and special architectural elements along the building façade.
- Secondary building entrances shall be properly lighted to maintain asafe environment.
- Internal and external storefront lighting shallshould be designed for ground-floor retail and restaurant spaces to augment the pedestrian space.



Example photo illustrating architectural detailing at the street level.



Example photo illustrating awnings and canopies that relate to the architectural design of the building.



Example photo illustrating architectural lighting that enhances the pedestrian experience.



Example photo illustrating the use of color and material to create a modular façade.



Example photo illustrating the use of color and material that creates an interesting streetscape.



Example photo illustrating the use of colors and materials that are consistent with an overall HC architectural theme.

- >>>> Use warm white light where possible. Colored lights should be avoided and shall only be used if except when they are part of integral to a comprehensive architectural lighting theme of in commercial areas or establishments.
- **>>>** Use automatic timers where feasible to maximize safety at night and conserve energy.

#### 3.6.2.8 2.2.2.8. Colors and Materials

The <u>selection of</u> colors and materials <u>of</u> for buildings <u>can</u> <u>effectively is fundamental in-create</u> <u>shaping the aesthetic appeal</u> <u>of a streetscapes</u> <u>of interest</u> <u>and the visual character of urban</u> <u>spaces</u> when applied <u>appropriately and in partnership harmony</u> with façade <u>modulationdesign</u>. Quality materials not only <u>last</u> <u>longer and wear betterenhances longevity and durability</u> but preserve the quality of the public realm.

- Buildings shall use durable, highquality materials that can withstand weather and harsh external factors, are easy to maintain, and enhance the public realm. Where feasible, employ natural and local materials, including natural stone, brick, and precast concrete.
- Solors and materials should be consistent with the overall architectural theme and compatible with the adjacent landscape and development.
- In mixed-use projects, a<u>A</u>rchitectural style and materials can vary slightly for mixed-use projects to differentiate between residential and commercial portions-of the project.
- >>> All sides of a building shall be considered and should be finished appropriately to provide continuity. Backs of buildings may use more utilitarian materials provided they are compatible with the overall design.
- » Material changes should not occur at corners; materials should continue for a minimum distance of four-feet around corners.
- We variation in materials and colors to distinguish form changes at entrances, different uses or tenants, and between stories. Rough-coated stucco shall be prohibited.
- »»—Concrete and similar finishes can be used as long as they are finished and part of an overall architectural composition.

#### 3.6.2.9 2.2.2.9. Windows, Doors, and Balconies

Windows, the main source of natural light and fresh air into buildings, should be designed to maximize the <u>amount of</u> light

that enterings and to take advantage of <u>facilitate</u> natural ventilation.

- Solution Clear glass should be used on the ground floor of nonresidential buildings with minor obstructions. Windows on the ground floor facing streets shall constitute a minimum of 30 percent of the building façade, with minimal obstruction from signs or interior displays.
- "Eyes on the street" along major corridors shall be emphasized by placing balconies and bay windows along upper stories.
- For residential buildings, windows shall should be of high quality and afford a shadow line as well as depth. This may be achieved through inset windows with an integral frame or insetting the window into the exterior wall.

#### 3.6.2.10 2.2.2.10. Roofs

- Roof style shall complement the overall architectural style of the building. A variety in planes, heights, and styles shall be used.
- Roof access shall be provided from the interior of the building and not through exterior ladders.
- »» Rooftop mechanical equipment shall be located below the highest vertical element of the building, and properly screened from publicview.
- »» Inclusion The incorporation of green roofs, that include living plants and growing medium on top of atop a typical conventional roofing system areis encouraged.

#### 3.6.2.11 2.2.2.11. Green/Sustainable Building Desig

- >>> Energy efficient, non-toxic, and recycled-content building materials shallshould be used whenever possible, such as EPA "Energy Star" labeled windows.
- » Natural lighting shallshould be utilized where possible to maximize daylighting and reduce cooling and heating requirements.
- >>> Use materials that reduce the transfer of heat into and/or out of the building, such as cool roofs.
- » Buildings and parking garages shall integrate sustainable design features, such as photovoltaic panels, cool roofs, grey water systems, and other features to reduce energy consumption.
- In new development, incorporate zero emission and electric vehicle charging stations in parking areas.



Example photo illustrating a balgony on the upper story to provide "eyes on the street."



Example photo illustrating a roof style that complements the architecture and screens mechanical equipment.



Example photo illustrating an electric vehicle charging station.



Example photo illustrating landscaping in the public realm.



Example photo illustrating bio-filtration and bio-retention features integrated with landscaping.



Example photo illustrating landscaping used as a screening element.

нс

>>> Where feasible, use recyclable and sustainable building materials in new development.

#### 3.6.3 2.2.3 PUBLIC REALM DESIGN

#### 3.6.3.1 2.2.3.1. Landscaping

In all zoning areas, all landscaping shall must conform to the landscape standards contained in <u>Chapter 22.414 of Title 22 this</u> Specific Plan or, for issues not addressed in the Specific Plan. For matters not addressed in <u>Chapter 22.414,</u>, Title 12 (Environmental Protection), Title 22 (Planning and Zoning), and Title 31 (Green Building Standards) of the County Code shall apply. Additionally, the following guidelines offer further specifications that complement the standards outlined in the County Code:

- All commonly owned property and landscaped setback areas, exclusive of structural improvements, shall be landscaped and maintained in a weed-free condition with a combination of trees, shrubs, and ground cover.
- \*\* Landscaping at intersections shall be designed to not restrict vehicular sight distance.
- Projects shall integrate drought-tolerant, native, and lowwater-use plants and grasses where possible.
- Permeable surfaces should be used where feasible, and lawns should be limited to areas that serve a functional purpose.
- »»— Landscaping shall should be used to highlight building façades; screen less attractive elements; add color, texture, and visual interest; provide shade; and define the spatial organization of the site.
- »» Bio-filtration and bio-retention measures are encouraged to slow and treat stormwater runoff.
- Plant species and design shall avoid the creation of unsafe places hidden to the public.
- Landscaping requiring irrigation systems shall utilize highly efficient irrigation systems such as drip and bubbler irrigation and low-angle, low-flow spray heads.
- »» Inclusion of green roofs may contribute landscaping requirements.

#### 3.6.3.2 2.2.3.2. Screening: Fences, Walls, and Ga

All provisions of the County Code shall apply to the construction of walls, fences, and hedges in the Specific Plan<u>area.</u>, <u>Additionally</u>, <u>the following guidelines offer further specifications that complement</u> the development standards outlined in Chapter 22.414 with the exception of the following:</u>

- » If fencing is required for security reasons in the front yard, wrought-iron-style fences that do not obscure views are encouraged.
- The use of barbed wire, electrified fence, and chain-link fence in conjunction with any fence, wall, roof, or hedge is prohibited unless required by any law or regulation of the County, federal government, or agency thereof, as applicable.
- **Walls and fences shall be constructed of durable materials** and designed to complement the surrounding architecture.
- »» Defacement<u>To prevent defacement</u>, of walls and fences should be preventedenhanced with landscaping elements <u>such as</u> through the use of trees, vines, and other landscapinggreenery.

#### 3.6.3.3 2.2.3.3. Outdoor Lighting

- » Lighting <u>fixtures</u> should be <u>designed at</u> human scale and <u>shall beensure they are</u> located at all building entryways, parking areas, seating areas, transit stops, open space<u>s</u> areas, and pedestrian paths.
- » Lighting fixtures shall be compatible with the architectural style of surrounding buildings to reflect the character of the area.
- Lighting shall be provided at intervals adequate for safety, while minimizing light spillage and glare onto adjacent uses.
- Freestanding light fixtures shall be placed outside of pedestrian and bicycle pathways.
- Light fixtures shall provide a warm light and use energyefficient technology, such as solar-powered lighting.

#### 3.6.4 SIGNAGE

All signage shall be consistent with Chapter 22.114 of Title 22.



Example photo illustrating outdoor lighting located at all building entryways.



Example photo illustrating outdoor lighting provided at regular intervals.

# 3.6.5 2.2.4 SPECIAL TREATMENTS: TRANSIT STATION AREAS & GATEWAYS

Key intersections and gateways require greater attention to detailhold significant importance due to their prominent locations and sensitive relationship to the public realm. Special attention to the treatment of buildings and the public realm at key locations can greatly enhance their character of the area and establish a uniquedistinct sense of identity within the community.

Key opportunityOpportunities for improvements areas exist along major corridors and entrance entry points in the Specific Plan area, including —S. Vermont Avenue, W. Carson Street, Torrance Boulevard, W. 223rd Street, and Normandie Avenue.

- Orient and design bBuildings located at key gateways and intersections should be oriented and designed to emphasize the corner as a node of activity and architectural prominence. Solutions for developing projects that are of Strategies for creating an\_exemplary projects quality at gateways or prominent intersections these locations include:
  - >>> TowerIncorporating tower elements as to create a prominent massing feature.
  - **>>>** EntryEstablishing entry plazas on corner sites.
  - >>> DistinctImplementing distinct changes in the building volume at the primary entry.
  - ProminentIntegrating prominent landscape features, such as tall trees.
  - »» Unique Implementing unique building lighting for nighttime effect.
  - PublicInstalling public art installations that reinforce a theme reflectivereflect and enrich of the community theme.
- Buildings should serve as iconic representations of the community character.
- Trademark buildings (franchise architecture) shall should be prohibited if they are not consistent with other design principles established in the standards and guidelines hereinoutlined in <u>Chapter 22.414 of Title 22</u>.





## MOBILITY AND PUBLIC REALM

# INTRODUCTION MOBILITY AND PUBLIC REALM

## 3.1 INTRODUCTION

The West Carson Mobility and Public Realm Strategy describes outlines the circulation improvements needed to support facilitate transit\_oriented development within the Specific Plan area. A key component aspect of the Specific Plan is the transformation of involves transitioning the current existing circulation network, which largely supports vehicular travel, to a network that places a higher priority on prioritizes the principles of complete streets and multi-modal design principles. The strategies set forth\_outlined in this document aim to are intended to provide a framework for establishing and maintaining a sustainable circulation network that supports\_integrates both motorized and non-motorized modes of\_transportation\_modes\_together in an integrated system.

# 3.2 GOALS AND POLICIES

The following goals and policies <u>set\_establish</u> the framework for the <u>West Carson's</u> mobility and public realm strategy of <u>West</u> Carson. They serve as guidelines and provide direction for future decision-making and development activities. The goals and polices identified in this section were derived Derived from input received from community members, stakeholders, and County staff during the community engagement process and County Task Force meetings<u>1</u>. The the following lists the major mobility goals and policies for the Specific Plan are identified:-

- **Goal1:** Provide and maintain a comprehensive circulation system that improves accessibility to transit, connections within the community, and the safe and efficient movement of all <u>users of the</u> roadway <u>users</u>.
  - Policy 1.1: Implement complete streets designs that contribute to support a multi-modal transportation system.
  - Policy 1.2: Ensure that roadway improvements allow for easier, prioritize safer, and more efficient transit operations, as well as improved enhancing passenger safety and accessibility.
  - »» Policy 1.3: ConsultCollaborate with local jurisdictions to provide create attractive and convenient bus stops, including incorporating amenities like shade/—weather protection, seatings, transit information, and bus shelters where appropriate.

- »» Policy 1.4: Consider the interactions between bus and bicyclists and designDesign bus stops that will help to minimize conflicts between buses and bicyclists.
- **Goal 2:** Provide safe, connected, and accessible bikeway and pedestrian network.
  - Policy 2.1: Establish a connected pedestrian and bicycle network that linkings key destinations like Metro's Silver J Line Station, Harbor-UCLA Medical Center, residential neighborhoods, local schools, and retail corridors.

- Policy 2.2: <u>CompleteEnhance</u> bicycle infrastructure improvements that to close gaps in the County's Bicycle Master Plan and those provideing connections to adjacent communities to enhance regional connectivity.
- Policy 2.3: Identify opportunities to create for dedicated bicycle lanes and pedestrian sidewalks that connecting the neighborhoods and commercial areas to community services.
- Policy 2.4: Establish and maintain attractive and functional sidewalks that to maximize accessibility, enhance the pedestrian environment, and foster social interaction.
- »» Policy 2.5: <u>DesignEnsure</u> bicycle and pedestrian infrastructure in accordance with meets federal, State, and local design standards, including ADA accessibility <u>standards requirements</u>.
- Goal 3: Provide and maintain attractive mobility corridors that promotinge livability and sustainability.
  - »» Policy 3.1: Implement streetscape features such asEnhance mobility corridors with street lighting, street trees, landscaping, and wayfinding elements to create improve safetyr and attractive corridors aesthetics.
  - Policy 3.2: Integrate pedestrian amenities, such as benches and public art to transform the streetscape and create inviting public spaces along corridors.
  - Policy 3.3: Identify new opportunities to incorporate public park and open space improvements within the area that provide small-scale, but well-designed outdoor areas for unstructured play and socializing.
- **Goal 4:** Promote efficient use of parking resources and support programs that <u>attempt to induce\_encourage</u> mode shifts from single auto occupancy travel to transit, rideshare, bicycle, or pedestrian travel.
  - Policy 4.1: Utilize shared parking where possible and establish guidelines and standards to optimize parking supply.
  - Policy 4.2: Encourage and allow shared parking for new development in lieu of the provision instead of off-street parking spacesprovision.

## 3.3 STREET NETWORK

The Specific Plan provides guidance for the design of a comprehensive and context\_sensitive street network as shown in Figure 4.1 Street Network, to connect the West Carson community, as shown in Figure 3.1 Street Network. MuchWhile much of the street network within the Specific Plan area will remain the same unchanged to support new development and growth, within the area, however some streetscape improvements are proposed along key arterials within the Specific Plan area. These improvements are intended to transform the existing auto-oriented streetscape into a more sustainable and multi-modal design. The Specific Plan's roadway and circulation network plans are described below.

### 3.3.1 TORRANCE BOULEVARD

#### **Existing Conditions**

Torrance Boulevard is classified as a Secondary Highway on the County's Highway Plan and runs east-and-west at along the northern edge of the Specific Plan boundary. The corridor It\_currently meets the minimum width right-of-way standards for a Secondary Highway classification as set forth in the General Plan, which is 80-\_feet as specified in the General Plan. The corridor is primarily surrounded mostly by residential land use with some light industrial and general commercial use. The posted speed limit along Torrance Boulevard is 35 miles per hour. Within the project Specific Plan area, the roadway consists of two travel lanes in each direction with a dedicated auxiliary lane in the center. On-street parking is not permitted along the corridor within the project plan area. Additionally,- Torrance Transit operates a local bus line along a short segment of the corridor.

#### Vision

Torrance Boulevard's role as a key corridor connecting neighborhoods and communities within West Carson should be reinforced and enhanced through the provision of a well-connected network of highquality pedestrian and bicycle infrastructure. WiderEnhancements such as wider sidewalks\_equipped with pedestrian amenities, such as like street trees, landscaping, and lighting should be considered to enhance safety and the overall pedestrian environment. Bicycle facilities and amenities should be installed to improve connections connectivity to the greater\_broader bikeway network, promote encourage active\_transportation modes\_of transportation, and to provide first-and-last mile strategies to transit.

#### Plan Strategy

Consistent with the County's Bicycle Master Plan, the Specific Plan proposes the addition of Class II bicycle facilities along

Torrance Boulevard to improve connections to connectivity with the regional bikeway

network, which includes the proposed 208th Street multi-use path and the Dominguez Channel located in the neighboring City of Carson. The Specific Plan also encourages the provision of community facilities, such as community centers, community gardens, and libraries, as well as enhancements to the pedestrian environment such as landscaping, street trees, and lighting to encourage more pedestrian activity and social interactions.

### 3.3.2 S. VERMONT AVENUE

#### **Existing Conditions**

<u>S.</u> Vermont Avenue is classified as a Major Highway on the County Highway Plan and runs north and south within the Specific Plan boundary. <u>The corridorIt</u> currently meets the minimum width right-of- way standards for a Major Highway classification as set forth in the General Plan, which is 100-feet. The corridor is surrounded by a variety of land uses including residential, mixed\_use, light industrial, and public spaces. The posted speed limit is 40miles per hour. Within the projectSpecific Plan area, the roadwayS. Vermont Avenue consists of features two travel lanes in each direction with a dedicated auxiliary lane in the center. Additionally, Class II striped bike lanes also exist run in each both directions within the project plan area. While Oon-street parking is permitted along much of the corridor, but not all of the corridor within the project area it is not available in all sections. Torrance Transit and Metro operate bus lines along the corridor.

#### Vision

<u>S.</u> Vermont Avenue serves as a primary transit corridor within West Carson, with multiple bus routes from various local transit agencies traversing through the corridor. <u>S.</u> Vermont Avenue's role as a key transit corridor should be reinforced and enhanced through the provision of high-quality transit stop amenities and pedestrian infrastructure, landscaping, lighting, <u>as well as and</u> streetscape improvements. <u>These enhancements aim to facilitate increased</u> that will support high levels of pedestrian activity and improve accessibility to the area's rich transit network.

#### **Plan Strategy**

The Specific Plan introduces mixed-use and higher density residential development along <u>S</u>. Vermont Avenue to activate the corridor and encourage more pedestrian activity. <u>TheAdditionally</u>, <u>Specific Plan</u> will also introduce streetscape improvements <u>are introduced</u>, including a striped buffer between existing Class II bicycle facilities and on-street parking to <u>improve\_enhance</u> bicycling safety.<u>\_\_and</u> <u>IL</u>andscaped medians will also be incorporated to <u>improve\_enhance the</u> overall aesthetics along the corridor.

### 3.3.3 NORMANDIE AVENUE

#### Existing Conditions


Normandie Avenue, is classified as a Secondary Highway on the County Highway Plan, and runs north and south within the Specific Plan boundary. The corridor currently does not meet the minimum width right-of-way standards for a Secondary Highway required for its classification as set forth in the General Plan, which is 80-\_feet as specified in the General Plan. The roadway is located entirely within the City of Los Angeles and is not maintained by Public Works. The corridor is surrounded by a variety of land uses, including residential, mixed-use, and public spaces. The posted speed limit along Normandie Avenue is 35 miles per hour. Within the project Specific Plan area, the roadway consists of two travel lanes in each direction with a dedicated auxiliary lane in the center. While-Oon-street parking is permitted along much of the corridor within the plan area, but it is not available in all sections of the corridor within the project area. Both Gardena Municipal and Torrance Transit operate bus lines along the corridor.

#### Vision


Normandie Avenue is a major roadway connector throughout the Specific Plan area as well as throughout the local region. Normandie Avenue is a key point of access to the West Carson area and the Harbor-UCLA Medical Center, with several bus routes from multiple transit agencies servicing the corridor. Its role as a key corridor should be reinforced and enhanced through the provision of streetscape improvements, transit amenities, and a well-connected network of high\_quality pedestrian and bicycle infrastructure.

#### **Plan Strategy**

The Specific Plan proposes wider sidewalks along Normandie Avenue to accommodate high levels of pedestrian activity generated <u>from\_by</u> the Harbor-UCLA Medical Center and the adjacent proposed mixed-use land use. The Specific Plan also introduces a Class II bicycle facility along Normandie Avenue to improve <u>connections\_connectivity</u> to the <u>greater\_broader</u> regional bikeway network.



#### Figure 4.1 Street Network



#### Figure 3.1 Street Network

[146]




Photo showing the existing condition of Carson Street.

### 3.3.4 W. CARSON STREET

#### Existing Conditions

W. Carson Street is a Major Highway that runs east and west within the Specific Plan boundary. The corridor currently meets the minimum width right-of-way standards for a Major Highway its classification as set forth in the General Plan, which is 100-feet. The posted speed limit along Carson Street is 35 miles per hour. Within the Specific Plan area, the roadway consists of two travel lanes in each direction with a dedicated auxiliary lane in the center. On-street parking is permitted along much of the corridor. Both Torrance Transit and Metro operate bus lines along the corridor.

#### Vision

W. Carson Street is a gateway to the Specific Plan area and serves as a primary roadway connector to the Harbor-UCLA Medical Center. The Specific Plan <u>emphasizes\_envisions</u> a more livable and sustainable Carson Street with more mixed-use development opportunities, enhanced pedestrian and bicycle infrastructure, and a <u>focus\_on\_shift towards</u> a multi-modal <u>approach to</u> circulation<u>approach</u> for the area.

#### Plan Strategy

The Specific Plan proposes accommodates mixed-use and higher density development along and adjacent to Carson Street to lay the foundation for a more livable and sustainable corridor that works to improve air quality, traffic congestion, and mobility. The Specific Plan introduces wider sidewalks, landscaping, street trees, reduced on-street parking, striped buffers between existing bicycle facilities and vehicular traffic, and a multi-use pathway to support encourage active transportation modes of transportation. The Specific Plan also encourages the provision of transit amenities, such as shelters, benches, lighting, wayfinding elements, service route maps and information, and streetscape improvements that focus on geared towards facilitating the safe and efficient transit movement of transit.

## [141]

### 3.3.5 W. 223RD STREET

#### **Existing Conditions**

<u>W.</u> 223rd Street is a Secondary Highway that runs east and west within the Specific Plan boundary. The corridor meets the minimum width right-of-way standards set forth in the County Code, which requires various right-of-way widths ranging from 80-feet to 100-feet depending on the location. The corridor is surrounded by a variety of land uses including residential, general commercial, light industrial, and public space. The posted speed limit is 25 miles per hour between Normandie Avenue and Vermont Avenue and 35 miles per hour east of Vermont Avenue. Within the projectSpecific Plan area, the roadway consists of two travel lanes in each direction-, with  $\Theta_0$ n-street parking is permitted along much of the corridor.



Photo showing the existing condition of 223<sup>rd</sup> Street.

#### Vision

The Specific Plan<u>envisions a</u> transform<u>ations of</u> the existing auto-oriented design of <u>W.</u> 223rd Street to a more multi-modal streetscape<u>.</u>, <u>This entails</u> incorporating integrating the principles of complete streets into its design, with a focus on enhancing safety through the provision of bicycle facilities, pedestrian amenities, and traffic calming<u>measures</u>-methods to improve safety.

#### **Plan Strategy**

Consistent with the County's Bicycle Master Plan and recent efforts to secure grant funding for active transportation projects, the Specific Plan introduces both a Class II and a Class III bicycle facility along various segments of the corridor to improve connectivity to the regional bikeway network. The proposed bicycle facilities are also intended to provide first-last mile solutions to transit within the West Carson area.

## 3.4 TRANSIT CIRCULATION


A key component of the Specific Plan is to improve accessibility to the existing transit system and the overall transit experience, which encompasses more than the transit ride itself, but also includes getting to and from a transit stop and the rider's experience waiting for transit. The following section describes transit circulation within the <u>study\_plan</u> area and identifies strategies to improve transit access and the overall transit experience.

### 3.4.1 LOCAL BUS SERVICES


The Specific Plan area encompasses a rich transit network that is serviced served by three local transit agencies: which includes Metro, Torrance Transit, and Gardena Municipal. As illustrated in Figure <u>34.2</u>, a total of eight local bus routes traverse throughout the Specific Plan area <u>on\_along</u> primary transit corridors, that includinge Normandie Avenue, <u>S</u>. Vermont Avenue, <u>W</u>. Carson Street, and 220th Street. Of these streets, Normandie Avenue, <u>S</u>. Vermont Avenue, <u>W</u>. Carson Street, as well as and <u>W</u>. 223rd Street have been identified as streets with benefit from completed Traffic Signal Synchronization Programs (TSSP), which help to prioritize the movement of transit vehicles.

The local bus routes identified in Figure <u>34.2</u> not only provide service within serve the West Carson community, but also serve act as feeder routes to the Metro <u>Silver J</u> Line, located along the Interstate 110 freeway. The <u>Silver J</u> Line provides key connections between Downtown Los Angeles and the South Bay communities.

The Specific Plan recommends the coordinationg of operating schedules between local feeder bus routes and the SilverJ Line to improve overall transit service. Schedule improvements such as minimizing passenger wait times between transfers can help improve efficiency and consequently encourage more transit ridership. Recommended improvements include improvements enhancements to bus route arrival/departure times, frequency, and the relocation of bus stops to allow for facilitate better connection timing to with the SilverJ Line stop. Local transit agencies should collaborate to ensure service hours for routes improve transit connectivity and the efficiency of multi-operator transit trips.



#### Figure 4.2 Existing Transit Network




#### Figure 3.2 Existing Transit Network

[ 150 ]

## 3.4.2 BUS AND BIKE INTERFACE

The Specific Plan also acknowledges that recognizes the symbiotic relationship between alternative modes of transportation, such as transit and bicycling, are complementary modes and must which often interact with one another on urban and suburban streets. However, Tthe coexistence between of buses and bikes on roadways, however, can presents significant challenges due to differences in size, average speed, and stopping patterns. Conflicts often arise as bicyclists must share the right-hand lane and curb with stopping buses. To minimize these types of conflicts, the Specific Plan encourages the exploration of alternative bus stop designs outside of the beyond conventional curbside stops. One such design includes involves creating a short bike channel that diverts bicycle traffic behind transit stops as depicted in Figure 34.3. Additional analysis should be conducted to determine assess feasibility and to evaluate design the effectiveness of this design.

#### Figure <u>34.3</u> Floating Bus Stop <u>aAnd Bike Channel Design</u>



#### 3.4.3 TRANSIT ACCESS, COMFORT AND SAFETY

 A key <u>element\_factor</u> impacting the overall transit experience <u>includes is</u> the safety and comfort of the transit stop environment. An individual's' perception of safety and comfort<u>while</u> walking to and from a transit station, as well as waiting for transit, will <u>impact\_influence</u> their decision to use public transit. The Specific Plan proposes the following improvements to safety and comfort <u>for\_at</u> the Carson Street stop.

#### Transit Stop Relocation Along the Interstate110

The existing Interstate 110 Carson Street transit stop, which services Metro's SilverJ Line, is accessed by patrons via stairways and elevators from the Carson Street overpass. The stop's location directly below the Carson Street overpass and along the Interstate 110 freeway contributes to its low levels of perceived lack of safety. Although lighting exists at the transit stop, the stop lacks a sense of transparency, or the degree to which an individual can see or perceive what lies beyond the edge of a street or public space to feel safe. Additionally, high travel speeds along the freeway also impact perceived safety as the existing stop fronts the Interstate 110 freeway. These factors likely contribute to the low utilization of the existing station.

To improve transit access and safety, the Specific Plan proposes to move relocating the existing transit stop from below the Carson Street overpass to a new location along the Interstate 110 freeway. Relocating the stop from underneath the overpass would enhance improve visibility of waiting transit patrons and improve overall safety. An example of this configuration is illustrated in Figure <u>3</u>4.4.

#### Figure <u>34.4 Proposed Transit Stop Relocation</u>



#### Freeway Underpass and Overpass Enhancements

Because the Interstate-110 freeway forms the eastern boundary of the Specific Plan area, freeway underpass and overpass enhancements are key in improving safety and comfort for the residents and visitors of West Carson. The Specific Plan recommends incorporating visually-engaging elements at freeway crossings to <u>make\_create</u> a <u>friendlier\_more inviting</u> street<u>scape</u> and <u>pull attract</u> active transportation users along the pathway. <u>Additionally</u>, <u>lincorporating public art along the</u> Interstate-110 overpass or underpass can <u>also help engage</u> <u>enhance</u> pedestrians and bicyclists<u>experience</u> by <u>giving them</u> <u>providing visually</u> compelling <u>things to look atpoints of interest</u>. The<u>Enhancing the</u> pedestrian experience and safety along the overpass can also be <u>improved\_achieved</u> by installing special paving and bollards along curb edges. These features help to improve safety for pedestrians with visual impairments and provide a valuable cue separating the sidewalk from the roadway and vehicular traffic.

#### **Transit Amenities**

Transit stop amenities <u>are essential for work to</u> improvinge operations, ridership levels, and the overall transit experience. <u>These Aa</u>menities can include shelters, improved plaza areas, benches, lighting, transit information, bicycle racks, and public art. Well-designed transit stops can improve patron comfort and convenience and attract new riders. Installation of transit stop amenities should be done in consultation with the local transit agencies servicing the area, which includes Metro, Torrance Transit, and Gardena Municipal. Figure <u>34.26</u> Pocket Park Concept at the Caltrans Park-n-Ride lot at Carson Street and Interstate-110, is another recommendation for improving transit amenities and safety near the Carson Street Station. These improvements would require coordination with Caltrans, the owner of the parcel.

Bus shelters play an important role in transit operations. They by providinge patrons shelter from varying weather conditions and provide a place to rest and wait. Bus shelters They should provide other include amenities such as benches, stop ID, route information, and lighting. Additionally, shelter placement should not obstruct the loading and unloading of passengers or the pedestrian pathway.

Transit information is also an important amenity at transit stops<sub>1</sub>, <u>providing patrons with Whenever possible, transit stops should</u> include information on service routes and schedules, as well as local area maps and wayfinding information. Providing transit information at stops allow patrons to <u>determine whether verify if</u> they are <u>waiting</u> at the correct stop and where they need to go once they arrive at their <u>stop destination</u>. Ideally, real-time arrival information should also be included whenever possible to improve transit reliability and encourage transit usage.

## 3.5 FIRST-LAST MILE STRATEGIES


In 2014, Metro approved its First Last Mile Strategic Plan, which identifies design strategies to improve active transportation access and connections to public transit. The Specific Plan recognizes that station access is a key element in successful TOD station area planning and identifies strategies that focuses on improving accessibility during the first and last miles of a transit rider's journey. These strategies include streetscape improvements, bicycle and pedestrian infrastructure improvements, well wayfinding as as signage and improvements.

## 3.5.1 PATHWAYS

The Metro Pathways concept established in Metro's First-Last Mile Strategic Plan includes a hierarchy of pathways that extend to and from a transit station and is are designed to support active modes of transportation. These pathways take into consideration the existing street network, key destinations, feeder transit services, existing and planned infrastructure, existing bike and pedestrian volumes, and surrounding land uses to design a physical active transportation network that improves transit station access. The Metro Pathways concept is comprised of two types of pathways; pathway arterials and pathway collectors. Pathway arterials serve as the main branches of the network, while pathway collectors serve as Figure <u>34.5</u> illustrates the proposed Metro feeder routes. Pathway network and includes pathway arterials, pathway collectors, existing Metro bus stops, key destinations, and suggested areas for wayfinding signage.


#### **Pathway Arterials**

Pathway arterials are primary routes that extend from stations support maximum throughput activity for and active transportation users. They are designed to accommodate high levels of active transportation and a broad range of users. They typically include design treatments such as separated active transportation lanes, signal and crossing improvements, wayfinding, and plug-in components (i.e. bike share). Pathway arterials should typically radiate out from a station portal in at least four directions, and extend out at a minimum of one-half mile from the station to an upper limit of three miles from the station. Pathway arterials should also integrate the regional bikeway network at opportune points beyond the one-half mile access shed. As illustrated in Figure 34.5, pathway arterials surrounding the Carson Street station include Carson Street, Vermont Avenue, and Figueroa Street.



#### Figure 4.5 First And Last Mile Pathway Network Map

WEST CARSON TOD SPECIFIC PLAN



#### Figure 3.5 First And Last Mile Pathway Network Map

## [149]

#### **Pathway Collectors**

Pathway collectors are routes within the station area that both feed into pathway arterials and support crossing movements and general station area permeability. They work to reduce travel distances for non-motorized users by focusing on the provision of providing efficient access to pathway arterials. Pathway collectors include streets and routes located within the one-half mile access shed of a transit station and streets that feed into the main branch lines or pathway arterials. They typically include design considerations that improve intersection and mid-block crossings. As illustrated in Figure <u>34</u>.5, pathway collectors surrounding the Carson Street station include 213th Street, 214th Street, 220th Street, Moneta Avenue, and Berendo Avenue.


## 3.5.2 STREETSCAPE IMPROVEMENTS

The Specific Plan recognizes the role that the built environment and street design plays on a in fostering community's health and wellness. Well-designed streets can provide safer and more attractive settings for people to walk and bike pedestrians and cyclists, as well as to encourage more transit use. The Specific Plan focuses on laying the foundation for a more unified network of streets that promote multi-modal circulation as well as and facilitate the safe and efficient movement of motorized and nonmotorized transportation modes of transportation. The Specific Plan proposes the following various streetscape improvements to promote a more livable livelier and more sustainable streets. More detailed landscape hardscape and design recommendations are included in the Public Realm Design and Park Design section below.

#### S. Vermont Avenue

<u>S.</u> Vermont Avenue serves as a pathway arterial connecting the Carson Street transit stop. Proposed streetscape improvements for <u>S</u>. Vermont Avenue are illustrated in Figure <u>34.6</u>. The<u>se</u> improvements are intended to enhance and <u>promote encourage</u> multi-modal activity along the corridor as well as to support its role as a pathway arterial with high levels of non-motorized activity. Streetscape improvements include a Class II bicycle facility with striped buffer between on-street parking to enhance safety, street trees, lighting, reduced travel lane widths, and a landscaped median to improve visual aesthetics along the corridor. The Specific Plan also recommends the installation of wayfinding signage along the corridor to improve navigation to the transit stop.

## Figure <u>34.6 Proposed</u> <u>S.</u> Vermont Avenue Streetscape Improvements




## [151]

#### W. Carson Street

Similar to S. Vermont Avenue, W. Carson Street also serves as a pathway arterial connecting the Carson Street transit stop and serves as a primary transit corridor with several local bus routes traversing the corridor. Carson Street's Given its role as a pathway arterial and transit corridor, solidifies the need for it necessitates a multi-modal streetscape design that prioritizes the safe and efficient movement of multiple modes of transportation. Streetscape improvements to Carson Street are illustrated in Figure 34.7 and include wider sidewalks, Class II bicycle facilities with striped buffers, reduced travel lane widths, landscaped medians street trees, lighting, and a multi-use path along the south side of Carson Street. The<u>lt should be noted</u> that the proposed Class II bicycle facilities proposed in this Specific Plan are consistent align with existing County street improvement plans. The County was recently awarded secured a grant funding from the California Caltrans Active Transportation Program (ATP) to install a 0.5 mile Class II bicycle facility along Carson Street between Normandie Avenue and Vermont Avenue. The new bikeway is intended to improve connections to existing facilities and the regional bikeway network and support Metro's First-Last Mile Strategic Plan.

## Figure <u>34.7 Proposed W.</u> Carson Street Streetscape Improvements



#### Figure <u>3</u>4.8 Greenbacked Sharrows





Possible treatment options for green-backed sharrows.

#### W. 223rd Street


W. 223rd Street is classified as a Secondary Highway under the County's Highway Master Plan. Proposed streetscape improvements for the 82-foot right-of-way segment of the corridor between Normandie Avenue and Vermont Avenue are illustrated in Figure 34.9. These improvements include incorporating a Class III bicycle facility along the roadway to improve enhance connectivity with the greater regional bikeway The bicycle facility will incorporate green-backed network. sharrows to provide high visibility and send a strong signal to bicyclists as to where they should ride as well as to help alert motorists of their presence. Examples of green-backed sharrows are provided in Figure <mark>34</mark>.8. Streetscape improvements also include improved landscaping and street trees.

Streetscape improvements for the 100-foot right-of-way segment of the corridor between <u>S</u>. Vermont Avenue and the city boundary for the City of Carson are illustrated in Figure 43.10. These improvements include reduced travel lane widths, the provision of on-street parking along the westbound portion of the corridor, and the introduction of a Class II bicycle facility in each direction with striped buffers. These proposed improvements are intended to support the Specific Plan's vision of transforming the existing auto-oriented design of <u>W</u>. 223rd Street to a more multi-modal streetscape.

## Figure <u>3</u>4.9 Proposed <u>W.</u> 223Rd Street 82'-Row Streetscape Improvements



## Figure <u>3</u>4.10 Proposed <u>W.</u> 223<sup>Rd</sup> Street 100'-Row Streetscape Improvements



#### 220th Street


220th Street serves as a pathway collector and provides connections to the Vermont Avenue and Figueroa Street pathway arterials. As a pathway collector, 220th Street is intended to it supports crossing movements and moderate levels of activity for active transportation users. Proposed Sstreetscape improvements to the segment of 220th Street adjacent to the Harbor-UCLA Medical Center are illustrated in Figure <u>34.11</u>. Proposed These improvements include relocating the exterior fence surrounding the medical center behind the existing culvert and covering the culvert to support accommodate pedestrian an expanded pathway and landscaping. Improvements to the remaining segment of 220th Street are illustrated in Figure 34.12 and include Class III bicycle facilities, street trees, lighting, and wider sidewalks.

In addition to the proposed streetscape improvements, the Specific Plan recommends improvements to the existing 220th Street pedestrian bridge, which spans The pedestrian bridge crosses over the Interstate 110 freeway and is accessed via a walkway at 220th Street. The existing bridge has low levels of visibility and poor inadequate lighting conditions, which adversely impacts safety and contributes to the bridge's low levels of utility. The Specific Plan proposes to improve enhanced safety measures at the bridge, including by incorporating overhead lighting as well as and lighting along the proposed handrails. Furthermore, aesthetic enhancements The Plan also focuses on enhancing the visual aesthetics of the bridge by introducing such as a painted walkway, painted support poles, and a mural are proposed to help deter and camouflage graffiti and improve the bridge's visual appeal. These proposed improvements are illustrated in Figure 34.13.




#### Figure <u>34.11</u>: Proposed 220th Street Streetscape Improvements (Harbor-UCLA Medical Center)

# Figure <u>3</u>4.12: Proposed 220th Street Streetscape Improvements



## [155]

# Figure 4<u>3</u>.13: Proposed 220th Street Pedestrian Bridge Improvements




Before and after renderings of the 220th Street pedestrian bridge.

#### Normandie Avenue

Similar to <u>S</u>. Vermont Avenue and <u>W</u>. Carson Street, Normandie Avenue also serves as a pathway arterial connecting the Carson Street transit stop. Due to right-of-way constraints, only the pedestrian sidewalk along the east side of Normandie Avenue lies within the County's jurisdiction. The remaining section lies within the City of Los Angeles' right-of-way. <u>Proposed</u> <u>S</u>treetscape improvements to Normandie Avenue include improved landscaping to enhance the pedestrian environment as illustrated in Figure <u>3</u>4.14.

Figure <u>34.14</u>: Proposed Normandie Avenue Streetscape Improvements



## <u>3.6</u> PUBLIC REALM DESIGN AND PARK STRATEGIES

One of the most important components of place-making is thoughtful urban design that <u>employs\_integrates</u> buildings, open space<u>s</u>, and landscaping to create <u>engaging\_inviting</u> and comfortable outdoor <u>places\_environments</u> for residents, visitors, and workers of an area. Places such as sidewalks and parkways, multi- purpose trails, parks, plazas, and squares should be linked to each other and to the larger community. This interconnected pattern creates a range of valuable venues that accommodate a full spectrum of urban, commercial, and family-oriented activities.

This section identifies <u>various</u> recommendations for change in the public realm, including pedestrian circulation, new small park opportunities, a landscape plan for major roads, and the creation of a transit plaza for riders using Metro's Carson Station. It's worth is important to note noting that as the Harbor-UCLA Medical Center Master Plan <u>gets is</u> implemented over\_time, there will be significant improvements in terms of landscaping, fencing, pedestrian paths, lighting, seating, and public art that will <u>significantly upgrade\_greatly</u> enhance the public realm along the edges\_around of the campus. The landscape design plan for this Specific Plan is intended to be integrated with and complement the medical campus.

The recommended strategies <u>can improve aim to enhance</u> the public realm and park network by utilizing public land/streets and pedestrian connections to bring park and open space amenities within reasonable walking distance for residents. Key components of this strategy include:

- The creation of <u>Creating</u> new open space amenities in tandem with new development. The development, guided by the applicable regulations in <u>Title 22</u> for this <u>Specific Plan include detailed</u> requirements for the provision and design of usable open space.
- RequiringEnsuring new developments give due consideration to the design principles and guidelines outlined in the Specific Plan, as well as comply with the development standards in Title 22. These design principles include to have prioritizing an a development's engaging relationship towith public streets, with requirements for howthoughtful design of building entrances are designed, careful consideration of front setbacks are designsed, and requiring locating parking to be located to the rear or side of buildings.
- MaximizingEnhancing the visibility and promoting safety of existing and new plaza areas, transit stops, pedestrian bridges, and park areasspaces.
- TransformingRepurposing vacant or publicly-owned lots, drainage channels, and cul-de-sacs into pocket parks and pathways.
- Improving the sidewalk and parkway systems on along the arterial roadways, with the addition of involve adding street trees, and

parkway plantings, street furniture, enhanced street crossings, bus stop improvements, and pedestrian lighting where needed.

#### 3.6.1 PEDESTRIAN ENVIRONMENT

#### Sidewalk Hierarchy

The quality of the pedestrian environment often impacts influences a person's decision to walk or drive to an area. Adequate pedestrian infrastructure, together with appropriate land use designations, can help to activate corridors and promote encourage pedestrian activity. This section discusses examines some of the existing opportunities to improve the pedestrian environment within West Carson and to reinforce the area as a TOD district.


Sidewalks shall be recognized are not as a merely pedestrian amenitiesy; but as they are the back-bone of West Carson's pedestrian network. Sidewalks present inventive providing innovative opportunities to transform streets into public spaces.

Although sidewalks exist along major streets within the Specific Plan area, most sidewalks are narrow in width and do not support high levels of pedestrian activity. The Specific Plan proposes a sidewalk hierarchy to establish a physical framework for sidewalk design. The This sidewalk hierarchy is intended to facilitate the most appropriate allocation of aims to allocate space effectively that to encourages people to walk as a part of their everyday routine.

The sidewalk hierarchy is composed of three levels: Level 1, Level 2, and Level 3 as shown in Figure <u>34.15</u> Pedestrian Network Map. Each level varies in its allocation of allocates space differently amongst the frontage zone, pedestrian zone, furniture zone, and curb zone, which are defined as follows:

 Frontage Zone: The frontage zone encompasses the area of the sidewalk that is the area of the sidewalk that separates pedestrians from the property line or building/store fronts. The frontages zone <u>It</u> typically provides space for accommodates outdoor seating, store entrances, street vendors, and provides acts as a buffer for pedestrians from opening doors and other architectural elements. There are a variety of <u>Various</u> frontage types that define determine how buildings are accessed and how private property interfaces with the sidewalk. <u>RequirementsGuidelines</u> for frontage types on key streets within the Specific Plan area are includedoutlined in Chapter 3. [ 159 ]

Figure 4.15 Pedestrian Network Map



[ 166 ]




Figure 3.15 Pedestrian Network Map

- Pedestrian Zone: The pedestrian zone is the area of the sidewalk that is specifically reserved for pedestrian travel. It should be free of obstacles, well-lit, and functional in all weather conditions. <u>Items like Ss</u>treet furniture, plantings, outdoor seating, utility boxes, and other elements should not protrude into the pedestrian zone. Additionally, the surface quality of the pedestrian zone is of key importance and should be smooth, stable, and slip-resistant, with minimal gaps and rough surfaces.
- Furniture Zone: The furniture zone is the area of the sidewalk between the pedestrian zone and the street curb. The furniture zonelt provides space for utilities, such as like traffic poles and fire hydrants, as well as amenities, such as benches, bus shelters, and street trees. Items placed in this zone shall be strategically located sonot to avoid obstructing sight lines, prevent damage from vehicles on the street, and to allow for access to and from parked cars.
- Curb Zone: The curb zone is the first six inches of sidewalk area immediately adjacent to the roadway. The curb zone discourages<u>It serves to deter</u> motor vehicles from driving onto the sidewalk, prevents excess water from collecting onto the sidewalk, and provides a valuable cue signify the boundary that separates the sidewalk from the roadway and vehicular traffic.

Each level within the hierarchy is designed to support varying levels of pedestrian activity. Locations of each level corresponds with the locations of the various pathways in the Metro Pathways hierarchy. For instance, Level 1 sidewalks, which are the widest sidewalks in the hierarchy, should be located along pathway arterials to accommodate high-levels of pedestrian activity volumes. Level 2 sidewalks should be located along pathway collectors to accommodate moderate levels of pedestrian activity, while Level 3 sidewalks should be reserved for low-density residential streets. The various levels of the sidewalk hierarchy are defined as follows:

Level 1: Level 1 sidewalks are the widest sidewalks within the hierarchy and should have a minimum width of 10-\_feet to support high pedestrian volumes and to accommodate <u>amenities such as the streettrees, benches, and outdoor seating</u>, and other amenities. Level 1 sidewalks should be located along pathway arterials and areas with higher density, mixed-use, or commercial land use development. Space allocation for Level 1 sidewalks should favor the pedestrian and frontage zone to provide adequate passing space between pedestrians and to accommodate for store-front amenities such as outdoor seating within commercial or mixed-use zones. Examples of a Level 1 sidewalks can be seen in the Vermont Avenue and Carson Street streetscape improvements illustrated in Figures 34.6 and 34.7.

- Level 2: Level 2 sidewalks are slightly narrower in width than Level 1 sidewalks and should have a minimum width of sevenfeet. They are designed to accommodate moderate levels of pedestrian activity and to accommodate some pedestrian amenities. Level 2 sidewalks should be located along pathway collectors. Space allocation for Level 2 sidewalks should favor the pedestrian and furniture zone. Examples of a Level 2 sidewalk can be seen in the 82-foot right-of-way streetscape improvement for 223rd Street as illustrated in Figure <u>3</u>4.9.
- Level 3: Level 3 sidewalks are the narrowest sidewalks within the hierarchy and should be located along low-density residential streets that do not carry high volumes of traffic or pedestrian activity. They should have a minimum width of fivefeet to <u>meet\_comply with</u> ADA standards and should favor the pedestrian zone.

Figure <u>34.15</u> illustrates the suggested locations of <u>for</u> the various sidewalk levels. <u>However</u>, <u>T</u>the Specific Plan, <u>however</u>, recognizes that sidewalk design and construction often occurs <u>under constrained conditions</u>, <u>may face constraints</u> such as narrow rights-of-way, utilities, grading, and topography. These <u>are all key</u> factors <u>must be carefully-to considered when during</u> the designing and <u>constructing</u> <u>construction phases to ensure</u> the creation of accessible sidewalks.

[161]





Figure 4.16 Pedestrian Crossing Map

WEST CARSON TOD SPECIFIC PLAN



#### Figure 3.16 Pedestrian Crossing Map

## [163]

#### **Pedestrian Crossings**

A safe and comprehensive pedestrian network requires the ability to complete relies on two important functions: walkingfacilitating pedestrian movement along streets and ensuring safe street crossings-streets safely. Several tools exist to enhance the overall pedestrian safety and experience, including and to help make crossing streets easier and safer for pedestrians. They include the installation of crosswalks installations at intersections and mid-block, curb ramps, pedestrian crossing signs, signals, and more. Figure 34.16 illustrates both existing and proposed locations for pedestrian crosswalks. Inaddition, the Specific Plan recommends the following design guidelines to facilitate safe pedestrian crossing:

**Marked Crosswalks:** Marked crosswalks are a key element in providing ensuring safe pedestrian crossings. Crosswalks help to guide pedestrians and identify locations indicating where it is safe to cross, as well as inform and alerting drivers of pedestrian movements. Crosswalks can be located at intersections, mid-block crossings, or uncontrolled crossings. CrosswalksThey should meet basic requirements for visibility requirements and should follow adhere to guidelines set forth in the Federal Highway Administration (FHWA) Manual on Uniform Traffic Control Devices (MUTCD). The Specific Plan recommends the installation of that crosswalks be in place at the following locations whenever possible:

- 1. AllAt all signalized intersections
- 2. Near key transit stops and stations
- 3. Locations<u>Along locations</u> with heavy pedestrian volumes traffic, (such as along<u>S</u>. Vermont Avenue)
- 4. Along school walking routes, (such as along Meyler Street)
- 5. TrailAt trail crossings

**Pedestrian Safety Islands:** Pedestrian safety islands provide pedestrians refuge and reduce the exposure time experienced at when crossing wide intersections. <u>They and</u> should be installed at locations where pedestrians are required to <u>must</u> cross three or more lanes of traffic in one direction, such as along Carson Street and Vermont Avenue.

**Curb Extensions:** Curb extensions are traffic calming treatments that narrow the roadway to create safer and shorter crossing distance for pedestrians. They also help to improve the overall visibility of pedestrians by placing them in alignment with on-street parking. They should be placed on streets with high pedestrian volumes or along wide streets that are difficult to cross.

**Curb Ramps:** Curb ramps are <u>critical features to essential for</u> improvinge accessibility <u>for</u> pedestrians with mobility limitations and



Example photo illustrating signage used to indicate a pedestrian crossing.


visual impairments. They should be installed at all crosswalks to comply with ADA requirements.

**Pedestrian Signage:** Pedestrian crossing signage is used to alert motorists of to the presence of pedestrians along roadways. They should be installed at uncontrolled crossings and near key destinations, such as Meyler Elementary School and Van Deene Avenue Elementary School to alert motorists in advance.


#### Streetscape Design

Streets with comfortable sidewalks and planted parkways provide the unifying structure of the plan area. Pedestrian-friendly sidewalks should incorporate amenities that are attractive, and pleasant, offer visual stimulation, and promote activity. The Specific Plan recommends the following design guidelines to guide the installation of streetscape amenities:

- Street Trees: Street trees serve a variety of various urban design functions such as acting as a pedestrian buffer, accentuating spaces, creating a sense of enclosure, improving air quality, and enhancing visual aesthetics along a corridor. They also reduction of reduce the heat island effect by providing shade and filtered light, and improving visual aesthetics along a corridor. Street trees should be incorporated whenever possible, especially along pathway arterials. All street trees should be, and planted in accordance with established County planting standards.
- Seating: Seating provides reprieve for pedestrians and provides offers a place to rest or wait. Providing comfortable places to sit can transform a sidewalk into a gathering place for social activity. Pedestrian seating and benches should be installed when where feasible, and should adhere adhering to ADA standards and should not avoiding obstruction of pedestrian pathways.
- 3. Street Lights: Street lights provide a sense of safety and security for pedestrians and waiting transit patrons, as well as facilitate the safe movement of vehicular traffic. Appropriate levels of street lighting should be installed to provide safe, consistent lighting along a corridor, while reducing energy consumption and costs. The addition of Installing pedestrian lighting on Carson Street and segments of Vermont Avenue within the Specific Plan area is highly recommended to increase safety.
- 4. Public Art: Public art features help provide visual stimulation and improve visual aesthetics along a corridor. They can help unify an area or district or help to identify a neighborhood gateway. Care should be given to the installation of public art to ensure that they\_it does not obstruct pedestrian pathways and they adheres to ADA standards. The introduction of Introducing public art would be appropriate within the



#### Figure 4.17 Street Tree Plan



#### Figure 3.17 Street Tree Plan

[ 172 ]



Example photo of public art used to brand a district.

median at the intersection of Carson Street and the Interstate 110 off/on ramps would be appropriate. The art could be an extension of the art improvements planned for Harbor-UCLA Medical Center.

5. Furnishings: Furnishings such as seating and bike racks encourage pedestrian and bicycle activity by providing a sense of comfort and convenience. Pedestrian-oriented streets and hubs of high pedestrian activity should provide appropriate seating at regular intervals. Seating should be located in areas with shelter, shade, trees, and lighting and may be enhanced with <u>features like</u> seat walls, landscaping, fountains, and trellises, and other features. Bike racks should be placed in areas with ample space per bike and an adequate pedestrian clearance. Encourage bike rack, with design elements to that enhance the identity of the community's identity.

The streetscape design recommendations as shown in Figures 34.17 - 34.24, are focused on the major roadways: such as- Carson Street, South Vermont Avenue, West 220th Street, and West 223rd street. There are cCurrently, there are very few street trees or planted parkways within the public rights-of-way. There are, though some trees that have been planted along front property lines that help to provide shade for pedestrians. In general, aA consistent, well-designed landscape plan for the streets can provide shade, introduce seasonal color, define the street edge, and invite pedestrian activity. The following landscape and planting design recommendations are conceptual and based on Public Works' Tree Selection Catalog, Los Angeles County's Drought Tolerant Plant List, and Harbor-UCLA's Master Plan Landscape Design Guidelines. The landscape recommendations in this chapter are conceptual only. When the County considersing such improvements, these recommendations will be further evaluated and supplemented on a case-by-case basis.

- Major streets will <u>be composed\_feature</u> signature plantings from the plant palette to create clearly defined identities unique to each street to improve way finding and announce arrival into West Carson.
- Formal plantings will be arranged along parkways and landscape easements at intervals appropriate with to street scale and canopy cover to provide a sense of rhythm and movement within the streetscape.
- Flowering trees and trees with seasonal color have been selected to provide create a dynamic color palette, the use of color is key for creating an active enhancing the landscape's which denotes the passing of time and creates visual interest.

- The plant palette incorporates deciduous plant material to provide shade canopies during the warm seasons while allowing penetration of sunlight during the cooler months to provide a more comfortable and inviting atmosphere.
- Incorporatinge suspended pavement system(s) will improveing soil volume to support larger tree species development and improve plant health, promoting higher plant success rates. Additionally, these systems provide stormwater quality management through capture, evapotranspiration and storage.
- The placement of trees and portions of planted parkways will provide greater increase separation for between pedestrians from the and vehicle traffic, promoting the use of sidewalks use by creating a more comfortable enhancing pedestrian experience for pedestrians.





Pink Trumpet Tree



**London Plane Tree** 



**Golden Rain Tree** 



Australian Flame Tree



Tipu Tree



Golden Trumpet Tree





Arizona Ash



Coast Live Oak



African Tulip Tree



**Desert Willow** 



Elegant Water Gum



Marina Strawberry Tree




**Australian Willow** 




**Chinese Pistache** 






## Figure <u>34.19 Street Trees: S.</u> Vermont Avenue



۲


SCALE: 1"=20'




#### Figure <u>34.20 Street Trees: 220th Street (West of S.</u> Vermont Avenue)



## Figure <u>34.21</u> Street Trees: 220th Street (East of <u>S.</u> Vermont Avenue)










# Figure <u>34.23</u> Street Trees: <u>W.</u>223rd Street (East of <u>S.</u> Vermont Avenue)





# Figure <u>3</u>4.24 Design Recommendations












## 3.6.2 NEW PARK OPPORTUNITIES

Within the entire unincorporated West Carson area, there is an average of about 0.4 park acres per 1,000 residents, which is well below the County average of 3.3 park acres per 1,000 people. In addition, only 24 percent of people in West Carson<u>residents</u> live within walking distance (half-mile) of a park, as opposed to the County's average of 49 percent. WhileDespite the majority of Specific Plan area residents have a high need high demand for parkland and park amenities among residents within the Specific Plan area, there is almost no vacant publicly-owned land available to for developing new parks.


Within the Specific Plan area, <u>there is</u> half an acre of parkland is available for recreational and public use at the Park Learning Grove County Park. <u>This park is</u>, <u>which serves as</u> a small public green space with no amenities.<u>T</u> <u>This area operates and is used</u> as a joint-use facility with Meyler Street Elementary School. Park amenities, including basketball courts and playground equipment, are available at<u>Additionally</u>, another joint<u>use</u> park facility is located <u>with</u>in the Specific Plan area at Van Deene Avenue Elementary School, <u>offering amenities like basketball</u> <u>courts and playground equipment</u>, but <u>does not include any</u> <u>lacking green or open space</u>. Beyond the Specific Plan area, the nearest park facilities can be found at the Normandale Recreation Center in the City of Los Angeles, the Veterans Sports Complex in Carson, Carson Park in Carson, and jointuse facilities at White Middle School.

Figures <u>34.25</u> - <u>34.31</u> identify potential locations for the creation of pocket parks by converting cul-de-sacs, partially covering <del>a</del> drainage channel<u>s</u>, and <u>ultimatelypotentially</u> reclaiming property that will no longer be needed by Harbor-UCLA Medical Center. Each of these concepts shows the potential for passive and active recreation. The ultimate design and programming of these spaces should be <u>done\_conducted</u> in <u>conjunction</u> <u>collaboration</u> with the neighborhood in which they are located. Pocket parks can provide socialization opportunities for a wide variety of age groups. [ 177 ]

#### Figure 4.25 New Park Opportunities




[184]



#### Figure 3.25 New Park Opportunities


- Pergola or other type of overhead structure to anchor corners and provide shade
- B Real-time bus tracking kiosk
- © Introduction of new W. Carson St. landscape palette
- D Bike parking/sharing
- E Benches against planter walls
- Modified entry to parking lot
   and restriping
- G Parking lot landscaping
- Entry monument or public art
- () Enhanced cross-walk for safety

#### Figure $\underline{34.26}$ Pocket Park Concept at the Caltrans Parkn- Ride lot at $\underline{W}$ . Carson Street and Interstate 110



- Redesign Caltrans park-n-ride to include transit waiting plaza.
- Create a gateway to West Carson with landscape/hardscape elements that also bring visibility to the transit station.






- Decorative pathway leading to bridge
   Decorative pathway leading to
- B Playareaforchildren and waitingareaforparents
- C Play structure
- D Small covered area with picnic tables
- E Enhanced lighting for park and pathways
- (F) Shadetrees
- G Reconfigured access within the storage site
- $\bigoplus$  New signage/monumentation at intersection with Vermont

- To provide children and parents with a safer and inviting walking experience to White Middle School via a pedestrian bridge over the Interstate 110.
- To create a small pocket park within the cul-de-sac at 220th Street.
- To improve the pedestrian bridge with new fencing and lighting.

#### Figure <u>34.28</u> Pocket Park Concept at 208th Street and Javelin Street



- To provide new park space to serve the single-family neighborhood north of Carson Street.
- Converts the two cul-de-sacs along Javelin St., connected by a channel cap for additional playground space.
- Includes bike path on one side of the channel and access road on other side.

- (A) New 10' drive to garage
- B Channel cap with hardscape, playground equipment and boxed trees for shade
- C Areas for unstructured play, seating, picnics
- (D) Shade structure with table
- E Existing maintenance road with gates at edge of park

## Figure <u>3</u>4.29 Pocket Park Concept for the Harbor-UCLA Kindercare Site (Option 1)



- To repurpose the Harbor-UCLA Medical Center Kindercare site, if and when this use relocates to the main hospital campus.
- To provide new park and recreation opportunities accessible from Carson Street and the residential neighborhoods to the north.
- To repurpose the Kindercare building as the West Carson Youth Center, with structured programs and events.
- Create a combined access drive to both the multi-family apartment project and the park at the signalized intersection.

- (A) Parking for the park site only
- B Opportunity for differently programmed park areas
- C Community garden
- Re-purposed parks and recreation building


# Figure <u>3</u>4.30 Pocket Park Concept for the Harbor-UCLA Kindercare Site (Option 2)

- Combined parking for the park and guests of the residential project
- Opportunity for differently programmed park areas
- C Community garden
- Re-purposed parks and recreation building



- To repurpose the Harbor-UCLA Medical Center Kindercare site, if and when this use relocates to the main hospital campus.
- To provide new park and recreation opportunities accessible from Carson Street and the residential neighborhoods to the north.
- To repurpose the Kindercare building as the West Carson Youth Center, with structured programs and events.
- Create a combined access drive to both the multi-family apartment project and the park at the signalized intersection.

# Figure <u>3</u>4.31 Pocket Park Concept for the East End of 214th Street



- Opportunity
  - To provide children and parents with a safer and inviting walking experience via a pedestrian bridge over the Interstate 110.
  - To create a small pocket park within the cul-de-sac at 214<sup>th</sup> Street.
  - To improve the pedestrian bridge with new fencing and lighting.

- Decorative pathway leading to bridge
- B Enhanced paving area with play equipment for children and waiting area for parents
- © Enhanced lighting for park and pathways
- D Small covered pavilion with picnic amenities

## 3.6.3 BICYCLE CIRCULATION


Bicycling provides a sustainable solution for traveling the first and last mile to and from a transit station. While transit and bicycling are complementary modes, issues of infrastructure connectivity issues often impacts influence a person's decision to bike the first and last mile of their journey from transit. The following section describes outlines improvements to the bicycle network to promote bicycling within the Specific Plan area.

### **Bicycle Facility Types**


Bikeways are facilities that are designated primarily for bicycle travel. They are generally <u>divided\_categorized</u> into <u>threefour</u> types: Class I, Class II, Class III, and Class IV.

- >>> Class I (Bike Path): Provides These paths provide a completely separated right—of-way (off-street) designated for the exclusive use of bicycles and pedestrians with crossflow traffic minimized.
- >>> Class II (Bike Lane): Provides These lanes offer a restricted right-of-way (on-street) designated for the exclusive or semiexclusive use of bicycles with through travel by motor vehicles or pedestrians prohibited, but with crossflows by pedestrians and motorists permitted. Vehicle parking can may be allowed to the right of bike lane if sufficient right-ofway width exists.
- >>> Class III (Bike Route): Provides for These routes facilitate shared use with pedestrians or motor vehicles and is are (on-street) designated by signs or permanent markings.
- >>> Class IV (Cycle Track): Provides bikeways (cCycle tracks), or bikeways, are located in or adjacent to a roadway and are separated from traffic by a physical barriers such as bollards, on-street parking, or planters. This design allows ensures an exclusive right-of- way for bicycle travel.


## Figure <u>34.32</u> Bike Facility Types




Class I (Bike Path)



Class II (Bike Lane)






Class III (Bike Route)

#### **Bicycle Network**

- 1. Figure <u>34.33</u> illustrates the <u>level of</u> bicycle accessibility within a three-mile radius of the Carson/Harbor Freeway transit station. <u>UsingStarting from</u> the station <u>as a starting point</u>, all possible bicycle routes were mapped based on the street grid and then consolidated into a larger catchment shape or bike shed. The existing bicycle network within the Specific Plan area <u>provides offers</u> limited accessibility and connectivity, with <u>comprising</u> approximately five miles of <u>existing</u> bikeway infrastructure. Of the five miles, four and one-half miles are Class II bicycle facilities and <u>one</u> half <u>a</u>miles are Class III. One of the main constraints of the existing bicycle network is the limited north <u>and</u>-south access, with only two north-south bike paths that traversinge through West Carson.
- 2. The Specific Plan proposes to adding approximately 7.50 miles of bikeways to the existing network. These streets were selected based on the opportunities they presented provide to improve enhance connectivity within West Carson and the regional bikeway network of neighboring cities. The Specific Plan proposes to add the following proposed bicycle facilities include:
- 208th Street Drainage Channel Multi-Use Path or Class I bicycle facility
- Meyler Avenue Multi-Use Path (between 220th Street and W. Carson Street)
- Normandie Avenue Class II bicycle facility
- <u>W.</u> Carson Street Class II bicycle facility with striped buffer
- <u>W.</u> 223rd Street Class II bicycle facility with striped buffer (between <u>S.</u> Vermont Avenue and <u>the</u> City of Carson boundary)
- <u>W.</u> 223rd Street Class III bicycle facility (between Normandie Avenue and <u>S.</u> Vermont Avenue)
- 220th Street Class III bicycle facility
- Meyler Avenue Class III bicycle facility
- Doble Avenue Class III bicycle facility
- 214th Street Class III bicycle facility
- Buffered Class II bicycle lanes are proposed along <u>W.</u> Carson Street, and the segment of <u>W.</u> 223rd Street between <u>S.</u> Vermont Avenue and the City of Carson boundary. Buffered bicycle lanes are created by painting a striped buffer between the bicycle facility and on- street parking. These striped buffers help to improve safety and provide additional space between parked cars and bicyclists.


[186]

## Figure 4.33 Bicycle Network



Feet 0 2750 5500

Figure 3.33 Bicycle Network



[193]

Striped buffers are recommended along streets with average speeds of 40 mph or more.

4. Additionally, the County, on behalf of West Carson, applied and received funding assistance for its West Carson Community Bikeways project under the Caltrans ATP Cycle 2 program. The West Carson Community Bikeways project includes the design and construction of 0.5 miles of Class II bicycle facilities on both Lomita Boulevard and Carson Street, as well as 0.65 miles of Class III bicycle facilities on 220th Street, between Normandie Avenue and <u>S.</u> Vermont Avenue.



Example photo of multi-use path in a drainage channel.

#### 208th Street Multi-Use Path

The 208th Street drainage channel presents an opportunity to implement a multi-use path to encourage and promote active transportation. The 208th Street drainage channel ILocated along the northern boundary of the Specific Plan area, the 208th Street drainage channel provides opportunities to offers connectivity to the larger regional bikeway network, which includes the existing Class I bicycle facility along the Dominguez Channel. Figure <u>34.33</u> illustrates where depicts the proposed location of the multi-use pathway would be located, while Figure <u>43</u>.34 illustrates its proposed design.

## Figure 34.34 Proposed 208th Street Drain Channel Bikeway



### **Bicycle Infrastructure Amenities**

In addition to <u>the</u> provision of bikeways, the Specific Plan recommends the following design guidelines <u>to guide for the</u> installation of bicycle infrastructure amenities:

- 1. Bicycle Parking: Providing ample, well-designed bicycle parking is a key component to increasing bicycling essential for promoting cycling within an area. Bicycle parking should consists of racks that supports the bicycle upright and provides a secure place to lock. Care should be given to their installation Installation should be carefully managed to ensure that they do not avoid obstructing pedestrian pathways and they adhere to comply with ADA standards. ConsiderationPriority should be given to installing bicycle parking near key transit stops and key destinations. The required amount of bicycle parking to be provided per for each land use is discussed in detail in the Bicycle Parking Standards section set forth in Chapter 22.414 of Title 22.
- Bicycle Crossing Signals: Bicycle signals facilitate safe intersection crossing by instructing bicyclists when they are able to can enter an intersection and by restricting conflicting vehicular movement.

**3. Bicycle Wayfinding Signage:** Bicycle wayfinding systems typically consists of signs or pavement markings that indicate

information regarding route<u>s</u>, destinations, and directions. They help familiarize bicyclists with the bikeway network, identify <u>the</u> best routes to destinations, and alert motorists <del>of</del> to the presence of bicyclists. TheyWayfinding signage should be placed along all streets that are part of the bikeway network.

#### **Bicycle Parking Standards**

The provision of bicycle parking provides a number of benefits that can enhance the overall bicycling experience in West Carson. These benefits include reducing bicycle damage from improperly parked bicycles, as well as reducing sidewalk hazards for pedestrians caused by improperly parked bicycles on sidewalks, reducing bicycle thefts, preventing damage to trees and other street furniture, and improving access to local shops, jobs, and transit.

The West Carson TOD Specific Plan provides modifications to the existing bicycle parking requirements contained in Chapter 22.112. Bicycle parking requirements are provided for both short-term and long-term parking. Per the County Code, short-term bicycle parking is defined as bicycle parking intended for a period of two hours or less, while long-term bicycle parking is defined as bicycle parking intended for a period of two hours or longer. Short-term bicycle parking is appropriate for individuals making short visits to commercial establishments, offices, or other uses, while long-term bicycle parking is appropriate for residents, employees, transit users, and visitors to hotels nearby.

The proposed modifications to the existing bicycle parking requirements are intended to provide a bicycle parking supply that supports TOD districts and encourages the use of bicycling as an alternative mode of transportation. The Specific Plan proposes the following bicycle parking requirements:



Example photo illustrating bicycle parking.

Tuble 4.1 Minimum Dibyole Funking Requirements		
USE	SHORT-TERM	LONG-TERM
Multi-Family Residential	<del>1 per 10 DU</del> <del>(2 minimum)</del>	<del>1 per 10 DU</del>
General Retail	<del>1 per 4,000 gsf</del> <del>(2 minimum)</del>	<del>1 per 6,000 gsf</del> <del>(2 minimum)</del>
Hotel	<del>1 per 30 guest</del> <del>rooms</del> <del>(2 minimum)</del>	<del>1 per 20 guest</del> <del>rooms</del> <del>(2 minimum)</del>
Office	<del>1 per 13,000 gsf</del> <del>(2 minimum)</del>	<del>1 per 6,000 gsf</del> <del>(2 minimum)</del>
Theaters/Auditoriums/ Other Entertainment	<del>1 per 50 intended</del> <del>visitors</del> <del>(2 minimum)</del>	<del>1 per 100</del> intended visitors <del>(2 minimum)</del>
Industrial	<del>1 per 20,000 gsf</del> <del>(2 minimum)</del>	<del>1 per 10,000 gsf</del> <del>(2 minimum)</del>
Hospitals	<del>1 per 15,000 gsf</del> <del>(2 minimum)</del>	<del>1 per 10,000 gsf (2 minimum)</del>
Schools	4 <del>per classroom</del> <del>(4 minimum)</del>	<del>1 per 10</del> <del>classrooms</del> <del>(2 minimum)</del>
Churches	<del>1 per 50 intended</del> <del>visitors</del> <del>(2 minimum)</del>	1 per 100 intended visitors (2 minimum)

### Table 4.1 Minimum Bicycle Parking Requirements

DU denotes dwelling units, gsf denotes gross square feet.

# 3.7 SAFETY AND COMFORT

# 3.7.1 SAFE ROUTES TO SCHOOL

The Safe Routes to School (SRTS) is a program that focuses on helping ensuring the safety of children get to school safely by walking and bicycling to school. Both Meyler Street Elementary School and Van Deene Avenue Elementary School both lie are located within the Specific Plan area, creating highlighting the need to develop for a safe network of pedestrian and bicycle infrastructure for children to utilize. Public Works has identified suggested crossings to be used by children for various elementary schools within the unincorporated areas of the County. Figures 43.35 and 43.36 illustrates the County's suggested routes for both schools. Although some controlled intersections exist within the area, there is a general lack of pedestrian crossing signage and protected crosswalks surrounding the area. The Specific Plan proposes the following design guidelines to promote safer routes to school:

- **1.** Appropriate levels of street lighting should be installed on both sides of wide streets.
- 2. Appropriate traffic controls, such as marked crosswalks, traffic signals, and warning signs or flashers should be utilized at pedestrian crossing locations.
- Curb ramps with warning strips, such as truncated domes, should be provided at pedestrian street crossings to facilitate the safe crossings of for pedestrians with mobility or vison impairments.



Example photo illustrating a marked crosswalk.



Example photo of children walking to school on a sidewalk.





Figure 34.35 Meyler Street Elementary School Safe Routes To School Map

Source: Los Angeles County Department of Public Works



#### Figure 34.36 Van Deene Avenue Elementary School Safe Routes To School Map


# **PARKING STANDARDS**

Parking policies play a significant role in the viability and success of TOD projects and districts. These policies can help to shape an area's travel behavior, community design, and local economic growth. The existing parking supply within the Specific Plan area is comprised of a combination of on-street and off-street parking resources as shown in Figure 4.36. The Specific Plan provides modifications to the parking requirements contained in Chapter 22.112 of Title 22 of the County Code. These modifications are intended to provide a parking supply that supports TOD districts and allows for greater flexibility in the provision of minimum parking spaces.

The Specific Plan proposes the following off-street parking requirements:

- Required parking shall be provided on site; and is not permitted within the required front yard or corner side yard. Required parking for new single-family uses may be uncovered. A Ministerial Site Plan Review (SPR) application is required for the conversion of covered parking to uncovered parking in existing single-family uses.
- 2. Tandem parking is allowed for single family uses. A parking space for an accessory dwelling unit may be located in tandem with a space serving the existing single-family residence if the design is necessary to provide the required number of spaces for both units.
- **3.** The provisions regarding shared parking contained in Chapter 22.180 (Parking Permits) of Title 22 shall apply.

# Figure 4.37 Parking





#### Figure 3.37 Parking

[ 202 ]

# Table 4.2 Parking Requirements

Tuble 4.2 Fulling Re	qui elliente	
USE	MINIMUM	MAXIMUM
Residential Zone 1		
Single-Family Residential	2.00 spaces/DU	2.00 spaces/DU
Residential Zone 3		
Bachelor Apartment	0.60 space/DU	1.00 space/DU
1 Bedroom	0.90 space/DU	1.25 spaces/DU
2+ Bedroom	1.20 spaces/DU	2.00 spaces/DU
Guest	0.15 space/DU	0.25 space/DU
Residential Zone 4		
Bachelor Apartment	0.60 space/DU	1.00 space/DU
1 Bedroom	0.90 space/DU	1.25 spaces/DU
2+ Bedroom	1.20 spaces/DU	2.00 spaces/DU
Guest	0.15 space/DU	0.25 space/DU
Mixed-Use Zone 1		
Bachelor Apartment	0.60 space/DU	1.00 space/DU
1-Bedroom	0.90 space/DU	1.25 spaces/DU
2+ Bedroom	1.20 spaces/DU	2.00 spaces/DU
Guest	0.15 space/DU	0.25 space/DU
Office	<del>1.50 spaces/</del> <del>1,000 sf</del>	<del>2.50 spaces/</del> <del>1,000 sf</del>
Retail	<del>2.50 spaces/</del> <del>1,000 sf</del>	<del>3.50 spaces/</del> <del>1,000 sf</del>
Restaurant	1.00 space/200 seats	<del>1.00 space/ 100</del> <del>seats</del>

Mixed-Use Zone 2				
Bachelor Apartment	0.60 space/DU	1.00 space/DU		
1 Bedroom	0.90 space/DU	1.00 space/DU		
2+ Bedroom	1.20 spaces/DU	2.00 spaces/DU		
Guest	0.15 space/DU	0.25 space/DU		
Office	<del>1.50 spaces/</del> <del>1,000 sf</del>	<del>2.00 spaces/</del> <del>1,000 sf</del>		
Retail	<del>2.40 spaces/</del> <del>1,000 sf</del>	<del>3.00 spaces/</del> <del>1,000 sf</del>		
Restaurant	1.00 space/200 seats	1.00 space/ 100 seats		
Harbor-UCLA Medical Zone				
Medical Office	<del>2.50 spaces/</del> <del>1,000 sf</del>	<del>3.50 spaces/</del> <del>1,000 sf</del>		
Clinic	<del>2.50 spaces/</del> <del>1,000 sf</del>	<del>3.50 spaces/</del> <del>1,000 sf</del>		
Industrial Flex Zone				
Light Industrial	1.20 spaces/ 1,000 sf	<del>2.00 spaces/</del> <del>1,000 sf</del>		
DU denotes dwelling units, sf denotes square feet. Guest parking is only				

required when calculated to greater than one (1). Guest parking spots are rounded down to the nearest whole number.





HOA.103086245.1

# **INFRASTRUCTURE**

## 4.1 INTRODUCTION

Utility service infrastructure such as water, wastewater, gas and electric facilities, and stormwater drainage facilities are critical services for ensuring orderly growth and community investment. The infrastructure discussion This chapter provides an overview of existing and future conditions for water, sewer, and storm drain systems serving the West Carson Specific Plan area. This section <u>It</u> identifies the current conditions for these infrastructure systems, along with recommended and recommends upgrades to accommodate the levels of new development proposed as part of the Specific Plan land use concepts.

## 4.2 WATER SERVICES


The Rancho Dominguez District of the California Water Service is the provider of potable water within the boundary of the West Carson TOD Specific Plan. The customer needs are met by <u>through</u> a combination of local groundwater and surface water purchased from the Metropolitan Water District of Southern California.

## 4.2.1 WATER SERVICES EXISTING CONDITIONS


The Specific Plan area is serviced by pipe sizes varying ranging from two-inch connectors to 33-inch main lines. The vast majority of pipe is composed of one of two materials – transite and or PVC. The largest pipe connects the plan area to the east side of Interstate 110 via a 33-inch water main. This, which decreases to a 16-inch main before connecting to the 10-inch distribution pipe on the west boundary of the plan area on Normandie Avenue. The majority of distribution pipes off the main lines are six-6-inch and eight 8-inch water lines. Figures 45.1 and 45.2 illustrate water pipe materials and size for the Specific Plan area.

Water supply requirements and flows were estimated using industry standards to determine capacities. The Harbor-UCLA Medical Center, located along the 33-inch to 24-inch main, is the largest estimated consumer in the area. The large water main located next to the medical center campus is capable of <u>can</u> provid<u>eing</u> both water supply and fire flow protection with minimal head loss. The distribution pipe size is large enough to sufficiently supply the Specific Plan area with water.

# [200]



## Figure 5.1 Water System- Pipe Material



#### Figure 4.1 Water System- Pipe Material

[ 208 ]

California Water Service has a waterline replacement plan in place with the goal to replace water mains every 50 years. The pipes in West Carson are included in this plan. The district no longer uses transite pipes for water mains, and so existing transite pipes will be phased out and replaced over time.

## 4.2.2 WATER SERVICES FUTURE CONDITIONS

Buildout of the Specific Plan includes a substantial influx of households which in turn results in an increase in water demand and water flow on the north end of Carson Street and the east side of Vermont Avenue around near the Harbor-UCLA Medical Center. South from West 220th Street along Vermont Avenue, this increase in flow is a result of additional proposed development on both sides of Vermont Avenue. The water main service line in the area is the 33-inch and 24-inch pipe along Carson Street coming from the east.

The two largest areas associated with planning zone West Carson Residential 1 have no need to increase capacity of service lines because the decrease in square footage will decrease flow to the areas.


To <u>meet\_accommodate</u> the demand <u>of\_for</u> water consumption and flows <u>with\_resulting from</u> buildout of the Specific Plan land uses, the following upgrades in water line pipe sizes are recommended:

- The 14-inch Pipe from Carson Street to 220th Street along Vermont Avenue has such a dramatic increase in flow that it will require resizing to a minimum of a 20-inch pipe due to a dramatic increase in flow.
- South from 220th Street to W.223rdStreet, the 14-inch pipeline is near the headloss threshold. The flow rate north from Carson Street to 214th Street is split between two lines: an <u>eight 8-</u> inch pipe along Vermont Avenue, and a 16-inch <u>pipe</u> along Menlo Avenue. Depending on the locations of the planned households and which distribution line supplies the water, one or both of these lines will <u>need to be replaced require</u> <u>replacement</u>. Without knowing flow into each pipeline, exact sizing cannot be recommended at this time. Figure <u>45</u>.3 highlights the general location of these water system impacts.
- A Based on a fact sheet from California Water Boards titled "August 2015 Statewide Conservation Data," shows that the average flow in the South Coast Hydrologic Region has decreased significantly to roughly 100 gallons per capita per day. UsingConsidering this flow, along with an the assumption that water conservation measures such as low water use toilets,

low flow showerheads, watering lawns and gardens in morning or evening hours, improved leak

[202]

# Figure 5.2 Water System- Pipe Size



**CHAPTER 5. INFRASTRUCTURE** 

#### W. Torrance Blvd. Torrance Blvd. W. 209th St. S. New Hamps -Unincorporated nire City of Los Angeles Royal W. 212th St. S. Figueroa St. B 1 1 Clarion D 1 City of Carson 110 C Harbor-UCLA **Medical Center** 23 Specific Plan Boundary Ave City Boundary Pipe Size 2" Pipe 4" Pipe 6" Pipe 8″ Pipe 10" Pipe 12" Pipe 14" Pipe 16" Pipe Unincorporated 24" Pipe 33" Pipe


#### Figure 4.2 Water System- Pipe Size

[210]


detection and repair, etc., are in place to maintain a low average daily demand, there is no none of the pipes that exceeds the threshold of headloss per 1,000 feet.

These recommendations are based on an assumption of flow into the area that is independent of factors in the surrounding area. The water provider, California Water Service, will evaluate all <u>future</u> development that will occur in the future and <u>analyze</u> and <u>decide\_determine</u> whether water facilities require upgrades.





#### Figure 5.3 Water Services Area of Concern




#### Figure 4.3 Water Service Area of Concern

# 4.3 SEWER SERVICES

### 4.3.1 SEWER SERVICES EXISTING CONDITIONS


Two sanitary systems exist in the Specific Plan area – local lines and trunk sewers. The local lines are a series of primarily eight <u>8-</u>inch gravity mains with laterals connecting to existing buildings. All of these sewers are, all composed of Vitrified Clay Pipe (VCP). The northwest section of the Specific Plan area collects into a pump of the main trunk. All local sewer lines are owned and operated by Public Works.

The trunk sewer lines are owned and operated by the Carson District of the Los Angeles County Sanitation Districts (LACSAN). There are four main segments of these trunk lines collecting the sewage from the Specific Plan area. The northeast corner is served by a 12-inch VCP Trunk. Another trunk line runs east on Desford Street, south on Berendo Avenue, and east on W. Carson Street before connecting up with the large trunk that runs south on Vermont Avenue. A third trunk, 54 inch in size, runs east on Carson Street at the Specific Plan boundary, cutting south through the Harbor-UCLA Medical Center campus along the same center line as Meyler Street, continuing south past the Specific Plan boundary. The final trunk line runs east on W. 223rd Street, connecting with the second trunk and continuing south on Vermont Avenue. There are three segments of trunk line that are out of service: 1) 63inch trunk running east along the southern Harbor-UCLA access road (adjacent to 220th Street) connecting at Vermont Avenue, 2) 66-inch to 78-inch trunk running south along S. Vermont Avenue from W. Carson Street to W. 223rd Street, and 3). The continuation of the first unused trunk running south from 220th Street to W. 223rd Street. The majority of these lines are reinforced concrete with linings as shown in Figure 45.4.



#### Figure 5.4 Sanitary Utilities

**CHAPTER 5. INFRASTRUCTURE** 



#### Figure 4.4 Sanitary Utilities

[214]

The <u>eight 8-</u>inch sanitary collection lines are of sufficient size to collect sanitary waste from houses and shops in the area and transport them to the main collection trunks. The medical center is located in close proximity to one of the larger trunks. Because of this, the higher volume of waste produced from the medical facilities is sufficiently captured. In the event the status of the plan area <u>would were to</u> change with the addition of industrial sites, the collection lines would require evaluation.

### 4.3.2 SEWER SERVICES FUTURE CONDITIONS


Sewer services in the Specific Plan area would require updating <u>under\_to\_accommodate</u> buildout of the Specific Plan. The connection laterals of the largest zone: West Carson Residential 1, are large enough to accommodate the changes of the area. The large increase in flows under buildout result from a large anticipated increase of population located along a sanitary trunk main that runs along Carson Street north of Harbor-UCLA Medical Center and then along Vermont Avenue east of Harbor-UCLA; and along West 223rd Street, between Normandie Avenue and Vermont Avenue.

Due to the location of increased development in the Specific Plan, substantial amounts of new development will occur near existing collection trunks. Therefore, collection laterals are not anticipated to need to be resized require resizing. However, with buildout of the Specific Plan, areas north of Carson Street and east of Vermont Avenue would require connection to the trunk line south of Carson Street. The increased flow in that area cannot be handled by the existing cight 8-inch collection laterals. With the large increase in flow along the east side of Vermont Avenue, more collection laterals may need to be installed to adequately capture and distribute the flow and distribute it to the trunk line servicing the area. The total increased flow to the area will have result in an increase of in peak flow from 4.23 cubic feet per second to 9.90 cubic feet per second. Areas of potential impact are shown in Figure 45.5.


Trunk sewer capacity is highly dependent on upstream and downstream flows. The trunk line south of 220th Street past the Specific Plan area is undersized for the flow in the area. With an increase of 5.6 cubic feet per second, this trunk line would need to be addressed. Strategies that could address the flow needs include:

- Installation of Installing a pumping station, which could provide pressure to the line
- Allowing more sewage flow through it;
- Increasing the size of the trunk; or
- Increasing the slope at which the trunk carries the sewage.

Using the same low flow data from the water service, the trunk line would still be undersized and would need to be addressed. The peak factor would increase the flow by 2.8 cubic feet per second. As these collection trunks span the entire collection system of LACSAN, it will evaluate all developments that will occur and conduct its own analysis of changes to the service trunk and necessary sewer infrastructure upgrades.



#### Figure 5.5 Sewer Services Area of Concern





# 4.4 STORMWATER SERVICE

## 4.4.1 STORM DRAINAGE EXISTING CONDITIONS

Stormwater runoff in the Specific Plan area is managed by closed and open drainage channels. The primary source for drainage is a 10-foot reinforced cement concrete channel, which is also the north boundary of the Specific Plan Area. All but two sections of pipe drain into this channel, including the five-foot reinforced cement concrete channel that is located on the north side of West 220th Street. All drainage basins in the area connected to this channel connect via reinforced concrete pipe ranging from 18 inches to 84 inches in size. This drainage channel drains east and connects to the Dominguez Channel located to the northeast in the City of Carson. The storm drains on the southern part of the Specific Plan area drain south, eventually connecting with the Wilmington Drain. Figure 54.6 illustrates the storm drain system within the Specific Plan area.

## 4.4.2 STORM DRAINAGE FUTURE CONDITIONS

Stormwater services in the Specific Plan area are connected to the large network of open channel drains, which are tied to a larger collection basin. Stormwater flow in these channels is greatly dependent on upstream and downstream flow. Buildout of the Specific Plan will generate little increase in runoff to the existing drainage system, since the area is completely developed.

New development will primarily affect the existing impervious surfaces surrounding Harbor-UCLA Medical Center and Vermont Avenue. The volume of stormwater runoff is <u>not</u> expected to <u>not</u> significantly change due to the minimal disturbance of areas <u>having with</u> existing pervious surfaces. Areas designated as West Carson Residential 1 are the primary <u>locations of</u> pervious surfaces<u>pecific</u> Plan <u>Aa</u>rea, which will remain primarily undisturbed.

Recent trends from the National Oceanic and Atmospheric Administration (NOAA) indicate <u>increasing intensity of</u> rainfall events <u>increasing in intensity</u>, but decreasing <u>in</u> duration. This increased intensity does not allow as much stormwater to be captured by pervious surfaces and increases instantaneous flow on impervious surfaces. This trend should be monitored by the County's stormwater management team for future development.



Example photoof a pervious surfaces used to manage stormwater.



Example photo of a pervious surfaces used to manage stormwater.

## 4.4.3 GREEN INFRASTRUCTURE RECOMMENDATIONS

Impervious roadways frequently wash stormwater runoff containing harmful pollutants into nearby water bodies, such as rivers and flood control channels, which lead directly to <u>ultimately flow into</u> the ocean. These harmful pollutants, which include substances commonly substances found present on roadway surfaces, such as dirt, oil, grease, toxic chemicals, and trash, and can harm pose a significant threat to wildlife in local water bodies as well as nearby plants and vegetation. Impervious roadways can also contribute to problems with stormwater quantity. When stormwater falls onto impervious surfaces, it cannot seep into the ground and therefore can cause flooding on roadways.

Public Works has developed Green Infrastructure Guidelines to guide new construction and reconstruction of road and flood projects. The goal of the guidelines is to incorporate sustainable practices into the design, construction, and operation of Public Works' infrastructure. The guidelines provide low-impact development (LID) design options to consider during planning or designing phase of road and flood projects intended to manage stormwater runoff.

The Specific Plan recommends that all new development projects that involve involving the construction of new roadways projects shall conform to the Green Infrastructure Guidelines as set forth\_established by Public Works. The guidelines define roadway projects to include the new and reconstruction of public roads, maintenance access roads, road widening, medians, bike paths, sidewalks, parking lots, grade separation, etc. Further, all new development projects shall incorporate\_are required to integrate the following best management practices as identified by in the guidelines:



#### Permeable Surfaces

Permeable surfaces should be incorporated whenever feasible to allow infiltration of rainfall and to reduce the total volume of runoff, replenish groundwater, and improve water quality. The following lists some of the guidelines for the application of permeable surfaces from Public Works' Green Infrastructure Guidelines:


- Permeable sidewalks shallmust adhere to existing Public Works standards for sidewalk design.
- Permeable access roads are not recommended for roadways with high volume of equipment trucks, as they can cause damage to permeable surfaces.
- Permeable pavement and underdrain systems for parking lots shall<u>must</u> be directed toward LID-type best management practices if needed to achieve the required volume reduction.
- » Permeable alleys are recommended for alleys that are less than eight-\_feet wide since they prevent access from heavy vehicles.

#### Vegetation and Landscaping

Vegetation and landscaping elements such as vegetated swales, vegetated buffers, planter/tree box filters, bioretention, and filter strips are intended to maximize available permeable space in an area to reduce pollutant concentrations in stormwater runoff and reduce runoff rates. The following lists some of the guidelines for the application of vegetation and landscaping from Public Works' Green Infrastructure Guidelines.

- Vegetated swales shallmust be designed in accordance with Chapter 3 of Public Works' Best Management Practices Design and Maintenance Manual.
- 2. Vegetated swales are recommended in areas where slope is between one and six percent.
- 3. Plant species for vegetate<u>d</u>s swales <u>shallmust</u> be tolerant to both extreme wet and dry conditions. Refer to the vegetated swale plant list of Public Works' Best Management Practices Design and Maintenance Manual.
- 4. Vegetated swales should be greater than 100 linear feet in length and at least 12 inches in depth from the top of the sidewalk to the swale bottom.

# Figure 5.6 Storm Drain System






Figure 4.6 Storm Drain System

•••••

- [214]
  - 5. Bioretention facilities shall<u>must</u> be designed in accordance with Chapter 5 of Public Works' Best Management Practices Design and Maintenance Manual.
  - Planting/tree box filter designs should typically incorporate a concrete vault filled with a bioretention soil mix and vegetation.
     <u>Additionally, they-and</u> may contain an underdrain connected to an adjacent flood control conveyance.

# 4.5 SOLID WASTE MANAGEMENT

The Specific Plan area utilizes the residential/commercial franchise system for solid waste collection services. Currently, Calmet Services Incorporated provides trash collection and recycling services to the unincorporated residents of Oceanview-La Rambla-West Carson under an exclusive residential franchise agreement with the County.

Key issues surrounding waste management within the County include increasing volumes of waste being disposed of and generated, <u>a</u> lack of solid waste processing facilities to accommodate the volumes of waste generated, and public opposition towards the construction of new solid waste management facilities. As available space for landfills becomes more limited, local jurisdictions shall-must implement effective waste management strategies to reduce solid waste volumes.

In 2014, the County Board of Supervisors (Board) adopted a Roadmap to a Sustainable Waste Management Future. This roadmap outlines the process by which the County can implement strategies to reduce solid waste generation in unincorporated areas and with County operations. The West Carson community is part of this program, which includes goals of to reduce ing solid waste destined for landfills by 80 percent by 2030 and 95 percent by 2040.

# 4.6 ELECTRICAL SERVICES

Electricity is provided to the Specific Plan area by Southern California Edison (SCE), a private utility company. SCE sets its own service standards, with oversight from the California Public Utilities Commission (CPUC), and facility improvement strategies. Electricity is transmitted by above-ground power lines that currently supply sufficient electrical service to the Specific Plan and have adequate capacity to serve the area with buildout of the <u>Specific</u> Plan.


# 4.7 NATURAL GAS SERVICES

The Southern California Gas Company, a subsidiary of Sempra Utilities (The Gas Company), a private utility company, is the natural gas service provider for the Specific Plan area. Natural gas pipelines exist along all major street rights-of-way within the area.

The analysis and decision on assessment of capacity to meet future demand under buildout of the Specific Plan will be conducted by The Gas Company in coordination with the County at the time development occurs and building plans are submitted.

# 4.8 TELECOMMUNICATIONS AND CABLE SERVICES

AT&T and Time Warner, two separate private utility companies, both provide local and long\_distance telecommunications services in the Specific Plan area. Time Warner Cable provides cable and high-speed internet services. <u>Additionally, Vy</u>arious wireless carriers <u>provide\_offer</u> service within the Specific Plan area. Wireless communications facilities, <u>either\_whether</u> freestanding or attached to a building or structure, <u>are required</u> to <u>must</u> comply with the design guidelines, <u>as well as and obtain</u> approval of a conditional use permit. Conditional use permits for wireless communications facilities <u>shall expire\_are valid for a</u> <u>duration of</u> 10 years from the date of approval, unless amended or extended by the planning commission or hearing officer.



HOA.103086245.1

# ECONOMIC DEVELOPMENT STRATEGY

## **INTRODUCTION**

This chapter provides the Economic Development Strategy for the Specific Plan. The Specific Plan area is expected to undergo sizable growth in employment to support uses related to the hospital such as medical offices; education, research, and development uses; and commercial offices and retail. The strategy provides economic analysis, a financing strategy, and policy recommendations to realize the full potential of the County's investments in the Harbor-UCLA Medical Center campus and Metro's investments in the Silver Line Carson Street station.

The economic development strategy includes:

- Implementation strategies to help local stakeholders that enhance West Carson's ongoing economic vitality.
- Assessment of the extent to which current strategies are relevant given the unique context of this unincorporated area.
- Recommendations for stimulating job growth, balancing employment and housing opportunities, and spurring new investment to help revitalize the West Carson area.

# **OPPORTUNITIES FOR ECONOMIC DEVELOPMENT**

Three events present incredible economic opportunity drivers for the West Carson community:

- Redevelopment and expansion of the Harbor-UCLA Medical Center campus that will nurture emerging biomedical cluster.
- The extension of the Metro Silver Line to San Pedro (and potential station relocation) that could bring more commuters and increase demand for new housing.
- Potential synergies with new mixed-use developments underway in the City of Carson.

The intent of this Specific Plan is to leverage these public and private investments by creating employment and housing development opportunities in the plan area to serve the greater West Carson community.

The following strategies and recommendations offer a road map to help West Carson achieve its full economic development potential. This includes capitalizing on the district's existing strengths, evaluating key policies already in place, and refining the approach to meet the unique needs of West Carson.

Strategies and initiatives targeted to the Specific Plan Area include:

- Support the health and biotechnology industries with logistical support and new funding tools.
- Preserve employment-rich land uses in industrial flex zones while allowing for new residential where appropriate.
- Improve perceptions of public safety to help attract new investment.

#### 1. Support Health and Biotech Industries

The County already has a specific economic development policy to support the healthcare and biomed industries:

#### 1.1 Economic Development Element

The General Plan Economic Development Element was designed to help the unincorporated County expand its economy, provide jobs, support businesses, and achieve revenue growth.

**Policy ED 1.4:** Encourage the expansion and retention of targeted industries and other growth economic sectors, such as the entertainment industry, aerospace industry, agriculture, transportation/logistics, healthcare, biomed/biotech, hospitality, and tourism.

The West Carson community has strong ties to at least two of the high-growth sectors targeted for expansion in the above policy—healthcare and biomed/biotech.

The County's active involvement in the redevelopment of Harbor-UCLA Medical Center indicates that nurturing the healthcare industry in West Carson remains a significant priority. With respect to biomed and biotechnology, the economic development element cites the lack of high-tech industrial or office space as a major impediment to growing this well-paying cluster. To this end, the inclusion of 200,000 square feet of new research space for biomedical research at the Harbor-UCLA campus should help establish momentum. A feasibility assessment for developing a biotechnology partnership plan, released in 2011, confirmed this need. Among the findings—Enhancing the feasibility of a thriving biotech field would require seeding the initial development of multi-tenant commercial bioscience facilities "as part of an integrated medical district development approach at several of the public hospital campuses, especially those which have research partnerships in place." While LA BioMed currently has its own plans for expansion, the County seeks to amplify these efforts further by helping support a new Biotech Park at the western edge of Harbor-UCLA Medical Center through a public/private partnership to develop an additional 250,000 square feet of biotech park space.

#### County Economic Development Trust Fund (CEDTF)

In an effort to promote economic development and increase County household income through job attraction and retention, the Board voted to create the County Economic Development Trust Fund (CEDTF). The CEDTF uses one-time funds from the sale of redevelopment agency assets to target catalytic projects, support small businesses and manufacturers, invest in emerging sectors, and promote exports. Specifically, the CEDTF includes a revolving loan fund targeted to the bioscience industry.

The Bioscience Revolving Loan Fund would support the County's cluster-based development strategy by supporting organizations that represent the bioscience cluster, including emerging businesses in the area surrounding LA BioMed. The fund would start with a \$1 million initial balance and grow to \$4 million in fiscal year 2021–22; it would also include a grant program to fund best-practice cluster development (\$125,000 initially, increasing to \$2 million by 2021–22). Initial funds could be used to help attract and provide technical assistance to biomed firms and encourage campus success.

#### 1.3 Other Strategies

In addition to the implementation plan that the County is currently undertaking, there are additional strategies for promoting the success of the healthcare and biomed industries in West Carson.

# 1.3.1 Promote Coordination with Local Universities and Colleges

A key component to the success of the biomed industry will be collaboration with local universities and colleges. Mission Bay in San Francisco was able to create a successful biotech hub due to its co- location with UCSF. The inclusion of UCLA on the campus is critical, but the County should also facilitate

<del>1.2</del>

collaboration with CalTech and USC because its students and faculty will be critical allies.

#### 1.3.2 Improve Infrastructure Related to the Biomed Industry

The County should ensure that broadband and/or other relevant infrastructure is available at competitive prices and levels of service. The County should consider making the unused capacity available to businesses at a reasonable cost.

2. Preserve High-Value Industrial with Employment-Rich Uses

Developers continue to pressure the County to convert industrialzoned land into residential uses. With a housing affordability crisis and general lack of supply, the idea of creating more housing on sites with aging industrial uses can be tempting. However, it is critical to the economic health of the County and West Carson that any conversion of industrial land be done strategically to avoid incompatible use adjacencies and preserve job-generating uses. The County's employment district classifications (below) can help ensure a nuanced approach that supports a gradual transition to other uses where appropriate.

#### 2.1 Economic Development Element

**Policy ED 2.1:** Protect industrial lands, especially within Employment Protection Districts, from conversion to non-industrial uses.

The General Plan analyzes employment districts throughout the County and organizes them into two general categories.

- **»»** Employment Protection Districts
- **\*\*** Industrial Flex Districts

**Employment Protection Districts,** with high employment densities and heavy industrial activity, feature policies that discourage land conversion to more profitable short-term uses. Such conversions are increasingly common as rising home prices incentivize developers to seek zone changes to pursue greater returns on cost.

**Industrial Flex Districts** are slightly less restrictive; they preserve existing employment uses while simultaneously allowing for non-industrial uses, where appropriate.

The General Plan does not call for any Employment Protection Districts in West Carson, but it does designate at least four Industrial Flex Districts.

The Specific Plan area itself has one Industrial Flex District along Vermont Avenue just south of Carson Street. Employment generators there vary widely and include music production and metal fabrication facilities, silk-screening and embroidered apparel, medical supply outlets, and freight-forwarding brokerages. However, the General Plan also notes that the Specific Plan area has seen a significant amount of large-scale residential development over the past several years. The remaining Industrial Flex District represents a very small portion of the Specific Plan area. Some residents would be attracted to residential opportunities in proximity to a major employment node allowing for shortened commute times and less spending on transportation the Flex District therefore allows for conversion to other uses over time, depending on market demand. These districts should retain the flexibility to preserve existing uses—including light industrial and/or uses related to the medical center—but still allow for other development as the market dictates.

#### 2.2 County Economic Development Program

The County has made significant strides toward developing a comprehensive economic development program over the past several years. The CEDTF mentioned above addresses industrial-zoned land as well as bioscience space. Articulating a holistic strategy was made especially urgent by the demise of Redevelopment and the elimination of the Enterprise Zone program. A dedicated implementation plan ("Economic Development Implementation Roadmap") provides strategies for achieving its four main goals:

- Supporting small business and manufacturers
- Investing in emergingsectors
- Targeting catalytic projects
- Attracting foreign investment and promoting exports

Specific programs and funding mechanisms that may be applicable to West Carson include the following:<sup>4</sup>

#### 2.3 Manufacturing Business Loan Program

The Manufacturing Business Loan Program would be targeted toward manufacturers in Employment Protection Districts and Industrial Flex Districts. To qualified applicants, it would provide \$100,000 to \$500,000 in below market loans (fixed at three percent) for land acquisition, construction, working capital, machinery and equipment, and debt refinancing.

<sup>1</sup> http://file.lacounty.gov/bos/supdocs/98389.pdf.

#### 2.4 Catalytic Development Fund

The proposed Catalytic Development Fund would promote infill and brownfield development along designated transit corridors like West Carson. This fund would leverage new market tax credits and conventional bank financing to rehabilitate and upgrade industrial properties to house industries targeted by the County for development. The program parameters are currently under development.

#### 2.5 Façade Improvement Program

Improving existing façades is a relatively inexpensive means of updating the local streetscape to attract new tenants and activate the streetscape. The County has an existing Façade Improvement Program that could benefit the West Carson community. Under this program, the Community Development Commission (CDC) helps revitalize older commercial corridors by way of grants and technical assistance for property owners to design, construct, and otherwise improve their storefront facades.

Although West Carson is not currently targeted under this program, the County may want to consider West Carson for this program in the future. As discussed earlier, the Study Area has seen no new retail development in at least 10 years. Meanwhile, the principal shopping center, located north of West Carson Street between Normandie Avenue and South Vermont Avenue, is showing signs of age, with a strip mall configuration dating back to 1962.

#### 3. Address Public Safety Issues Related to Homelessness

West Carson residents and other local stakeholders cite homelessness as a significant obstacle to revitalizing the Study Area. Already at crisis levels across the County, homelessness in West Carson is exacerbated by mental health patients being discharged from Harbor-UCLA. According to law enforcement, Harbor-UCLA is an emergency center for mental health patients, who are often discharged without access to transportation or transitional housing. This results in a large mentally ill homeless population surrounding the medical center campus, and few residents feel safe enough to walk along West 220th Street at its southern border.<sup>2</sup>

Per kick-off meeting interview with County Sheriff.

The following strategies should be implemented to address issues related to homelessness in West Carson:

223

# 3.1 New Public Health Initiatives and Homeless Strategies

The County has the second largest publicly run healthcare system in the nation. The County Department of Health Services (Health Services) currently operates four public hospitals, including Harbor-UCLA Medical Center. The County also provides mental health services through the Department of Mental Health (Mental Health), the largest municipal mental health department in the nation.

Coordination among the myriad departments and agencies that treat mentally ill homeless patients in the area has been a challenge, but may soon become easier. The Board voted in August 2015 to consolidate three of its health agencies under a single director. Some of the goals for this change are to improve information sharing between departments, lessen overcrowding in hospitals' psychiatric wards, and reduce homelessness among people with medical problems.

#### 3.2 New Funding Sources and Strategies

New dedicated funding sources at the County level may also help alleviate some of the issues associated with homelessness. In September 2015, the Board voted to pledge \$51 million in surplus revenue to expand funding for homeless programs and services. In February 2016, the Board released a detailed strategy for combating homelessness, which brought together 25 County departments, 30 cities, and dozens of community partners

Strategies from this Initiative that might be particularly beneficial in the case of West Carson include the following.

**Strategy A2:** Set of Discharge Planning Guidelines. Strategy A2 articulates a set of discharge planning guidelines for at-risk patients, bringing together the Departments of Health Services, Children and Family Services (Children and Family Services), Mental Health, Public Health, the Sheriff's Department (Sheriff's), Probation (Probation), the Veterans Administration, the Los Angeles Homeless Services Authority (LAHSA), the Hospital Association of Southern California, and others. The goal of this program is to prevent individuals from becoming homeless upon discharge.

**Strategy B7:** Interim/Bridge Housing for Those Exiting Institutions. Strategy B7 would address a critical gap in care for patients discharged from mental health care at Harbor-UCLA. It would bring together the Homeless Services Authority, Health Services, Mental Health, Probation, Children and Family Services, and Sheriff's to develop and implement a plan to increase the interim/bridge housing stock across the County, including identification of funding that can be used to support the increase. Proposed zoning changes—particularly in the MU2 Zone—in the Specific Plan may also help support this, allowing bridge housing to be developed near the hospital at appropriate densities.

**Strategy E9:** Discharge Data Tracking System. There is currently no consistent method of identifying and tracking current and potentially homeless persons in jails, hospitals, the foster care system, or other public systems that may discharge people into homelessness. To the extent permitted by law, such identification is crucial to the implementation of effective and appropriate discharge planning.

#### 3.3 Other Revitalization Strategies

#### 3.3.1 Inter-jurisdictional Coordination

West Carson's central location borders a number of jurisdictions and municipalities, each with its own set of strategies for furthering economic development. Familiarity with these should inform any strategy for West Carson, which should be effectively coordinated to amplify their positive effects.

In Carson, for example, future plans for the 157-acre development site once proposed for an NFL stadium could have a significant impact on the West Carson community. The city has completed much of the environmental cleanup needed to remediate the property and recently entered into exclusive negotiations with Macerich Real Estate company to develop a large, regional-destination retail complex with a high-end fashion outlet. Such a large project may affect the viability of new local retail and increase the value of surrounding property for potential developers.

Closer to the Study Area, Carson is currently renovating Carson Street with a \$20 million streetscape program, extending from the Harbor Freeway (Interstate-110) east to the downtown. Meanwhile, housing developers in particular have been making significant investments along the corridor, intensifying Carson Street with vertical and horizontal mixed use. Outreach to these developers could provide helpful strategies for steering appropriate development to the West Carson community.

#### 3.3.2 Improve Bicycle/Pedestrian Connections to Transit

Improving connectivity for cyclists and pedestrians between the Specific Plan area and the Metro Silver Line will increase nonmotorized activity along commercial corridors. Increased bike and foot traffic generally improves public safety and provides a critical mass to support more retail uses that can serve the community and the Harbor-UCLA Medical Center campus, making the campus more desirable for new tenants. Connectivity improvements identified in the Specific Plan should be implemented to assist with revitalization and increased retail strategies.



HOA 103086245 1

# IMPLEMENTATION AND ADMINISTRATION

# **GENERAL ADMINISTRATION**

#### Specific Plan Adoption

The Specific Plan shall be adopted by ordinance according to the procedures established in Division 9 of Title 22 of the County Code.

## Amendment to the Specific Plan

A Specific Plan Amendment may be initiated by the Board, the Commission, or upon application by a property owner or their designated representative. An amendment to the Specific Plan shall be processed in accordance with Division 9 of Title 22 of the County Code.

## Enforcement

The Director is responsible for the overall administration and enforcement of the provisions of this Specific Plan.

#### Applicability

The Specific Plan shall apply to all new development projects for which a complete application has been filed on or after of the ordinance establishing this Specific Plan. Complete applications that were filed before the effective date of this Specific Plan shall comply with the regulations and applicable Title 22 provisions that were in effect at the time that the respective complete applications were filed.

#### Severability

If any provision of this Specific Plan or the application thereof to any person or circumstance is held to be invalid by a court of competent jurisdiction, such invalidity shall not affect the other Specific Plan provisions, clauses, or applications thereof which can be implemented without the invalid provision, clause, or application, and to this end the provisions and clauses of this Specific Plan are declared to be severable.

#### Relationship to Title 22

The provisions contained in the Specific Plan shall be considered to be in combination with the other applicable provisions of Title 22. Where provisions of this Specific Plan conflict with any other provision of Title 22, the Specific Plan shall govern. Where provisions of the Regulating Code in this Plan are silent, the other applicable provisions of Title 22 (Planning and Zoning) of the County Code shall govern.

Other requirements may apply. No provision in this Specific Plan shall eliminate the need for obtaining any other permit, approval, or entitlement required by the County, or any other applicable special district or agency, or the State or federal government or their agencies, or otherwise comply with applicable State and federal regulations or laws.

#### **Interpretation**

The Director or designee has the authority to interpret the intent of this Specific Plan if ambiguity arises concerning the meaning or appropriate application of the provisions of the plan. In so doing, the Director shall consider the following factors:

- \*\* The case is similar to previous interpretations of similar provisions.
- \*\* The interpretation reflects satisfactorily the vision, intent\_and purpose of the Specific Plan.
- **\*\*** The resulting project is consistent with the General Plan.
- The decision constitutes sound precedent for other similar situations.

Such interpretations may be appealed to the Commission and ultimately the Board in accordance with the appeal procedures of Division 9 of Title 22 of the County Code.

#### Nonconforming Uses

The nonconforming use and structure provisions in Section 22.172 of Title 22 of the County Code shall apply to all uses and structures in the area governed by the Specific Plan that were legally established or built prior to the effective date of this Specific Plan.

#### Specific Plan EIR Mitigation Monitoring

Pursuant to California Public Resources Code (PRC) section 21091.6, a summary of conditions of project approval shall be prepared to mitigate or avoid significant effects on the environment. The Environmental Impact Report (EIR) for the Specific Plan includes a Mitigation Monitoring Report that was completed prior to adoption of this Specific Plan.

[228]

#### **Environmental Clearance**

The EIR is primarily a source of environmental information and disclosure for the County, the lead agency for the project. The EIR describes the potential impacts from the adoption of the Specific Plan. Subsequent development projects in the Specific Plan are anticipated as it builds out. The EIR has been prepared as a Program EIR (PEIR), as defined by section 15168 of the California Environmental Quality Act (CEQA) Guidelines, and subsequent projects that are within the scope of this EIR may be subject to a more limited environmental review process, as guided by the provisions of CEQA.

Use of a PEIR provides the County with the opportunity to consider broad policy alternatives and program-wide mitigation measures. It provides the County with greater flexibility to address project-specific and cumulative environmental impacts on a comprehensive basis. Agencies generally prepare PEIRs for programs or a series of related actions that are linked geographically; are logical parts of a chain of contemplated events, rules, regulations, or plans that govern the conduct of a continuing program; or are individual activities carried out under the same authority and having generally similar environmental effects that can be mitigated in similar ways.

# Tiering for future projects consistent with the Specific Plan and EIR

#### 2015 CEQA Guidelines § 15183 (excerpt):

(a) CEQA mandates that projects which are consistent with the development density established by existing zoning, community plan, or general plan policies for which an EIR was certified shall not require additional environmental review, except as might be necessary to examine whether there are project-specific significant effects which are peculiar to the project or its site. This streamlines the review of such projects and reduces the need to prepare repetitive environmental studies.

(b) In approving a project meeting the requirements of this section, a public agency shall limit its examination of environmental effects to those which the agency determines, in an initial study or other analysis:

(1) Are peculiar to the project or the parcel on which the project would belocated,

#### [230]

(2) Were not analyzed as significant effects in a prior EIR on the zoning action, general plan, or community plan, with which the project is consistent,

(3) Are potentially significant off-site impacts and cumulative impacts which were not discussed in the prior EIR prepared for the general plan, community plan, or zoning action, or

(4) Are previously identified significant effects which, as a result of substantial new information which was not known at the time the EIR was certified, are determined to have a more severe adverse impact than discussed in the prior EIR.

(c) If an impact is not peculiar to the parcel or to the project, has been addressed as a significant effect in the prior EIR, or can be substantially mitigated by the imposition of uniformly applied development policies or standards, as contemplated by subdivision (e) below, then an additional EIR need not be prepared for the project solely on the basis of that impact.

This approach is consistent with the tiering provision in PRC section 21083.3 and CEQA Guidelines section 15183 for "Projects Consistent with a Community Plan, General Plan or Zoning." This tiering opportunity is only available for plans (e.g., specific plan) for which an EIR has been prepared.

Note that tiering under these provisions will require environmental review and documentation to substantiate that a subsequent project does not result in any new potentially significant impacts. Such review (under PRC section 21083.3/15083) could be documented in the form of an Initial Study to ensure "topic by topic" review and substantiation. Once consistency has been substantiated and review shows that the project would not result in new significant impacts, neither a mitigated negative declaration nor an EIR would be required.

Additionally, no formal public review would be required. Projects may also be exempt from CEQA review pursuant to other sections of CEQA (e.g., exemptions for residential infill projects, statutory exemptions, or categorical exemptions) depending on the size of the project and type of development. The type of CEQA review needed for each project will be determined by County staff during their review of the type of project or development proposed. In addition to a more limited review process, infill and transitoriented infill projects may qualify for streamlined environmental review. CEQA Guidelines section 15183.3 allows eligible projects to streamline the environmental review process by limiting the topics subject to review at the project level. California Public Resources Code sections 21099 and 21155.4 also limit review of environmental topics and exempt certain types of projects.

## PROJECT REVIEW PROCEDURES

#### **Applications**

No new development or use shall be established under the Specific Plan, and no grading or building permits shall be issued for these uses, until an application has been approved for the required permit type listed in the Use Regulation tables in section 3.4 and pursuant to the applicable procedures set forth below.

#### **Ministerial Site Plan Review**

- 1. Review Authority. For uses that are permitted in the respective Use Regulation table, the Director shall have the authority to review projects subject to a MSPR for compliance with the Specific Plan and other provisions of Title 22 of the County Code.
- 2. Application Requirements. A Ministerial Site Plan Review application shall include all information required by the form provided by the Department, and payment of the required fee established in Title 22 of the County Code.
- 3. Determination. If the project complies with the provisions of the Specific Plan and other applicable provisions of Title 22, the Director shall grant the MSPR approval. Otherwise, the Director shall deny the application for a Ministerial Site Plan approval.

#### Minor Modifications

Minor modifications, as defined herein, shall not require a Specific Plan Amendment, but will be subject to the following "substantial conformance" determination.

- Review Authority. The Hearing Officer shall have the authority to review projects requesting a modification to the development standards identified in subsection 4 below, for substantial compliance with the applicable requirements of the Specific Plan and other provisions of Title 22 (Planning and Zoning) of the County Code.
- **2. Application Requirements.** A modification application shall include all information required by the form provided by the Department, and the payment of the required fee.
- **3. Procedures.** A modification request shall be subject to the public hearing procedures and requirements set forth in Title 22 (Planning and Zoning) of the County Code.
- 4. Determination. If the Hearing Officer determines that the request for a modification is consistent with the principles and standards of the County Code, the Hearing Officer may approve the modification. Notwithstanding the foregoing, only the following development standards may be modified:

REQUIREMENT	MAXIMUM MODIFICATIONS
Setback	<del>10%</del>
Building Height	<del>10%</del>
Building Size/Massing	<del>15%</del>
Open Space Area/Landscaping	<del>15%</del>
Sign Height/Width/Area	<del>10%</del>
Parking Spaces	<del>10%</del>
Loading Areas	May be modified or waived

#### **Table 7.1 Modifications**

- 5. Appeals. The decision of the Hearing Officer may be appealed or called up for review pursuant to the procedures and requirements of Division 9 of Title 22 of the County Code.
- 6. Revisions to Modification. Revisions to a modification grant may be approved by the Director if the revisions do not affect the intent of the original approval. Revisions that would deviate from the intent of the original approval shall require approval of a new modification.

#### [232]

## Specific Plan Modification Review

1. Review Authority. The Hearing Officer shall have the authority to review projects subject to a Specific Plan Modification Review for substantial compliance with the applicable standards and implementing options of this Specific Plan and other applicable provisions of Title 22 (Planning and Zoning) of the County Code.

<u>[ 233]</u>

- 2. Application Requirements. A Specific Plan Modification Review application shall include all information required by the form provided by the Department, and the payment of the fee set forth in Division 9 of Title 22 of the County Code.
- 3. Procedures. A Specific Plan Modification Review shall be subject to the public hearing procedures and requirements set forth in Division 9 of Title 22 of the County Code.
- 4. Burden of Proof. The applicant shall substantiate to the satisfaction of the Hearing Officer that:
  - a. Approval of the project conforms with the applicable provisions of this Specific Plan and other applicable provisions of Title 22 (Planning and Zoning) of the County Code.
  - **b.** Approval of the project is in the interest of the public health, safety, and general welfare.
  - c. Site layout, open space, orientation and location of buildings, vehicular access, circulation and parking, setbacks, heights, and walls and fences are designed to provide a desirable environment within a unifying context that encourages increased pedestrian activity and promotes compatibility among neighboring land uses.
  - d. Architectural character, scale, quality of design, building materials, colors, screening of exterior appurtenances, and signs are designed to ensure compatibility of the development with the Specific Plan and the character of the neighborhood.
  - e. Project landscaping, including its location, type, size, color, texture, and coverage of plant materials at the time of planting are designed and developed to provide visual interest, complement buildings and structures, and provide an attractive environment for the public. The project landscaping shall also include measures to provide for irrigation, maintenance, and protection of landscaped areas.

- f. Parking areas are designed and developed to buffer surrounding land uses, complement pedestrian-oriented development, enhance the environmental quality of the site such as to minimize stormwater run-off and the heatisland effect, and achieve a safe, efficient, and harmonious development.
- **g.** Lighting and lighting fixtures are designed to complement buildings, are of appropriate scale, avoid creating glare, and provide adequate light over walkways and parking areas to foster pedestrian safety.
- 5. Appeals. The decision of the Hearing Officer for the Substantial Conformance Review may be appealed or called up for review pursuant to the procedures and requirements of Division 9 of Title 22 of the County Code.
- 6. Revisions to Specific Plan Modification Review. Revisions to the Substantial Conformance Review may be approved by the Director if the revisions do not affect the intent of the original approval. Revisions that would deviate from the intent of the original approval shall require the approval of a new Specific Plan Modification Review.

#### **Conditional Use Permit**

When a conditional use permit is required under this Specific Plan or otherwise required under Title 22 (Planning and Zoning) of the County Code, the review procedures for a conditional use permit shall be the same as those prescribed in Division 9 of Title 22 of the County Code.

# IMPLEMENTATION AND FINANCING STRATEGY

There are a number of grant, loan, and value capture funding mechanisms that could finance the infrastructure and community benefits identified in this Specific Plan. These resources are detailed in this section.

#### — LOCAL TAX INCREMENT AND ASSESSMENT DISTRICTS

#### Enhanced Infrastructure Financing District

The Enhanced Infrastructure Financing District (EIFD) is a new funding mechanism that was signed into law on September 2014. Its main purpose is to finance a wide array of infrastructure projects with "communitywide significance," from parks and brownfield remediation to transit improvements and affordable housing.

An EIFD can be created by a city, county, or joint powers authority to fund specific infrastructure and economic development projects as outlined in the financing plan. EIFDs can also leverage multiple funding streams to achieve these goals—including a tax increment (if approved by voters), assessment revenues, fees, and other sources such as State and federal grants.

EIFDs share a number of similarities to Community Revitalization Investment Authorities (CRIAs)—another funding mechanism recently authorized in California to help carry out revitalization activities. However, a CRIA must operate within an investment area that meets the State's criteria of a disadvantaged community (generally, the district must consist of households making no more than 80 percent of the State's median household income). Therefore, an EIFD would be more viable in West Carson's case than a CRIA, with the census-designated place's (CDP) higher incomes and below average unemployment rates.

Unlike a CRIA, however, an EIFD can be established without voter approval and does not require an affordable housing set-aside. EIFDs may not issue debt without a 55 percent vote of the district's registered voters, nor can revenues be used to fund ongoing maintenance and operations. Because an EIFD's strength lies in the power of tax increment financing, Harbor-UCLA's taxexempt status would be a constraint in West Carson's case; none of the assessed improvements associated with the medical campus could be applied toward the increment. Nonetheless, if the Specific Plan were to jumpstart a new wave of investment along West Carson and Vermont, those revenues could be tapped for any number of [236]

improvements, including transit station improvements, water and sewer infrastructure, pedestrian connectivity, and other streetscape amenities.

#### **Special Assessment Districts**

Special Assessment Districts can be used to fund any improvement that provides a "direct and special" benefit to the assessed property. By this definition, improvements like the recommended medians, sidewalks, lighting, art, and benches that improve connectivity, as well as safety improvements like private security, can be funded via Special Assessment, while "general" benefits like schools may not.

There are two primary challenges in establishing Special Assessment Districts, particularly for those in already developed areas. The first is that total property taxes can only increase a certain amount before new development is disadvantaged relative to properties not subject to an assessment. The second challenge is that assessment districts require a majority vote of property owners weighted by property value to pass. All the affected properties must stand to benefit from that particular improvement, and no assessment can exceed the "reasonable cost" of its special benefit to that parcel. One benefit to forming a Special Assessment District in West Carson's case, however, is that non-profit useslike Harbor-UCLA would *not* be exemptfrom payingdues, thereby substantially increasing the available revenue stream.

#### **Business Improvement District**

A Business Improvement District (BID) is a common type of Special Assessment District that assesses business and/or property owners to fund maintenance, marketing, and other activities, including additional public services or improvements. If such a district were to be formed in West Carson, funding could be applied toward enhanced sanitation and cleaning as well as other streetscape and pedestrian improvements.

The County would need to undertake extensive outreach to the property owners to educate them on the benefits and obtain majority support before moving forward with formation. If support can be obtained, a BID is a powerful tool for raising funds to provide enhancements to the area, but cannot be used to issue bonds.

Under the California Parking and Business Improvement Area Law of 1989 and Property and Business Improvement District Law of 1994, a district can be established via a County resolution of intent to form a BID. If a majority of property owners do not protest the resolution during a subsequent public hearing, an advisory board would be appointed. Once formed, a special assessment can be charged to commercial property or business owners for an amount proportional to the benefits they will receive.<sup>4</sup>

<u>[ 237 ]</u>

#### Landscape and Lighting District

Like a BID, a Landscape and Lighting Assessment District (LLAD) is another type of Special Assessment District that could be applied in West Carson to fund new street and pedestrian lights, landscaping, parkways, medians, and other amenities, and require benefits to accrue proportionately to the assessed properties. LLADs are more flexible than BIDs in that they can issue bonds and require a simple majority of property owners for formation. The Study Area is already encompassed by one such LLAD that provides funding to maintain street lights. There have been no LLADs established by the County for amenities like pedestrian lighting; forming such a district in West Carson would require creating a new Special Assessment District dedicated to that purpose.

Given the same barrier to entry as a BID, formation of an LLAD that can issue bonds for the commercial areas that are supported by and include the Harbor-UCLA Medical Center is a better approach for raising local funds than the formation of a BID.

#### OTHER LOCAL SOURCES OF FUNDS

#### **Development Impact Fees**

Development impact fees are another potential funding source for affordable housing, parks, and recreational open space. These fees, paid by new residential and commercial development projects, must only be used to pay for improvements that can be demonstrated to serve new residents and businesses (from new development), but these fees can be combined with other funding sources to fund a project that serves both new and existing residents or businesses. A nexus study which calculates the new increment of development, estimates the portion of an improvement project attributable to that increment of growth, and allocates the fee among the new development projects by land use—is required by State law for implementation. Additional impact fees, such as a transportation and traffic impact fee, could be considered as a means to fund additional improvements that enhance mobility.

BID assessments cannot be charged to residential properties or land zoned for agriculture.

#### **Revenue Bonds**

Public activities that are revenue generating and create sufficient cash flow to cover operating costs and debt service can potentially issue tax-free municipal debt to cover the cost of capital improvements. A common example of this is revenue bonds for parking garage construction where there is pay parking.

## General Obligation Bonds and Other Public Debt

New commercial and lodging projects could generate significant new sales tax and transit occupancy (lodging) tax revenues that will flow into the County's General Fund. This new money could be used to finance debt service on tax-exempt debt obligations so that existing activities provided through the General Fund are not impacted. Such a General Obligation bond, however, requires a two-thirds vote of local residents (except for educational facilities) to approve. Alternatively, for facilities that can serve as collateral for debt, certificates of participation are a public finance technique that do not require voter approval.

# **REGIONALAND STATE SOURCES OF FUNDS**

#### Affordable Housing and Sustainable Communities

The 2006 Global Warming Solutions Acts (AB 32) established a cap and trade system in California. The system establishes quarterly auctions of carbon allowances, whose proceeds are deposited into a Greenhouse Gas Reduction Fund. Using revenue from this fund, the Strategic Growth Council administers the Affordable Housing and Sustainable Communities (AHSC) program, which funds land-use, housing, transportation, and land preservation projects to support infill and compact development that reduces greenhouse gas emissions.

Projects that can show the Strategic Growth Council that they reduce vehicle miles traveled by locating near transit are most competitive for funds. However, the market for carbon emissions has shown itself to be relatively unstable. Rather than trading emission allowances, companies are reducing emissions. While this is certainly beneficial to the environment, it means that the future of this funding source is uncertain.

<u>[ 239]</u>

#### Infrastructure State Revolving Loan Fund

The California Infrastructure and Economic Development Bank (I-Bank) loans money for infrastructure projects around the State. The I-Bank is the State's general purpose financing authority that finances public infrastructure and private development projects that promote economic development and revitalize communities.

Eligible project categories in West Carson could include the rehabilitation of streets and highways, water supply and flood control, new parks and recreational facilities, expanded public transit, public safety features, and power and communications facilities.

Recent loan recipients in Southern California have included the City of San Gabriel, which borrowed \$3.8 million at 3.5 percent interest to upgrade, reconstruct, and rehabilitate its public streets.

#### Integrated Regional Water Management Grant

Using funds from Proposition 1, the water bond passed by California voters in 2014, the California Department of Water Resources will award over \$510 million in Integrated Regional Water Management Grants for planning and implementation projects throughout the State, with \$98 million specifically allocated to the Los Angeles region starting in 2016. Projects can include stormwater capture, water reuse, and other green streets measures.

Eligible projects for West Carson could include stormwater capture, water reuse, providing new open space, and other green streets measures.

## **Caltrans Active Transportation Program**

Caltrans's Active Transportation Program (ATP) consolidates various State and federal transportation programs, including the federal Transportation Alternatives Set-Aside (TA Set-Aside), Bicycle Transportation Account, and State SRTS. Approximately \$122 million were awarded through the fiscal year 2016–2017 ATP and distributed to three categories: statewide competition (50 percent), MPO projects for regions with 200,000 or more residents (40 percent), and small urban and rural regions with populations of less than 200,000 (10 percent). In 2016–2017, ATP funds came from the following sources.<sup>2</sup>

Source	FY 2016-2017 Funding
State Funds	<del>\$34,200,000</del>
Surface Transportation Block Grant Program Set-Aside for Transportation Alternatives	
<del>(Federal)</del>	<del>\$65,455,000</del>
Other Federal	<del>\$19,950,000</del>

Although some programs request only State funds, most include a combination of funding from all available sources.

The goal of ATP is to encourage increased use of active modes of transportation, including walking and biking, as well as the safety and mobility of non-motorized users. Eligible projects in West Carson could include developing new bikeways and walkways, including a pedestrian bridge, and adding new landscaping, traffic control devices, and enhanced street lighting.

Southern California Association of Governments (SCAG) administers the regional portion of the ATP and relies on the California Transportation Commission's Call for Proposals process to select the capital projects to be funded through the regional program.

Funding for the West Carson Community Bikeways plan was awarded through this program in 2015, with \$425,000 to be allocated for bike improvements through 2019.<sup>3</sup>

http://www.catc.ca.gov/programs/ATP/2015/2015\_ATP\_Staff\_Recommendation-Statewide\_Small\_Urban-Rural.pdf.

http://www.dot.ca.gov/hq/transprog/ctcliaison/2016/0516/22\_4.12\_orig\_PPt.pdf.

# FEDERAL SOURCES

#### Federal Transportation Sources

The Fixing America's Surface Transportation (FAST) Act was signed into law in December 2015, and authorizes federal funding for a wide array of transit improvements through fiscal year 2020. It includes a number of potential funding sources that could benefit the West Carson TOD Study Area, including Capital Investment Grants, Urbanized Area Formula Grants, and Surface Transportation Block Grant Programs. These funds are administered through Caltrans's ATP program, described above.

The FAST Act also established a new National Surface Transportation and Innovative Finance Bureau within the United States. Department of Transportation to serve as a consolidated resource for providing local government agencies with federal funding, financing, and technical assistance.

#### Grants: Surface Transportation Block Grant Program

The Surface Transportation Block Grant Program (STBG) is one of the primary flexible funding sources available for transit at the local level. These funds may be used for a wide array of transit corridor capital improvements, including public transportation capital improvements, fringe and corridor parking facilities, bicycle and pedestrian facilities, and intercity or intracity bus terminals and bus facilities.

STBG funding is apportioned directly to SCAG by the Federal Highway Administration. The funding is allocated by the State of California, with a nonfederal funding match requirement of 11.47 percent.

With respect to planning, SGBG funds can be used for surface transportation planning activities, wetland mitigation, transit research and development, and environmental analysis. Other eligible projects under STP include transit safety improvements and most transportation control measures. STP funds are distributed in a state based on population and other programmatic categories.

#### **Transportation Alternatives Set-Aside**

Within the STBG funding above is a set amount called the Transportation Alternatives "Set-Aside" (formerly Transportation Alternatives Program, or TAP). The TA Set-Aside finances projects defined as "transportation alternatives," including on-road and off-road pedestrian and bicycle facilities, recreational programs, infrastructure projects for improving "nondriver" access to public transportation, enhanced mobility, community improvement activities, and environmental mitigation. It also funds activities related to the former SRTS program, which helped fund the construction of infrastructure-related projects on public roads and bicycle-pedestrian pathways near schools. A funding commitment in the vicinity of Meyler Street Elementary School or Van Deene Avenue Elementary School, for example, could finance sidewalk improvements, traffic calming and speed reduction improvements, pedestrian and bicycle crossing improvements and bridges, on-street bicycle facilities, off-street bicycle and pedestrian facilities, secure bicycle parking facilities, and traffic diversion improvements anywhere within two miles of the school.

State Departments of Transportation (DOTs) and MPOs are not eligible entities as defined under the statute, and therefore are not eligible project sponsors for TA Set-Aside funds. However, such agencies may partner with an eligible entity project sponsor to carry out a project.

#### Economic Adjustment/Revolving Loan Fund

The Economic Development Administration, a bureau in the United States Department of Commerce, administers the Economic Adjustment/Revolving Loan Fund (RLF), which assists State and local entities in creating and implementing strategies to improve local economic conditions in areas that have experienced structural change in their economic bases.

The RLF provides capital to help small businesses and entrepreneurs expand production capabilities with gap financing. Businesses in West Carson looking for assistance would contact the local EDA Regional Office (Pacific Coast Regional) for information on interest rates. Maximum loans are \$650,000 per borrower with terms of seven years for working capital, 15 years for fixed assets, and 20 years for real estate. Start-up firms in the Biotech Park, as well as those looking to expand, could benefit from use of this loan program.

