NOTICE OF PUBLIC HEARING

The Los Angeles County Regional Planning Commission will conduct a public hearing to consider the project described below. A presentation and overview of the project will be given, and any interested person or authorized agent may appear and comment on the project at the hearing. The Regional Planning Commission will then consider a vote to approve or deny the project or continue the hearing if it deems necessary. Should you attend, you will have an opportunity to testify, or you can submit written comments to the planner below or at the public hearing. If the final decision on this proposal is challenged in court, testimony may be limited to issues raised before or at the public hearing

Hearing Date and Time: Wednesday, October 16, 2024 at 9:00 a.m.

Hearing Location: Hall of Records, <u>320 W. Temple Street, Room 150, Los Angeles, CA 90012</u>. Virtual (Online) at <u>bit.ly/ZOOM-RPC</u>. By phone at (669) 444-9171 or (719) 359-4580 (ID: 858 6032 6429).

Project No.: PRJ2022-004635

Project Location: 1303 W Sepulveda Boulevard within the South BayPlanning Area

CEQA Categorical Exemption: Class 1 (Existing Facilities)

Project Description: Non-Conforming Review for the continued operation and maintenance of an existing non-conforming drugstore ("CVS Pharmacy"). Conditional Use Permit to authorize the continued sale of a full line of alcoholic beverages for off-site consumption with a Type 21 California Department of Alcoholic Beverage Control License at an existing CVS Pharmacy.

More information: Melissa Reyes 320 W. Temple Street, Los Angeles, CA 90012. (213) 974-6411. Mreyes2@planning.lacounty.gov. planning.lacounty.gov.

Case Material: https://bit.lv/PRJ2022-004635

If you need reasonable accommodations or auxiliary aids, contact the Americans with Disabilities Act (ADA) Coordinator at (213) 974-6488 (Voice) or (213) 617-2292 (TDD) with at least 3 business days' advanced notice.

Para leer este aviso en español visite < https://bit.ly/PRJ2022-004635>

若要閱讀中文通知, 請訪 https://bit.ly/PRJ2022-004635。