

COMPLAINT LOG

Third Quarter 2010

REFERENCE NUMBER	DATE/ TIME	NAME (LAST, FIRST)	PHONE NUMBER	TYPE OF COMPLAINT	PXP ACTION	CALLER RESPONSE	CSD REPORTING	DATE/ TIME REPORTED	COMMENTS
1210	07/03/10 0821	(last name withheld)	323	Noise Fairfax and 57th St.	Pleased a call directly to a PXP EHS employee's cell phone. She stated the gardener was digging with a shovel and hammering stakes. She could view the work taking place from her front door. Upon investigation, a PXP operator reported a sprinkler and beer repaired and flowers were being planted (39)	EHS staff reported the out- come of the investigation to the caller and advised them of the CSD noise provision allowing maintenance work to occur on the field	emailed: Public Health (Clandowski)	07/06/10 1054	
							emailed: PRR (Ifreeman)	07/06/10 1054	
1310	08/03/10 1550		323	Property Damage Baldwin Hills	Call was received the following morning (per her request at 1100) stated her driveway and concrete were cracked and believed car-	was pleased at the response and stated she may follow up.	emailed: Public Works (Sburger) emailed: O&P (Ifreeman) emailed: DOGGR (Kearns)	08/04/10 1358 08/04/10 1358 08/04/10 1358	The closest new well is .71 miles from the resident. was informed of the Annual Ground Survey and the accelerometer which indicates ground movement.

COMMUNITY STANDARD DISTRICT COMPLAINT LOG

Third Quarter 2010

[illegible]