

CULVER CITY FIRE DEPARTMENT
INCIDENT REPORT
Universe: NONE Population: NONE Repeat Set: NONE

INCIDENT ID#	20091395
INCIDENT DATE	04/15/2009
DATE REPORT ENTERED	04/24/2009
RECORD COMPLETE	Y
DISPATCH TIME	22:06:50
ROLLOUT TIME	22:10:00
ARRIVAL TIME	22:14:06
RESPONSE (IN MIN)	4
CODE 3 RESPONSE	Y
JURISDICTIONAL STATION	11
SHIFT	B
REPORTED BY	SAVAGE SAVAGE
UNITS ON SCENE	E1
SITUATION FOUND	671 HazMat release investigation w/no HazMat
MUTUAL AID	N None or no mutual aid involved
METHOD OF ALARM	
ADDRESS/LOCATION	
ZIP CODE	90232
NUMBER OF PERSONNEL	3
ENGINES USED	1
OTHER VEHICLES USED	
SPECIFIC PROPERTY USE	
ACTION TAKEN	429
AREA OF FIRE ORIGIN	86 Investigate
LEVEL OF FIRE ORIGIN	
RM OF HEAT	
IGNITION FACTOR	
MATERIAL TYPE	
MATERIAL FORM	
IGNITION FACTOR	
EXTINGUISHMENT METHOD	
TOTAL DOLLAR LOSS	
NUMBER OF STORIES	
FLAME DAMAGE	
SMOKE DAMAGE	
TYPE CAUSING MOST SMOKE	
TYPE CAUSING MOST SMOKE	
AVENUE OF SMOKE TRAVEL	
DETECTOR PERFORMANCE	
SPRINKLER PERFORMANCE	
OCCUPANT LAST	
FIRST	
ADDRESS	
PHONE	
RESPONSIBLE PARTY	
ADDRESS	
PHONE	
EQUIPMENT INVOLVED	
RIC NARRATIVE	RIC NOT NEEDED
INCIDENT NARRATIVE	Reported smell of burning oil in the area. E1 could smell a slight odor in the general area, consistent with a smell of a skunk. No hazard found.

Paillet, Lisa

From: Paillet, Lisa

Sent: Thursday, April 16, 2009 1:27 PM

To: [REDACTED]

Cc: [REDACTED]

Subject: Odor Complaint

[REDACTED] thank you for calling our 800 number last night informing us of the odor that brought you discomfort. As reported to you last night by my colleague Mr. Black, two PXP Operators conducted a field investigation based on your complaint. They reported back to Mr. Black that all of PXP's equipment and systems were operating properly, and that they (the PXP Operators) were unable to detect any odors from the field operations during their field investigation.

As a follow up to your call last night another field investigation was conducted by Mr. Black this morning and a call to the Culver City Fire Department Dispatcher both concluded that the odor last night could not be substantiated as a result of PXP's operations. We appreciate you calling and encourage you and your neighbors to continue calling our 800 number when you have questions or concerns. The safety of PXP's neighbors and our employees is of the utmost importance to our operations.

Regards,

Lisa Paillet

4/16/2009

COMPLAINT LOG

Second Quarter

REFERENCE NUMBER	DATE/ TIME	NAME (LAST, FIRST)	PHONE NUMBER	TYPE OF COMPLAINT	PXP ACTION	CALLER RESPONSE	CSD REPORTING	DATE/ TIME REPORTED	COMMENTS
0907	3/06/09 0813	[REDACTED]	[REDACTED]	Noise Ladera Crest	Field investigation, found potential source, advised crew to take precautions to minimize noise. (PG)	Called [REDACTED] at 1013 as requested, left message. Follow up call at 1420 spoke to [REDACTED] and informed him of outcome, he was thankful for the follow up.	emailed Pub. Health (clandowski) emailed DRP (phachiva)	03/06/09 1448 03/06/09 1448	[REDACTED] requested his call to the 800 number at 0829 be returned after 1000.
0908	04/15/09 2226	[REDACTED]	[REDACTED]	Odor Raintree	Two operators conducted a field investigation, were unable to detect odor and all PXP systems were operating normally. (BB)	Returned call last night to inform [REDACTED] of outcome. Also, email in the morning.	emailed AQMD (mherandez) email DRP (phachiva)	04/16/09 1044 04/14/09 1044	Culver City Fire did respond and were unable to substantiate odor from PXP. Culver City Fire Incident number 1395
0909	05/01/09 1936	[REDACTED]	[REDACTED]	Vibration Ladera Crest	Field investigation conducted, cause apparently due to gas plant flare start up, as a necessary safety devise. (BG)	Returned [REDACTED] call at 1938, he reported the vibration had stopped.	emailed Pub. Health (clandowski) emailed DRP (jdelarosa)	05/04/09 1314 05/04/09 1314	
0910	05/01/09 1936	[REDACTED]	[REDACTED]	Vibration Ladera Crest	Field investigation conducted, cause apparently due to gas plant flare start up, as a necessary safety devise. (SR)	Replied to [REDACTED] email and she indicated the vibration had stopped.	emailed Pub. Health (clandowski) emailed DRP (jdelarosa)	05/04/09 1314 05/04/09 1314	

REFERENCE NUMBER	DATE/ TIME	NAME (LAST, FIRST)	PHONE NUMBER	TYPE OF COMPLAINT	PXP ACTION	CALLER RESPONSE	CSD REPORTING	DATE/ TIME REPORTED	COMMENTS
0911	05/07/09 2030			Noise Ladera Crest	2033 – Field investigation conducted by three operators who were unable to determine source of "louder than normal generator or machine.	Returned call 3 times and advised him out outcome and to call again if he heard the noise again, no returned called received.	emailed Pub. Health (clandowski) emailed DRP (Idelarosa)	05/08/09 1309 05/08/09 1309	