

DRP Plans Filed - Coastal Islands Planning Area

Between 05/06/2024 to 05/13/2024



Plan No./ Project No.	Application Date	Description	Location	Parcel Number	Applicant	Planner	Zone Code	SD
Permits								
<i>Number of Plans: 1</i>								
RPAP2024002547	05/08/2024	CDP exemption application for generation clearing activities within Haypress Area SEA in the Catalina LCP. There are 5 generation clearing locations within Haypress Area SEA. All of these locations were previously included in the existing permit, RPPL2020005173, which expired on 08/13/2023.		7480042056	Linda Nguyen Xinling Ouyang Travis Kegel	To Be Assigned Received	SP	4
Site Plan Review - Ministerial								
<i>Number of Plans: 1</i>								
RPPL2024002414 PRJ2024-001614	05/06/2024	Southern California Edison requests that the Los Angeles Department of Regional Planning grant a disaster rebuild approval to allow the replacement of a retaining wall adjacent to the Sweetwater water well on Catalina Island. The SCE owned and operated Sweetwater Well is an important drinking water supply source for the west end of Catalina Island. Sweetwater Well is critical to maintain a safe and reliable drinking water supply. Due to significant damage of the nearby retaining wall caused by storm water erosion, the well cannot be operated safely without significant risk.		7480043014	Linda Nguyen Travis Kegel Xinling Ouyang	Nathan Merrick	SP	4